

Checklist of the Spiders (Araneae) of British Columbia

March 2020

Robb Bennett^{1,2}, David Blades², Gergin Blagoev³, Don Buckle⁴, Claudia Copley², Darren Copley², Charles Dondale⁵, and Rick C. West⁶

¹Corresponding author – robb.bennett@shaw.ca

²Natural History Section, Royal British Columbia Museum, 675 Belleville St, Victoria, BC, Canada

³Centre for Biodiversity Genomics, University of Guelph, Guelph, ON, Canada

⁴16-3415 Calder Crescent, Saskatoon, SK, Canada

⁵Canadian National Collection, Agriculture & Agri-Food Canada, 960 Carling Ave, Ottawa, ON, Canada (retired)

⁶6365 Willowpark Way, Sooke, BC, Canada



A female *Dolomedes triton* (Walckenaer) feeding on a stickleback and a male *Rhomphaea fictilium* (Hentz) lurking on an orchard grass seed head. These two spider species are locally common in British Columbia but not often encountered by casual observers. Images credit: Sean McCann.

Abstract:

In 2006, the Royal British Columbia Museum began systematically documenting the full diversity of British Columbia's spider fauna. Initially, museum specimens and literature records were used to update an existing checklist and identify poorly sampled habitats in BC. Annual field surveys of spiders, primarily targeting alpine and subalpine habitats, began in 2008; barcode identification of previously unidentifiable specimens commenced in 2012. These efforts have resulted in significant increases in the area of BC that has been sampled for spiders, the number of species documented in the BC checklist, and the number of specimens in the RBCM collection. Many of the additions to the checklist represent the first Canadian or Nearctic records of those taxa or are undescribed species. By early 2020, data from nearly 42 000 spider specimens had been entered into the RBCM database. Data from many specimens, however, remain unrecorded and currently (2020) the RBCM collection is estimated to house more than 100 000 specimens. The number of species recorded in BC has climbed from 212 in 1967 through 653 in 2006 to 893 in 2020. Here we present BC localities data and general global distributions for those 893 taxa. The progress of the RBCM's work has made the RBCM an important repository of western Nearctic spiders and shown that British Columbia is an important area of Nearctic spider diversity.

Introduction:

The first checklist of British Columbia spiders (Thorne 1966) recorded only 212 species; data in Bragg and Leech (1972) increased the count to 259. Specimens of most of these species were housed elsewhere rather than in the collection of the Royal British Columbia Museum (especially, in the Canadian National Collection and the American Museum of Natural History) and until the 1980s the RBCM collection consisted of only a few dozen, primarily common and widespread or introduced species. Subsequently, significant work in the 1980s (led by R.C. West and C.D. Dondale, especially) increased the BC spider species count to 433 (West *et al.* 1984) and then 570 (West *et al.* 1988). The 1990s also were productive for BC spider faunistics. In particular, inclusive regional arthropod diversity studies led by D.C. Blades, G.G.E. Scudder, and N. Winchester were largely responsible for the addition of a further 83 species to the BC spider checklist. Bennett (2001) provided a comprehensive review of the history of araneology in BC including a table recording the number of spider species per family in the province for a total BC count of 653 species. Bennett (2001) also noted that the RBCM collection then housed about 4400 vials of spider specimens—although the collection was growing, most of the substantial number of spider specimens collected in the 1980s and 1990s ended up, as in earlier times, in other collections.

In 2006, the Royal British Columbia Museum began supporting the efforts of R.G. Bennett, C. Copley, and D. Copley to survey systematically and document as fully as possible the spider fauna of British Columbia. First, a comprehensive revision of the West *et al.* (1988) checklist was e-published (Bennett *et al.* 2006), updating all nomenclature, adding new locality data, and incorporating the 83 species that had accumulated through the 1990s. A review of locality data in the revised checklist showed that most of the province (and many habitats within it) had never been sampled: with few exceptions, only areas with relatively easy access (*e.g.*, road corridors, valley bottoms, and areas of high human population densities) had been reasonably well sampled for spiders (Fig. 1a). Most notably, alpine and subalpine habitats were seriously under-sampled and became a priority for RBCM spider collecting activities starting in the 2008 field season.

Subsequently, the RBCM's field work from 2008 through 2019 (augmented by input from arachnological friends and colleagues) has resulted in significant increases in the area and habitats of the province that have been sampled for spiders (Fig. 1b), the number of spider species known to occur in the province, and the number of spider specimens housed in the RBCM collection (more than 100 000, of which nearly 42 000 have been formally databased).

This 2020 version of the BC spider checklist (the fifth in the series hosted on-line by EFauna BC since 2006) presents the names, general distribution data, and specific BC localities for 893 species. This number includes a few subspecies and more than 30 undescribed species (new to science—see “*” entries in the checklist). The four preceding versions presented, respectively, 700, 729, 780, and 859 taxa (Bennett *et al.* 2010, 2012, 2014, 2017). On average, since 2006 about 18 species have been added annually to the BC checklist. Many of the records added in recent years are the result of barcoding of BC spider specimens by the Centre for Biodiversity Genomics (Blagoev *et al.* 2016), a collaboration initiated in 2012. In addition to being new taxon records for BC, more than 70 are of species never before recorded in Canada (*e.g.*, *Islandiana lasalana* (Chamberlin & Ivie), *Porrhomma nekolai* (L. Koch) or, in some instances, the Nearctic (*e.g.*, *Agyneta conigera* (O. P.-Cambridge)). This

incremental increase in species number shows no sign yet of slowing down and, because many regions and habitats of the province (especially along the coast and in the northern half of the province) still remain to be sampled, we believe the checklist of spiders known to occur in British Columbia will eventually exceed 1000 species. Less than 1500 spider species have been reported from Canada (Bennett *et al.* 2019) and a little less than 4000 species are recorded in North America (Ubick *et al.* 2017). With probably $\frac{2}{3}$ of the Canadian fauna and $\frac{1}{4}$ of the North American, it is clear that BC is an important area for Nearctic spider diversity.




Fig. 1. British Columbia, showing areas in which the spider fauna had been reasonably well sampled up to 2006 (1a) and collection localities sampled by Royal British Columbia Museum staff and their colleagues to the end of 2019 (1b).

Various colleagues have made substantial contributions to our database since 2006. Among others, in particular we thank James Bergdahl (Conservation Biology Centre); Jakob Dulisse; Virgil Hawkes, Janean Sharkey, and Charlene Wood (LGL Ltd.); Jennifer Heron, Leah Ramsay, and Melissa Todd (BC Ministry of Environment); Norma Kerby (and her volunteers in northern BC); Marty Krannabetter and Ken White (BC Ministry of Forests, Lands and Natural Resource Operations); Jeff Lemieux, Staffan Lindgren, and Kendra Schotzko (University of Northern British Columbia); Bronwen Lewis (Golder Associates Ltd.); Chris Ernst, Wayne Maddison, John McLean, and Karen Needham (University of British Columbia); Robert Puls (Langley Field Naturalists); John Swann (University of Calgary); and Susan Wise-Eagle for kindly sending us significant data and/or specimens from interesting localities.

Note: Checklist follows the literature cited section. Nomenclature adheres to the World Spider Catalog vers. 21.0 (2020). An asterisk (*) marks each of the 34 species newly recorded for British Columbia since the previous version (Bennett *et al.* 2017) of this list.

Literature Cited:

- Bennett, R.G. 2001. Spiders (Araneae) and araneology in British Columbia. *Journal of the Entomological Society of British Columbia*, 98: 85–92.
- Bennett, R.G., D. Blades, G. Blagoev, D. Buckle, C. Copley, D. Copley, C.D. Dondale, and R.C. West. 2017. Checklist of the spiders of British Columbia [online database]. *in*: Klinkenberg, Brian. (Editor) 2018. E-Fauna BC: Electronic Atlas of the Fauna of British Columbia [<http://www.efauna.bc.ca>]. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver.
- Bennett, R.G., D. Blades, D. Buckle, C. Copley, D. Copley, C.D. Dondale, and R.C. West. 2012. Checklist of the spiders of British Columbia [online database]. *in*: Klinkenberg, Brian. (Editor) 2013. E-Fauna BC: Electronic Atlas of the Fauna of British Columbia [<http://www.efauna.bc.ca>]. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver.
- Bennett, R.G., D. Blades, D. Buckle, C. Copley, D. Copley, C.D. Dondale, and R.C. West. 2014. Checklist of the spiders of British Columbia [online database]. *in*: Klinkenberg, Brian. (Editor) 2015. E-Fauna BC: Electronic Atlas of the Fauna of British Columbia [<http://www.efauna.bc.ca>]. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver.
- Bennett, R.G., D. Blades, C.D. Dondale, D.J. Buckle, and R.C. West. 2006. The spiders of British Columbia [online database]. *in*: Klinkenberg, Brian (Editor). E-Fauna BC: electronic atlas of the fauna of British Columbia. Available from www.efauna.bc.ca. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver.
- Bennett, R.G., D. Blades, C.D. Dondale, D.J. Buckle, and R.C. West. 2010. The spiders of British Columbia [online database]. *in*: Klinkenberg, Brian (Editor). E-Fauna BC: electronic atlas of the fauna of British Columbia. Available from www.efauna.bc.ca. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver.
- Bennett, R.G., G.A. Blagoev, and C. Copley. 2019. The Araneae of Canada. *in*: Langor DW and Sheffield CS (Editors). *The Biota of Canada—A Biodiversity Assessment. Part 1: The Terrestrial Arthropods*. *ZooKeys*. 819: 41–56.
- Blagoev, G.A., J.R. deWaard, S Ratnasingham, S.L. deWaard, L. Lu, J. Robertson, A.C. Telfer, and P.D. Hebert. 2016. Untangling taxonomy: a DNA barcode reference library for Canadian spiders. *Molecular Ecology Resources*, 16: 325–341. doi:10.1111/1755-0998.12444
- Bragg, P.D. and R.E. Leech. 1972. Additional records of spiders (Araneida) and harvestmen (Phalangida) for British Columbia. *Journal of the Entomological Society of British Columbia*, 69: 67–71.
- Thorn, E. 1967. Preliminary distributional list of the spiders of British Columbia. Report of the Provincial Museum of Natural History and Anthropology of British Columbia. 17 pp.
- Ubick, D., P. Paquin, P.E. Cushing, and V. Roth (eds). 2017. *Spiders of North America: an identification manual*, 2nd Edition. American Arachnological Society, Keene, New Hampshire, USA
- West, R., C.D. Dondale and R.A. Ring. 1984. A revised checklist of the spiders (Araneae) of British Columbia. *Journal of the Entomological Society of British Columbia*, 81: 80–98.
- West, R., C.D. Dondale and R.A. Ring. 1988. Additions to the revised checklist of the spiders (Araneae) of British Columbia. *Journal of the Entomological Society of British Columbia*, 85: 77–86.
- World Spider Catalog. 2020. World Spider Catalog. Natural History Museum Bern, online at <http://www.wsc.nmbe.ch/>, version 21.0, accessed on 23 March 2020.

AGELENIDAE

Agelenopsis actiosa (Gertsch & Ivie, 1936)

Global Distribution: Southwestern BC to NS south to northwestern OR

BC Records: Victoria area (Mt Manuel Quimper, Rocky Point, Saanich Inlet, Goldstream Prov Pk, Sidney), Wellington

Agelenopsis oklahoma (Gertsch, 1936)

Global Distribution: South central BC south to OK & KS

BC Records: Mt Manuel Quimper (Sooke), Hedley/Nickelplate outlook, Chopaka, Kilpoola Lk, Mt Kobau, Oliver, Osoyoos (West Bench, Sagebrush Slopes Cons Lands), Grand Forks, Cranbrook

Agelenopsis oregonensis Chamberlin & Ivie, 1935

Global Distribution: Southwestern BC to northwestern OR

BC Records: Victoria area (Victoria, nr Prospect Lk, Metchosin, Rocky Point, 10 Mile Point, Saanich Inlet), Saltspring Is, Cowichan Lk, Parksville, Wellington, Summerland

Agelenopsis potteri (Blackwall, 1846)

Global Distribution: BC to NS south to northwestern Mexico

BC Records: Langford, Saanich, Saanichton, Fulford Hbr, Port Washington, Richmond, Williams Lk, Kamloops, Salmon Arm, Vernon, Summerland, Oliver, Osoyoos, Grand Forks, nr Salmo, Lister, Creston, Invermere

Agelenopsis utahana (Chamberlin & Ivie, 1933)

Global Distribution: AK to NF south to UT & WY

BC Records: Alaska Hwy (Swan Lk), Hazelton, Terrace, Babine Lk (Pinkut Ck, Johnson Bay), confluence of Tatshenshini R & Alsek R, Williston Lk (nr Tsay Keh, ~40 km N Raspberry Hbr), Wells Gray Prov Pk, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), nr Prince George, S bank Peace R nr Bear Flat, Hwy 29 NW of Ft St John, Canoe, Bute Inlet, Victoria area (Mt Manuel Quimper, Thetis Lk, Victoria, 10 Mile Point), Whistler, Lillooet, Pavilion Lk, Marble Canyon, Salmon Arm, Princeton, Hedley-NickelPlate Rd, Old Hedley Rd, Ashnola R, Chopaka, Grand Forks, Beaton, Burton, Edgewood, Creston, Cranbrook, Sunken Ck Tr (nr Cranbrook), Canal Flats, lower Bull R valley (E of Cranbrook), Graves Lookout Tr (E of Whiteswan Lk), Graves FSR pass S of Sheep Mtn, Sparwood, Beaver Valley (Glacier Nat Pk), Yoho Nat Pk (51 13'26"N 116 36'49"W, Boulder Ck, Field, Emerald Lk), Kootenay Nat Pk (Daer-Pitts), Flathead R drainage (Flathead townsite southeast of Mt Corrigan, Cabin Ck FSR, Flathead-SageFSR, Kishinena FSR, Flathead R @ Can/USA border)

Eratigena agrestis (Walckenaer, 1802)

Global Distribution: Holarctic; introduced in Nearctic - primarily Pacific Northwest USA and southern BC; scattered records in AB, ON, & NL

BC Records: Alliford Bay (Moresby Is), Terrace, Prince George, Williams Lk, Port McNeill, Sheringham Point, Victoria area, Pender Is, Galiano Is, Mayne Is, Hornby Is, Vancouver area, Old Hedley Rd, Kamloops, Vernon, Kelowna, Penticton, Oliver, Grand Forks, Nelson, Creston, Cranbrook,

Eratigena duellica (Simon, 1875)

Global Distribution: Holarctic; introduced in Nearctic - Pacific Northwest and southern BC; scattered records in AB, SK, & NL

BC Records: Terrace, Prince George, Victoria area (many localities), Portland Is, Saltspring Is, Pender Is, Galiano Is, Cabbage Is, Tumbo Is, Saturna Is, Duncan, Nanoose Bay, S Winchelsea Is, Hornby Is, Texada Is, Savary Is, Campbell R, Alert Bay, Vancouver area, Westbank, Summerland, Penticton, Okanagan Falls, Sparwood, Grand Forks, Christina Lk, Fernie

Novalena intermedia (Chamberlin & Gertsch, 1930)

Global Distribution: Southern BC to northern CA

BC Records: Nanaimo, Victoria area (Saanich, Goldstream Prov Pk), S Pender Is, Whistler (Alpha Lk, Creekside), km 15 D'Arcy/Seton Portage Highline Rd, Rampart grassland (E of Cranbrook)

***Tegenaria domestica* (Clerck, 1757)**

Global Distribution: Cosmopolitan

BC Records: Skidegate, Terrace, Dunster, Victoria area, Kyuquot, Galiano Is, Saltspring Is, Vancouver area, Aldergrove, Pemberton, Kamloops, Vernon, Oliver

AMAUROBIIDAE

***Amaurobius borealis* Emerton, 1909**

Global Distribution: Northern BC east to NF and NY

BC Records: Morley R Lodge, Tupper, Hwy 29 @ Szoo Rd, Hwy 29 @ Watson Slough, Hwy 97 S of Taylor, S bank Peace R nr Bear Flat, W of Ft St John

***Arctobius agelenoides* (Emerton, 1919)**

Global Distribution: Holarctic; in Nearctic - AK to NU south to BC & MB

BC Records: Alaska Hwy (Swan Lk), Mt Irish (nr Ft Ware), alpine pass 4.5 km NW of Mt Laurier, Manson Ck, Ross Lk (Yoho Nat Pk), Stanley Glacier Tr (Kootenay Nat Pk)

***Callobius canada* (Chamberlin & Ivie, 1947)**

Global Distribution: BC south to northern OR & western MT

BC Records: Copper R valley (nr Terrace), Burton, Edgewood, Lister, Creston, Erickson, Goatfell, Kamloops, Salmon Arm, Wycliffe, Cawston, Mt Kobau, Summerland, Marble Canyon, Fountain Valley, Yale, Manning Prov Pk (Coldstream campground)

***Callobius enus* (Chamberlin & Ivie, 1947)**

Global Distribution: Southern BC south to ID & western MT

BC Records: Cathedral Lks Prov Pk (Rim Trail), Kamloops, Summerland, Burton, Thompson Mtn lookout, Lakit Peak (Ft Steele), Sunken Ck Tr (nr Cranbrook), Invermere, nr St Mary Lk (W of Kimberley), Crawford Bay, Fernie, Deadmans Pass FSR (east of Sparwood), Crowsnest Ridge, Graves FSR pass south of Sheep Mtn, Flathead R drainage (Flathead townsite nr Mt Corrigan, Cabin Ck FSR, Flathead-Sage FSR, Mt Hefty), Nelson, Wycliffe, Christina Lk

***Callobius nomeus* (Chamberlin, 1919)**

Global Distribution: Western NA, also in QC, LB, & NH

BC Records: Alaska Hwy (Swan Lk), Kinaskin Lk, The Thumb (Sustut Prov Pk), Date Ck (N of Hazelton), Copper R valley (nr Terrace), Smithers, Babine Lk (Johnson Bay, Pinkut Ck), McLeod Lk (N of Prince George), Pine Pass, Ft St John, nr Itcha Lk, 40 km S of Quesnel, Paul Lk (nr Kamloops), Strathcona Prov Pk (Crown Mtn), Manning Prov Pk, Ashnola Valley, Anarchist Mtn, Mt Baldy, Kootenay Pass (Ripple Ridge), Granite Mtn (Rossland), Golden, "Darkwoods" nr Salmo (Devil's Hole Lk, Porcupine Lk), Fernie, nr Sparwood (Alexander Ck FSR), Flathead R drainage (nr Shepp Ck, Flathead townsite), Sale Mtn (N of Revelstoke), Mt Revelstoke Nat Pk (Eva Lk), 16 km E of Golden, Yoho Nat Pk (Wapta Lk, Boulder Ck Ranger Sta, Field, MacArthur Lk Tr, Opabin Lk), Glacier Nat Pk (Beaver Valley, Rogers Pass)

***Callobius pictus* (Simon, 1884)**

Global Distribution: AK (eastern Aleutian Islands) south to mid-coastal CA

BC Records: Haida Gwaii (Alliford Bay, Deanna R), Metlakatla, Terrace, Port McNeill, Port Harvey, Wakeman Sound, Kyuquot, Carrington Lagoon (Cortes Is), Comox, Bowser, Valdes Is, Carmanah Valley, nr Kennedy Lk, Strathcona Prov Pk (Price Ck), Hornby Is, Mesachie Lk, Cobble Hill, Victoria area (many localities), Southern Gulf Islands, Texada Is, Bute Inlet, Knight Inlet, Roberts Ck, Vancouver area, Ft Langley, White Rock, Sumas Mtn, Cathedral Lks Prov Pk, Mt McLean, Lillooet; Fountain Valley, Hedley, Bonus Lk

***Callobius severus* (Simon, 1884)**

Global Distribution: Western BC to southwestern CA

BC Records: Haida Gwaii (Drizzle Lk), Calvert Island, Port McNeill, Kyuquot, Comox, Parksville, Nanoose Bay, Pt Alberni, Cheewhat Beach, Cowichan Lk, Shawnigan Lk, Malahat, Victoria area, Mandarte Is, Saltspring Is, Thetis Is, Galiano Is, S Pender Is, Tumbo Is, Saturna Is, Bowen Is, Vancouver, Burnaby

***Cybaeopsis euopla* (Bishop & Crosby, 1935)**

Global Distribution: NT and eastern BC to NF south to WI & ME

BC Records: nr Valemount (Yellowjacket Ck), Field, Tupper

***Cybaeopsis wabritaska* (Leech, 1972)**

Global Distribution: AK (eastern Aleutian Islands) to northern WA

BC Records: Revelstoke, Yoho Nat Pk (Emerald Lk), Burton, Mosquito Ck (nr Nakusp), Manson Ck, Six Mile Lk, New Hazelton, Copper R valley (nr Terrace), Yellowjacket Ck (nr Valemount), Burnaby, Blaney Lk (nr Pitt Meadows), Delta (Burns Bog), Jordan River bog (Vancouver Is), Little Qualicum R

***Zanomys aquilonia* Leech, 1972**

Global Distribution: Southwestern BC to southwestern OR

BC Records: Mudge Is, Gabriola Is, Koksilah R, Sansum Narrows Reg Pk (nr Genoa Bay), Saltspring Is (Mt Maxwell, Long Hbr), Saturna Is (nr Money Lk, Narvaez Bay), Gulf Islands Nat Pk (Acland Is, Brackman Is, Bright Is, Tumbo Is), Victoria area (Mt Manuel Quimper, Mary Hill, Ft Rodd Hill, nr Prospect Lk, Little Saanich Mtn, Goldstream Prov Pk, Durrance Lk, Jocelyn Hill, Albert Head, Witty's Lagoon, Devonian Reg Pk, Rocky Pt, Pearson College, Mt Braden, Mt Wells, Barrow Rd, Impala Rd, Sugarloaf Mtn, Babbington Hill), Yellow Point, Nanaimo, Whistler (Alpha Lk, N of Daisy Lk, Brandywine Prov Pk, Cougar Mtn), Pemberton, Highline Rd nr D'Arcy

ANAPIDAE

***Comaroma mendocino* (Levi, 1957)**

Global Distribution: Southwestern BC & coastal CA

BC Records: Saturna Is (nr Money Lk)

ANTRODIAETIDAE

***Antrodiaetus cerberus* Coyle, 1971**

Global Distribution: Northeastern WA & southeastern BC

BC Records: Nelson, "Darkwoods" NE of Salmo (Elmo Lk Rd, MacGregor Rd, Tye Rd), Burton, East Arrow

***Antrodiaetus hageni* (Chamberlin, 1917)**

Global Distribution: South central BC, eastern WA & eastern OR

BC Records: Merritt, Kamloops (Peterson Ck), Heffley Ck, Louis Creek, Barriere, Monte Ck, Princeton, Vernon, Lumby, Summerland, Apex Mountain, Vaseux Lk, White Lk, Osoyoos area (Mt Kobau, Haynes Lease, Fairview, Sagebrush Slopes Cons Area), Summerland

***Antrodiaetus pacificus* (Simon, 1884)**

Global Distribution: West coastal NA from BC to northern CA

BC Records: Haida Gwaii (McClinton Ck, North Beach, Bonanza Ck, Tlell), Calvert Is, Tsitika R, Kelsey Bay, Cape Cook Lagoon, Kyuquot, Maquinna Prov Pk, Carmanah Valley, Copper Canyon (Chemainus R), Duncan, Pt Renfrew, Sombrio Beach, China Beach, Jordan R, Sooke, Mt Manuel Quimper, Victoria area, Southern Gulf Islands

***Antrodiaetus pugnax* (Chamberlin, 1917)**

Global Distribution: South central BC south to northern OR and adjacent ID

BC Records: Pend d'Oreille Valley (nr Trail), Nelson, "Darkwoods" NE of Salmo (nr Porcupine Lk, Mt Wurttemberg, Swamp Basin Rd), Cornice Ridge (Stagleap Prov Pk), Kootenay Lk, Castlegar

***Hexura picea* Simon, 1884**

Global Distribution: Southwestern Vancouver Is (disjunct pop'n), WA to OR

BC Records: Carmanah Prov Pk, Walbran Valley, Cheewhat Beach (Clo-oose), Bamfield, nr Port Renfrew (Avatar Grove, Harris Ck spruce), Kludahk Trail (~13km NW Jordan R)

ANYPHAENIDAE

***Anyphaena aperta* (Banks, 1921)**

Global Distribution: Southwestern BC to CA

BC Records: Calvert Is area, Broughton Archipelago, Kyuquot, Carmanah Valley, Qualicum, Little Qualicum Falls, Parksville, Errington, Nanaimo, Sansum Narrows Reg Pk (nr Genoa Bay), Victoria area (E Sooke Point, Goldstream Prov Pk, Victoria, Oak Bay, 10 Mile Point, Sidney, Witty's Lagoon, Devonian Reg Pk, Impala Rd, Van Der Meer Reserve, Pearson College, Rocky Point), Galiano Is, N Pender Is, Saturna Is, Big Red Is, Stanley Pk, Roberts Ck

***Anyphaena pacifica* (Banks, 1896)**

Global Distribution: BC & southwestern AB south to CA and NM

BC Records: Terrace, Mt Cain, Nanaimo, Carmanah Valley, Victoria (Goward Rd), Roberts Ck, Highline Rd (nr D'Arcy), Bridal Veil Falls, Hope, Mt. Kobau, Osoyoos, Mt Baldy, Apex Mtn, Rock Ck, Goatfell, Boswell, Creston, Phillips Pass, Flathead R drainage (Mt Hefty)

ARANEIDAE

***Aculepeira carbonarioides* (Keyserling, 1892)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to CO & UT

BC Records: ridge ~9km E of Simpson Peak, Mount St Paul, mtn nr Kelsall Lk, Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), Mt Irish (nr Ft Ware), Pink Mtn, The Thumb (Sustut Prov Pk), Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Cathedral Lks Prov Pk, Kamloops, Tsuius Mtn (SW of Revelstoke)

***Aculepeira packardi* (Thorell, 1875)**

Global Distribution: Holarctic; in Nearctic - YT to LB south to northern Mexico & PA

BC Records: Oliver, Mt Revelstoke, Idaho Pk (nr New Denver)

***Araneus corticarius* (Emerton, 1884)**

Global Distribution: AK to NS south to ND & PA

BC Records: Vernon

***Araneus diadematus* Clerck, 1757**

Global Distribution: Holarctic; introduced in Nearctic - western BC to OR and NF to MI

BC Records: Queen Charlotte City, Courtenay, Nanaimo, Duncan, Sooke, Victoria area (many localities), Southern Gulf Islands, Vancouver area (many localities), Rayleigh (Kamloops), Vernon, Kelowna, Rutland

***Araneus gemma* (McCook, 1888)**

Global Distribution: Southeastern AK to MT south to CA

BC Records: Errington, Lytton, Monte Lk, Vernon, S of Donald, Kaslo, Goatfell, Creston

***Araneus gemmoides* Chamberlin & Ivie, 1935**

Global Distribution: Southern BC to MB south to CA & FL

BC Records: Chetwynd, Kyuquot, Victoria, Kamloops, Vernon, Penticton, Osoyoos, Lister, Creston, Erickson, Wardner, Invermere, Sunken Ck Tr (nr Cranbrook)

***Araneus iviei* (Archer, 1951)**

Global Distribution: BC to NS south to MI & PA

BC Records: Prince George, Nakusp, Creston

***Araneus marmoreus* Clerck, 1757**

Global Distribution: Holarctic; in Nearctic - AK to NF south to OR & SC

BC Records: Smithers, Babine Lk (Johnson Bay), Vanderhoof, Mons Lk (SW of Riske Ck), Bute Inlet, Hope, Kalamalka Lk Prov Pk, Moberley (nr Golden), Lister, Creston, Goatfell, Glacier Nat Pk (Beaver Valley), Crowsnest Pass, Flathead River drainage (Flathead-Sage FSR, Kishinena FSR)

***Araneus montereyensis* (Archer, 1951)**

Global Distribution: West coastal NA from southwestern BC to southern CA

BC Records: Victoria area (E Sooke Point, Rocky Point)

***Araneus nordmanni* (Thorell, 1870)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to AZ & SC

BC Records: Kinaskin Lk, Poutang Ck headwaters, Kyuquot, Carmanah Valley, Stuart Is, Langford, Oak Bay, Ross Lk (Skagit Valley), Manning Prov Pk (Muledeer Camp), Cornice Ridge (Kootenay Pass), Goatfell, Creston, Mt English (nr Revelstoke), Glacier Nat Pk (Beaver Valley, Mt Fidelity, Rogers Pass), Yoho Nat Pk (Boulder Ck Ranger Sta, Emerald Lk)

***Araneus saevus* (L. Koch, 1872)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to OR & NY

BC Records: Kyuquot, Carmanah Valley, Victoria, Hope, Williams Lk, Vance Ck Eco Res (nr Lumby), Lister, Erickson, Goatfell, Dawson Falls (Wells Gray Prov Pk), Flathead R drainage (Flathead-Sage FSR, Sage Ck), Mt Revelstoke, Glacier Nat Pk (Rogers Pass), Yoho Nat Pk (Boulder Ck Ranger Sta, nr Wapta Falls, Emerald Lk)

***Araneus trifolium* (Hentz, 1847)**

Global Distribution: AK to NF south to CA & AL

BC Records: Baron Is (nr Prince Rupert), Ft Fraser, Terrace, Sointula, Redonda Bay, Kelsey Bay, Brooks Peninsula (Kalmia Lk, Toebiter Bog), Kyuquot, Comox, Cowichan Lk, Sooke, Langford, Victoria, Blowdown Pass (nr Pemberton), Prince George, Mara Meadows Eco Res, Erickson, Lister, Flathead R drainage (Cabin Ck FSR, nr Flathead townsite), Yoho Nat Pk (Takakkaw Falls)

***Araneus washingtoni* Levi, 1971**

Global Distribution: Northern BC to NF south to NH

BC Records: Mt St Elias, Golden

***Araniella displicata* (Hentz, 1847)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & NC

BC Records: Anthony Is, Sustut Prov Pk (The Thumb & vicinity), Hudson Bay Mtn, Babine Lk (Johnson Bay), Halfway Ck @ Peace R, alpine north of Limestone Lakes, Chetwynd, Dunster, nr Itcha Lk, Gosling Is (Goose Is group), Kyuquot, Tofino, Carmanah Valley, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Carrington Lagoon (Cortes Is), Mt Alava, Jordan R, Bamberton, Goldstream Prov Pk, Victoria, Whistler, Blackcomb Mtn, Black Tusk, Manning Prov Pk, Mt Kobau, Haynes Lease Eco Res, Cherryville, Vernon, Kalamalka Prov Pk, Burton, Bridle Lk (Kootenay Pass), Creston, Goatfell, Mt Revelstoke, Yoho Nat Pk (Paget Peak), Flathead R drainage (Ram Ck FSR)

***Araniella proxima* (Kulczynski, 1885)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC & NB

BC Records: Johnson Bay (Babine Lk)

***Argiope trifasciata* (Forskål, 1775)**

Global Distribution: Nearly cosmopolitan; in Nearctic - southern BC to NS south throughout region

BC Records: Victoria and area (Camas Hill, Rocky Point, Goldstream Prov Pk, Cordova Spit, Victoria), Williams Lk, Kamloops, Vernon, Penticton, White Lk, Oliver, Mt Kobau, Osoyoos, Creston

***Cyclosa conica* (Pallas, 1772)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to Guatemala & VA

BC Records: Babine Lk, Hudson Bay Mtn, Prince George, Bute Inlet, Errington, Nanaimo, Carmanah Valley, Victoria area, Whistler area, Ft Langley, Bridal Veil Falls, Vernon area, Valemount, Nelson area, Mt Revelstoke, Glacier Nat Pk (Beaver Valley), Yoho Nat Pk (Boulder Ck Ranger Sta), Flathead R drainage

***Cyclosa turbinata* (Walckenaer, 1841)**

Global Distribution: Southwestern BC to MA south to Panama & Caribbean, Galapagos, & HI

BC Records: Victoria (Albert Head, Millstream Lk Rd)

***Hypsosinga alberta* Levi, 1972**

Global Distribution: Holarctic; in Nearctic - northern BC to central SK south to southern AB

BC Records: Summit Lk (Alaska Hwy)

***Hypsosinga groenlandica* Simon, 1889**

Global Distribution: YT to Greenland south to BC & QC

BC Records: Delta (Burns Bog), Apex Mtn, Anarchist Mtn

***Hypsosinga pygmaea* (Sundevall, 1831)**

Global Distribution: Holarctic; In Nearctic - AK to NF south to CO & Cuba

BC Records: Haida Gwaii, Hwy 29 @ Watson Slough, Kamloops, Enderby (Mara Meadowss), Summerland, Okanagan Falls, Beaton, N end of Whitetail Lk (nr Canal Flats)

***Hypsosinga rubens* (Hentz, 1847)**

Global Distribution: Western NT to NL, south to eastern TX and FL

BC Records: Southern Okanagan Valley

***Larinioides cornutus* (Clerck, 1757)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to Panama

BC Records: Atlin, Ft Fraser, Babine Lk (Johnson Bay), Hwy 29 @ Watson Slough, Jordan R, Enderby (Mara Meadows), Creston

***Larinioides patagiatus* (Clerck, 1757)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & NC

BC Records: Kinaskan Lk, Grotto Ck (Atlin), Hwy 37 @ Cranberry Junction, Ft Fraser, Mackenzie, Babine Lk (Johnson Bay), Prince George, Stoner, Kyuquot, Fletcher Lk, Mitlenatch Is, Sproat Lk, Sooke, Victoria area, southern Gulf Islands, Bridal Veil Falls, Manning Prov Pk, Kamloops, Salmon Arm, Vernon, Summerland, Okanagan Falls, Oliver, 7 Mile Dam (nr Trail), Nelson

***Larinioides sclopetarius* (Clerck, 1757)**

Global Distribution: Holarctic; introduced in Nearctic - BC to NF south to UT & NC

BC Records: Mesachie Lk, Victoria, Stanley Pk, Pitt Meadows, Manning Prov Pk, Okanagan Landing, Nelson

***Metepeira foxi* Gertsch & Ivie, 1936**

Global Distribution: Southern BC & AB south to CA & northern Mexico

BC Records: Lillooet, S of Ashcroft, W of Kamloops, Haynes Lease Eco Res,

***Metepeira grandiosa* Chamberlin & Ivie, 1941**

Global Distribution: Interior BC to SK south to CA

BC Records: Prince George, Falkland, Vernon, Osoyoos

***Metepeira palustris* Chamberlin & Ivie, 1942**

Global Distribution: Northern BC to NS south to WI & PA

BC Records: Atlin, Merritt, Okanagan Valley

***Neoscona arabesca* (Walckenaer, 1842)**

Global Distribution: BC to NS south to Central America & West Indies

BC Records: Errington, Victoria, Vaseux Lk, "Darkwoods" NE of Salmo, Creston area, Cranbrook, Wardner

***Neoscona pratensis* (Hentz, 1847)**

Global Distribution: Northern BC to NH south to KS & FL

BC Records: Terrace

***Parazygiella dispar* (Kulczynski, 1885)**

Global Distribution: Holarctic; in Nearctic - west coastal NA from southeastern AK to CA

BC Records: Haida Gwaii (Massett, upper Bonanza Ck), Prince Rupert, Babine Lk (Johnson Bay), Mt Cain, Brooks Peninsula, Kyuquot, S Pender Is; other localities in Canadian National Collection

***Singa keyserlingi* McCook, 1894**

Global Distribution: Northeastern BC to QC south to MO and AB

BC Records: Pouce Coupe

***Zygiella atrica* (C. L. Koch, 1845)**

Global Distribution: Holarctic; introduced in coastal Nearctic - southwestern BC, NF to NY

BC Records: Victoria area (Sooke R valley, Victoria, Martindale Flats, Island View Beach), Vancouver

***Zygiella nearctica* Gertsch, 1964**

Global Distribution: AK to NL, south to CO and NC

BC Records: Kinaskan Lk, Boya Lk, Atlin area, Hwy 29 @ Lynx Ck, Hudson's Hope, Kludahk Trail (~12km NW Jordan R)

***Zygiella x-notata* (Clerck, 1757)**

Global Distribution: Holarctic & Neotropical; in Nearctic - coastal NA from southwestern BC to CA, MA to VA

BC Records: Metlakatla, Kyuquot, Wellington, Victoria area (Sooke, E Sooke Point, Albert Head, Langford, Munn's Rd, Beacon Hill Pk, Saanichton, 10 Mile Point), N Pender Is, Vancouver

CHEIRACANTHIIDAE

***Cheiracanthium inclusum* (Hentz, 1847)**

Global Distribution: Southern interior BC to MA south to West Indies & South America

BC Records: Kamloops, Chase, Summerland, Oliver, Vaseux Lk, White Lk, McIntyre Ck, Mt Kobau

***Cheiracanthium mildei* L. Koch, 1864**

Global Distribution: Holarctic; introduced in Nearctic - southern interior BC, CA to southern ON & AL

BC Records: Vernon, Osoyoos

CLUBIONIDAE

Clubiona bryantae Gertsch, 1941

Global Distribution: AK to NF south to WY & MA

BC Records: Pink Mtn, Saturna Is (Narvaez Bay), Delta, Burnaby Marshlands

Clubiona canadensis Emerton, 1890

Global Distribution: BC to NF south to CO & NC

BC Records: Lakelse Lk, Ft St James, Date Ck (nr Kispiox), Babine Lk (Donald Landing, Johnson Bay), McLeod Lk, Watson Sough (nr Ft St John), Prince George, nr Valemount (peatland, Yellowjacket Ck), Summerland, Mosquito Ck (nr Nakusp), Waldie Lk (nr Salmo), Yoho Nat Pk (Boulder Ck Ranger Sta)

Clubiona furcata Emerton, 1919

Global Distribution: AK to NF south to UT and ON

BC Records: Turnagain R, Johnson Bay (Babine Lk), nr Valemount (peatland)

Clubiona kastoni Gertsch, 1941

Global Distribution: AK to NF south to CA & NC

BC Records: Hwy 29 @ Szoo Rd, Ft St John, Kinbasket Reservoir (Hope Ck), Thompson Inlet, Wellington, Burnaby Marshlands, Pitt Meadows, Haney, Osoyoos, Burton, Edgewood, Mosquito Ck (nr Nakusp), Yoho Nat Pk (nr Wapta Falls)

Clubiona kulczynskii Lessert, 1905

Global Distribution: Holarctic; in Nearctic - AK to NF south to CO & NC

BC Records: Babine Lk (Johnson Bay), Vanderhoof, Halfway Ck @ Peace R, nr Valemount (peatland, Yellowjacket Ck, Packsaddle Ck), Yoho Nat Pk (51 13'28"N 116 36'53"W, Emerald Lk)

Clubiona lutescens Westring, 1851

Global Distribution: Holarctic; introduced in Nearctic - southern BC and WA

BC Records: Victoria (Ft Rodd Hill), Saltspring Is (Mouat Pk), Vancouver, Delta, Edgewood

Clubiona mimula Chamberlin, 1928

Global Distribution: Southern BC to UT south to CA

BC Records: Victoria area (Pearson College), Vancouver, Summerland

Clubiona moesta Banks, 1896

Global Distribution: AK to NS south to CA & NY

BC Records: Date Ck (nr Kispiox), Lillooet, Salmon Arm, Canoe, Osoyoos (Anarchist Mtn), nr Vanderhoof, Edgewood, Yoho Nat Pk (nr Wapta Falls), Kootenay Nat Pk (Daer-Pitts)

Clubiona mutata Gertsch, 1941

Global Distribution: BC to SK south to AZ and NE

BC Records: Osoyoos, Anarchist Mtn, Hwy 29 NE of Halfway R

Clubiona norvegica Strand, 1900

Global Distribution: Holarctic; in Nearctic - AK to NF south to UT & NY

BC Records: Goldstream Prov Pk, Christina Lk (Bonanza Pass), Jackfish Ck, Liard R Hot Springs, Babine Lk (Johnson Bay), nr Valemount (peatland, Yellowjacket Ck), Flathead R drainage (Commerce Ck)

***Clubiona opeongo* Edwards, 1958**

Global Distribution: Southern BC to QC

BC Records: Clearwater Valley, Edgewood

***Clubiona pacifica* Banks, 1896**

Global Distribution: Southwest AK to southwestern AB south to CA

BC Records: Calvert Is area, Bute Inlet, Tsitika Valley, Kyuquot, Errington, Little Qualicum Falls, Nanaimo, Carmanah Valley, Walbran Valley, East Sooke Reg Pk, Matheson Lk, Victoria, Forrest Is, Gulf Islands Nat Pk (Cabbage Is), Whistler (Madely Lk, Raiinbos Lk Tr), Kaslo, Creston, Fernie, Kootenay Nat Pk (Daer-Pitts)

***Clubiona pallidula* (Clerck, 1757)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC & western WA, southern ON

BC Records: Victoria, Vancouver, Whistler (Alpha Lk)

***Clubiona praematura* Emerton, 1909**

Global Distribution: AK to NB south to northern BC & ME

BC Records: Chilkat Pass, Mt McCallum, Idaho Peak (Atlin), Summit Lk, Pink Mtn, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Whitford, peak 7.5 km SW of Bone Mtn, 5 km SE of Mt Reynolds, Paksumo Mtn

***Clubiona riparia* L. Koch, 1866**

Global Distribution: AK to NF south to NM & MD

BC Records: Kamloops, Salmon Arm, Lumby, Osoyoos, Beaton, Burton, Mosquito Ck (sw of Nakusp), East Arrow, Creston

***Clubiona saltitans* Emerton, 1919**

Global Distribution: BC, AB & NS south to FL

BC Records: Osoyoos area

***Clubiona trivialis* C. L. Koch, 1843**

Global Distribution: AK to NF south to AZ & NY

BC Records: Gosling Is (Goose Is group), Cape Scott, Brooks Peninsula, Carmanah Valley, Roberts Ck, Whistler (Brandywine Prov Pk), Hope, Manning Prov Pk, nr Prince George, nr Salmon Valley, Yoho Nat Pk (Emerald Lk), Lower Post

CORINNIDAE

***Castianeira alteranda* Gertsch, 1942**

Global Distribution: Southern BC to southern SK south to CO

BC Records: Mt Kobau, Osoyoos

***Castianeira longipalpa* (Hentz, 1847)**

Global Distribution: Southern BC to NS south to UT, OK, & FL

BC Records: Errington, Strathcona Prov Pk (Cream Lk), Langford, Victoria area (10 Mi Point, Beacon Hill Pk, Island View Beach, Munn's Rd, Rocky Pt), Gulf Islands Nat Pk (Acland Is, Bright Is, Cabbage Is, E Hawkins Is, Tumbo Is), Riske Ck, Kamloops, Vernon, Lumby, Kilpoola Lk, Osoyoos, nr Trail

***Castianeira variata* Gertsch, 1942**

Global Distribution: BC, ON south to LA

BC Records: Pacific Rim Nat Pk nr Ucluelet

***Castianeira walsinghami* (O. P.-Cambridge, 1874)**

Global Distribution: Southern BC to OR

BC Records: Victoria area (Camas Hill, Munn's Rd), Tumbo Is, Saturna Is (Warburton Pike), Salmon Arm, Minnie Lk, Riske Ck, S of Dog Ck airfield, Thompson R ravine below Logan Lk, nr Ashcroft, Vernon, White Lk, Vaseux Lk, Mt Kobau, Oliver, Osoyoos, S of Kilpoola Lk, Queest Mtn (N of Sicamous), Burton, Edgewood, Bummers Flats W.A. (nr Ft. Steele), Findlay Ck. (W of Canal Flats), Grasmere-Dorr FSR (nr Lk Kooconusa), Grave's Prairie (east of Sparwood airport), Flathead R drainage (@ USA border, Flathead-Sage FSR)

CYBAEIDAE

***Blabomma californicum* (Simon, 1895)**

Global Distribution: Southwestern BC to northwestern Mexico

BC Records: Hornby Is (Mt Geoffrey), Victoria area (Mary Hill, William Head, Albert Head, Ft Rodd Hill, Saxe Point, Holland Point, Beacon Hill, Government House, Harling Point, Cattle Point, Christmas Hill, Mt Douglas, Sidney, Sidney Is, Forrest Is, Saanich, Cedar Hill, Haliburton Farm, Island View Beach, Brentwood Bay, Trial Is, Witty's Lagoon, Devonian Reg Pk, Race Rocks)

***Calymmaria emertoni* (Simon, 1897)**

Global Distribution: Southwestern BC to northwestern CA

BC Records: Kyuquot, Carmanah Valley, Walbran Valley, Tofino, Union Is, Wellington, Departure Bay, Port Renfrew, Jordan R, nr Shirley, Shawnigan Lk, Victoria area (Roche Cove, E Sooke Pk, Rocky Point, Mary Hill, Grassie Lk (Sooke Hills), Matheson Lk, Goldstream Prov Pk, Francis King Reg Pk, Beaver Lk), Gulf Islands Nat Pk (Acland Is), N Vancouver (Lynn Valley), Haney

***Calymmaria monicae* Chamberlin & Ivie, 1937**

Global Distribution: CA, disjunct pop'n in BC?

BC Records: Lillooet (doubtful record)

***Calymmaria nana* (Simon, 1897)**

Global Distribution: Southwestern BC to southern OR

BC Records: Mt Arrowsmith, Greig Ridge (Strathcona Prov Pk), Mesachie Lk, Cabin Pool (Cowichan R), Bamberton, Victoria area (Sooke, Pearson College, Camas Hill, Mt Wells, Albert Head, Goldstream Prov Pk, Saanich Inlet, 10 Mile Point, Bear Hill, Forrest Is, D'Arcy Is, Portland Is), Carrington Lagoon (Cortes Is), Saturna Is (Narvaez Bay, Warburton Pike), Gulf Islands Nat Pk (Brackman Is, Cabbage Is, Tumbo Is), Whistler (Brandywine Prov Pk), Bute Inlet (Heakamie R gorge)

***Calymmaria suprema* Chamberlin & Ivie, 1937**

Global Distribution: Southwestern BC to west central CA

BC Records: Goldstream Prov Pk, Carmanah Valley

***Cryphoea exlineae* Roth, 1988**

Global Distribution: Southern AK south to western MT & central CA

BC Records: Mt Irish (nr Ft Ware), Pink Mtn, The Thumb (Sustut Prov Pk), peak 7.5 km SW of Bone Mtn, Haida Gwaii (Bonanza Ck), Smithers, Round Lk (nr Smithers), Babine Lk (Johnson Bay), Mt Whitford, S of Prince George, 35 km E of Prince George, Belle Mtn, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), McMullin Islands group, Gosling Is (Goose Is group), Wakeman Sound, Hoeya Sound (Knight Inlet), Bute Inlet, Brooks Peninsula, Strathcona Prov Pk (Crown Mtn), Carrington Lagoon (Cortes Is), Yellowpoint, Carmanah Valley, Sombrio Beach, Jordan R, nr Shirley, Koksilah R, Sansum Narrows Reg Pk, Victoria area (Grassie Lk (Sooke Hills), Rocky Point, Pearson College, Roche Cove, Matheson Lk, Witty's Lagoon, Sugarloaf Mtn, Humpback Rd, Albert Head, Goldstream Prov Pk, Ft Rodd Hill, Little Saanich Mtn, Haliburton Farm, Forrest Is, D'Arcy Is), Big Red Is, Saturna Is (Campbell Farm, Money Lk, Warburton Pike, Winter Cove), Gulf Islands Nat Pk (Acland Is, Brackman Is, Cabbage Is, Portland Is, Tumbo Is), Denman Is, Vancouver area (Stanley Pk, Ft Langley), Roberts Ck, Whistler area (Alpha Lk Pk, Black Tusk, Blackcomb, Rainbow Lk Tr, Whistler Peak), Blowdown Pass (nr Duffey Lk), Echo Lk (nr Harrison Hot Springs), Cathedral Lks Prov Pk, Mara Meadows Eco Res, Mt Kobau, Mt Baldy, Mosquito Ck (nr Nakusp), Edgewood, Beaton, Burton, "Darkwoods" NE of Salmo (Devil's Hole Lk, Mt Wurttemberg, nr

Porcupine Lk, Swamp Basin Rd), Kootenay Pass (Waldie Lk, Cornice Ridge, Ripple Ridge), Gray Ck Pass, St Mary Lk (W of Kimberly), Mt Thompson lookout, Cranbrook area (Lakit Peak, Bull R valley), Fernie, nr Sparwood (Sheep Mtn, Alexander Ck FSR), Flathead R drainage (Cabin Ck FSR, Flathead townsite nr Mt Corrigan), Mt Revelstoke, Glacier Nat Pk (Beaver Valley, Rogers Pass), Yoho Nat Pk (nr Wapta Falls, Boulder Ck Ranger Sta, Emerald Lk, Paget Peak, Lk O'Hara Rd, Opabin Plateau, Odaray Granview Tr, McArthur Lk Tr, Takakkaw Falls), Kootenay Nat Pk (Stanley Glacier Tr, Daer-Pitts)

***Cybaeina confusa* Chamberlin & Ivie, 1942**

Global Distribution: Haida Gwaii (Queen Charlotte Is) south to northwestern OR

BC Records: Banks Is, Kunghit Is, Port Renfrew

***Cybaeina minuta* (Banks, 1906)**

Global Distribution: Western & southern Vancouver Is south to northwestern OR

BC Records: Victoria, Kyuquot, Tofino

***Cybaeota nana* Chamberlin & Ivie, 1937**

Global Distribution: Southwestern BC south to northern UT and southern CA

BC Records: Mt Geoffrey (Hornby Is), Nanaimo R Rd, Victoria area (Mt Manuel Quimper, Rocky Point, Pearson College, Mary Hill, Babbington Hill, Mt Braden, Barrow Rd, Impala Rd, nr Prospect Lk, Observatory Hill, Saanich Inlet, Goldstream Prov Pk, Jocelyn Hill), Gulf Islands Nat Pk (Tumbo Is, Warburton Pike), nr Prevost Is (N Acland Is, Glenthorne Is, N Hawkins Is), Little Sallias Is (nr Sidney), Saltspring Is (Mt Tuam, Long Harbour), Tent Is (nr Chemainus), Sansum Narrows Reg Pk (nr Genoa Bay), Brandywine Prov Pk, Ft Langley, Beaton

***Cybaeota shastae* Chamberlin & Ivie, 1937**

Global Distribution: AK panhandle south to southern CA

BC Records: Haida Gwaii (Yakoun R), Wakeman Sound, Bute Inlet, Carrington Lagoon (Cortes Is), Helliwell Prov Pk, Nanaimo, Skutz Falls, Walbran Valley, Carmanah Valley, Harris Ck (nr Pt Renfrew), Victoria area (Sooke R valley, Grassie Lk, Rocky Point, Pearson College, Veitch Ck, Matheson Lk, Witty's Lagoon, Humpback Rd, Goldstream Prov Pk, Ft Rodd Hill, Gowland-Tod Reg Pk, Durrance Lk, Observatory Hill, Sidney Is), nr Prevost Is (S Hawkins Is), Saltspring Is (Long Hbr), Tent Is, Galiano Is (Galiano Bluffs), Saturna Is (Lyll Ck, Money Lk, Narvaez Bay), Whistler (Alpha Lk Pk, Rainbow Lk Tr), Ft Langley, Boundary Bay Reg Pk, Ashnola R, Marble Canyon, Pavilion Lk, "Darkwoods" NE of Salmo (Tye railway tunnel), Flathead-Sage FSR

***Cybaeus charlesi* Bennett, 2016**

Global Distribution: South central BC to north central WA

BC Records: Secret Peak (~10 km W Perkins Peak), Whistler (?), Lillooet, Marble Canyon, Manning Prov Pk, Apex Mtn, Orofino Mtn, Mt Kobau, Cathedral Lks Prov Pk, Summerland

***Cybaeus eutypus* Chamberlin & Ivie, 1932**

Global Distribution: Mid-coastal BC south to northwestern OR

BC Records: Babine Lk (Johnson Bay), Calvert Is area, Bute Inlet, Carrington Lagoon (Cortes Is), Savary Is, Pt Hardy, Tsitika R, Schooner Cove (nr Tofino), Brooks Peninsula, Cheewhat Beach, Carmanah Valley, Walbran Valley, Sproat Lk, Pt Renfrew, Kludahk Trail (~12km NW Jordan R), Sombrio Beach, Mt Cokely, Strathcona Prov Pk (Cream Ck), Ladysmith, Shawnigan Lk, Sooke, E Sooke Pk, Victoria area (Rocky Point, Matheson Lk, Impala Rd, Goldstream Prov Pk, Bear Hill, Elk Lk, Francis/King Reg Pk, Mt Douglas, Island View Beach, D'Arcy Is, Forrest Is, Portland Is), Gulf Islands Nat Pk (Brackman Is, Cabbage Is, Tumbo Is), nr Prevost Is (Acland Is, Big Red Is, Glenthorne Is), Mayne Is (Mt Parke), Saturna Is (Lyll Ck, Winter Cove, Warburton Pike, Narvaez Bay), Delta (Burns Bog), Ft Langley, N Vancouver, Roberts Ck, Whistler, Echo Lk (nr Harrison Hot Springs)

***Cybaeus morosus* Simon, 1886**

Global Distribution: Western NA from Adak Is (Aleutians) to west central CA

BC Records: Glenora (Stikine R), Haida Gwaii (Kiusta, Tow Hill, Rose Spit, nr Tlell), Hazelton, Smithers, Lakelse Lk, Babine Lk (Johnson Bay), Prince George, 35 km E of Prince George, Kinbasket Reservoir (Goodfellow Ck), Lower Lk (nr 100 Mi House), McMullin Islands group, Pt Hardy, Mt Cain, Strathcona Prov Pk (Crown Mtn), Sproat Lk, Victoria area (Rocky Point, Pearson College, Camas Hill, Witty's Lagoon, Beacon Hill Pk, Elk/Beaver Lk Reg Pk, Haliburton Farm, Cedar Hill, Island View Beach, Dock Is), Gulf Islands Nat Pk (Tumbo Is), Saturna Is (Narvaez Bay), Whistler (Brandywine Falls Prov Pk, Rainbow Lk Tr), Edgewood, Mosquito Ck (nr Nakusp), Beaton, Burton, Glacier Nat Pk (Rogers Pass, Beaver Valley)

***Cybaeus reticulatus* Simon, 1886**

Global Distribution: West coastal NA from Attu Is (western-most Aleutians) south to northwestern CA

BC Records: Tats Lk (St Elias Mtns), Salmon Glacier (N of Stewart), Haida Gwaii (Alliford Bay, Queen Charlotte City, Mt Raymond, Bonanza Ck, Tlell, Tow Hill), Kitsault, Pt Edward, Kitimat, Hazelton, Babine Lk (Johnson Bay), Burns Lk, Copper R valley (nr Terrace), Smithers, Eagle Peak (SW of Telkwa), Fort Fraser, Gosling Is (Goose Is group), Davis Bay (Drury Inlet), Port McNeill, Tsitika R, Port Alice, Hoeya Sound (Knight Inlet), Bute Inlet, Brooks Peninsula, Kyuquot, Maquinna Prov Pk, Schooner Cove (nr Tofino), Long Beach, Cheewat Beach, Carmanah Valley, Sutton Pass, Port Renfrew, Jordan R, Victoria area (E Sooke Reg Pk, Rocky Point, Camas Hill, Munn's Rd, Haliburton Farm, Island View Beach, McKenzie Bight) Gulf Islands Nat Pk (D'Arcy Is, Forrest Is, Portland Is, Tumbo Is), Saturna Is (Lyll Ck), Hornby Is, Ft Langley, Roberts Ck, Whistler (Rainbow Lk Tr), Blowdown Pass, Echo Lk (nr Harrison Hot Springs)

***Cybaeus shoshoneus* Chamberlin & Ivie, 1932**

Global Distribution: Northern ID and adjacent areas of BC, WA, OR, & MT

BC Records: Idaho Pk (nr New Denver), Evening Ridge Mtn (S of Nelson), "Darkwoods" NE of Salmo (Wurttemberg Mtn, Porcupine Lk, km 31.5 Porcupine Rd, Elmo Rd, nr Devil's Hole Lk), Waldie Lk (E of Salmo), Kootenay Pass (Bridle Lk, Cornice Ridge, Ripple Ridge), Glacier Nat Pk (Beaver Valley)

***Cybaeus signifer* Simon, 1886**

Global Distribution: West coastal NA from BC south to central CA

BC Records: Haida Gwaii (Lyell Is, Queen Charlotte City, Skedans, Tanu, Tow Hill), Calvert Is area, Kyuquot, Tofino, Carmanah Valley, Jordan R, Mitlenatch Is, Nanaimo, Nanoose Bay, Parksville, Cowichan, Mesachie Lk, Victoria area (Rocky Point, Pearson College, Camas Hill, Langford, Thetis Lk, Beaver Lk, Goward Rd, Francis/King Reg Pk, Prospect Lk, 10 Mile Point, Island View Beach), Quadra Is, Gulf Islands Nat Pk (Acland Is, Big Red Is, N Hawkins Is, Cabbage Is, Tumbo Is), Saltspring Is, S Pender Is, Galiano Is, Saturna Is (Taylor Pt, Warburton Pike), Vancouver (Stanley Pk)

***Cybaeus sinuosus* Fox, 1937**

Global Distribution: AB and BC in Rocky and East Kootenay Mtns

BC Records: Yoho Nat Pk (51 13'N 116 36'W, Boulder Ck, Takakkaw Falls, Yoho Valley Rd, jct Yoho & Kicking Horse Rivers, Lk O'Hara access rd, Odayar/Grandview Tr, Emerald Lk, Opabin Plateau, Lk McArthur Tr, other localities), Kootenay Nat Pk (Daer-Pitts), Whitetooth Ridge, Sale Mtn, Mt Fidelity, Field, Nelson, Fernie, Mosquito Ck (nr Nakusp), Edgewood, Granite Mtn (Rossland), Graves Lookout Tr (E of Whiteswan Lk), Belle Mtn (W of McBride)

***Dirksia cinctipes* (Banks, 1896)**

Global Distribution: Western AK to CA

BC Records: Haida Gwaii (Alliford Bay, Bonanza Ck, nr Tow Hill), Calvert Is area, Tsitika R valley, Brooks Peninsula, Kyuquot, Maquinna Prov Pk, Carmanah Valley, Walbran Valley, Sombrio Beach, Victoria area (Rocky Point, Matheson Lk), Vancouver area (Lynn Valley)

***Ethobuella tuonops* Chamberlin & Ivie, 1937**

Global Distribution: Southeastern AK and coastal BC to OR

BC Records: Haida Gwaii (Rose Spit), Gosling Is (Goose Is group), Wakeman Sound, Broughton Archipelago, Port Harvey, Brooks Peninsula, Carrington Lagoon (Cortes Is), Kennedy Lk, Skutz Falls, Vargas Is, Maquinna Prov Pk, Carnation Ck, Walbran Valley, Carmanah Prov Pk, nr Nitinat R Prov Pk, Hot Springs Cove, nr Port Renfrew (Gordon R, Harris Ck, Avatar Grove, Botanical Beach), Jordan R, Victoria area (Sooke R valley, Grassie Lk (Sooke Hills), Mary Hill, Veitch Ck, Barrow Rd, Impala Rd, Goldstream Prov Pk, Tod Inlet, Francis King Reg Pk, Durrance Lk, Observatory Hill, Matheson Lk, Witty's Lagoon, Pearson College, Rocky Point, Veitch Ck, Mt Braden, Humpback Rd), Carrington Lagoon (Cortes Is), Long Harbour, Tent Is, Helliwell Prov Pk, Saturna Is (Lyll Ck, Narvaez Bay, nr Money Lk), Galiano Is (Galiano Bluffs, nr Retreat Cove), Teaquahan R (Bute Inlet), Echo Lk (Harrison Mills)

DESIDAE

****Badumna longinqua* (L. Koch, 1867)**

Global Distribution: Australia, introduced to Nearctic, Neotropics, Japan, & New Zealand; in Nearctic - BC, OR & CA

BC Records: Vancouver (Westham Is)

DICTYNIDAE

***Artella lapponica* Holm, 1945**

Global Distribution: Holarctic; in Nearctic - AK, YT & western NT south to northern BC & MB

BC Records: Mt McCallum, Summit Lk (Alaska Hwy)

***Argenna obesa* Emerton, 1911**

Global Distribution: YT to NF south to OR & NJ

BC Records: Kinbasket Reservoir (nr Bush Arm causeway)

***Argenna yakima* Chamberlin & Gertsch, 1958**

Global Distribution: Northwestern BC to AB & western WA

BC Records: St Elias Mtns (59.27N 137.54W)

***Brommella monticola* (Gertsch & Mulaik, 1936)**

Global Distribution: Southeastern BC and adjacent AB south to NM and UT

BC Records: Eagle Peak (SW of Telkwa), Blowdown Pass (SW of Lillooet), Cathedral Lks Prov Pk (talus along Scout Lk Tr), west side Cornice Ridge (Kootenay Pass), Idaho Pk (nr New Denver), Thompson Mtn lookout, Gray Ck Pass (nr Crawford Bay), Lakit Peak (Ft Steele), Paget Peak (nr Field), Flathead R drainage (Cabin Ck FSR, Mt Hefty)

***Dictyna alaskae* Chamberlin & Ivie, 1947**

Global Distribution: Holarctic; in Nearctic - AK to NL south to northwestern MT

BC Records: Atlin, Hwy 97 S of Taylor

***Dictyna arundinacea* (Linnaeus, 1758)**

Global Distribution: Holarctic; in Nearctic - NT to NL south to BC & CO

BC Records: Hwy 29 @ Watson Slough

***Dictyna bostoniensis* Emerton, 1888**

Global Distribution: Widespread in USA & southeastern CAN; southern interior BC

BC Records: Osoyoos

***Dictyna brevitarsa* Emerton, 1915**

Global Distribution: AK to NF south to AZ & PA

BC Records: N of Motase Peak, Johnson Bay (Babine Lk), Hwy 97 S of Taylor, Peace R nr Halfway Ck, Williston Reservoir S of Ingenika, Fernie, Flathead R drainage (Mt Hefty)

***Dictyna calcarata* Banks, 1904**

Global Distribution: Southern interior BC south to Mexico & eastern OK

BC Records: Osoyoos

***Dictyna coloradensis* Chamberlin, 1919**

Global Distribution: BC to QC south to AZ & TX

BC Records: Alaska Hwy (Swan Lk), Mt Irish (nr Ft Ware), Ospika Cones Eco Res, S of Ingenika (Williston Reservoir), S bank Peace R @ Halfway Ck, Hwy 29 NW of Ft St John, Hwy 29 @ Watson Slough, Hwy 29 @ Bear Flat, Hwy 29 NE of Hudson's Hope, peak 7.5 km SW of Bone Mtn, nr Lemoray, Hixon, Prince George, nr Salmon Valley, nr Itcha Lk, Blowdown Ck (nr Duffey Lk), nr Ashcroft, Thompson R ravine below Logan Lk, Kamloops, Vernon, Penticton, Oliver, Osoyoos, White Lk (southern Okanagan Valley), Edgewood, 10 km S of Donald, Idaho Pk (nr New Denver), Flathead townsite (nr Mt Corrigan)

***Dictyna foliacea* (Hentz, 1850)**

Global Distribution: BC to NS south to TX & FL

BC Records: Hwy 29 NW of Ft St John

***Dictyna major* Menge, 1869**

Global Distribution: Holarctic; in Nearctic - AK to LB south to central CA & QC

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Poutang Ck headwaters, Babine Lk (Johnson Bay, Donald Landing), Pine R (nr Chetwynd), Pan Ck (Ilgachuz Range), Prince George, Taseko Mtn, Quesnel, Mt Cain, Mill Bay, Whistler (Brandywine Prov Pk, Beverly Lk, Miller Ck, Black Tusk, Rainbow Lk Tr), Pemberton, Nicola R @ Petit Ck, White Lk (nr Okanagan Falls), Mt Kobau, Bummers Flats WA (nr Ft Steele), Bull R valley, Elks Lks Prov Pk, Yoho Nat Pk (Emerald Lk)

***Dictyna minuta* Emerton, 1888**

Global Distribution: BC to NH south to northwestern Mexico & southern TX

BC Records: Smithers, Ft Fraser, Victoria area (Witty's Lagoon, Pearson College), Salmon Arm, Vernon, Kelowna

***Dictyna personata* Gertsch & Mulaik, 1936**

Global Distribution: Southeastern BC to SK south to northern Mexico

BC Records: Oliver, Cranbrook area, Crowsnest Pass / Philips Lk area

***Dictyna subpinicola* Ivie, 1947**

Global Distribution: Southern interior BC to western MT south to OR

BC Records: Cougar Canyon Eco Res (nr Oyama), E of Cranbrook (lower Bull R valley, Rampart grassland)

***Dictyna terrestris* Emerton, 1911**

Global Distribution: Southern interior BC to NH south to NM & TX

BC Records: Osoyoos area (Fairview, unknown locale, and E side Osoyoos Lk)

***Dictyna tridentata* Bishop & Ruderman, 1946**

Global Distribution: BC to WY south to AZ & NM

BC Records: Victoria

***Dictyna uncinata* Thorell, 1856**

Global Distribution: Holarctic; in Nearctic - BC & AB

BC Records: nr Taylor (56.054N, 120.637W)

***Dictyna volucripes* Keyserling, 1881**

Global Distribution: BC to PE south to TX & FL

BC Records: Hwy 29 @ Watson Slough, New Afton Mine Wetland Protected Area (nr Kamloops), White Lk (SW of Okanagan Falls)

***Emblyna annulipes* (Blackwall, 1846)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to OR & VA

BC Records: Liard R Hot Springs, nr Vanderhoof, Victoria, Saturna Is (Warburton Pike), Pemberton, Blowdown Pass (nr Duffey Lk), Cougar Canyon Eco Res (nr Oyama), Yellowjacket Ck (nr Valemount), Creston

***Emblyna borealis cavernosa* (Jones, 1877)**

Global Distribution: Holarctic; in Nearctic - NT to NU south to CA & UT

BC Records: Atlin area (Mt McCallum, Idaho Peak), Mt Irish (nr Ft Ware), N of Motase Peak, Hwy 29 NW of Ft St John, W Hudson Bay Mtn, alpine north of Limestone Lakes, SW of Wallop Mtn (McGregor Range), Belle Mtn, Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), Taseko

Mtn, Mt Baldy, Apex Mtn, Cathedral Lks Prov Pk (Rim Tr), Mt Kobau, Blowdown Pass (SW of Lillooet), Mission Ridge (Seton Portage), Whistler Peak, Graves Lookout Tr (E of Whiteswan Lk), Whitetooth Ridge, Yoho Nat Pk (Odaray Grandview Tr)

***Emblyna chitina* (Chamberlin & Gertsch, 1958)**

Global Distribution: Southeastern AK & BC, also QC & NS

BC Records: Metchosin, Oyama, Meadow Mtn (Kaslo)

***Emblyna completa* (Chamberlin & Gertsch, 1929)**

Global Distribution: BC to ND south to CA & NM

BC Records: The Thumb (Sustut Prov Pk), alpine pass 4.5 km NW of Mt Laurier, Pemberton, Kamloops, Apex Mtn, Vaseux Lk, Keremeos, Rock Ck

***Emblyna horta* (Gertsch & Ivie, 1936)**

Global Distribution: South central BC to SK & S to ID

BC Records: Oliver (Inkameep)

***Emblyna manitoba* (Ivie, 1947)**

Global Distribution: YT to NB south to OR and FL

BC Records: Boya Lk, Halfway Ck @ Peace R, W Hudson Bay Mtn, N end Whitetail Lk (nr Canal Flats)

***Emblyna maxima* (Banks, 1892)**

Global Distribution: BC to NB south to SD & TN

BC Records: Hwy 29 @ Halfway R

***Emblyna olympiana* (Chamberlin, 1919)**

Global Distribution: Southwestern BC south to CA

BC Records: Wellington, S Hawkins Is (nr Saltspring Is)

***Emblyna oregona* Gertsch, 1946**

Global Distribution: Southwestern BC south to CA

BC Records: Island View Beach (Victoria), Taylor Point (Saturna Is)

***Emblyna palomara* Chamberlin, 1948**

Global Distribution: BC, ID, & CA

BC Records: New Afton Mine Wetland Protected Area

***Emblyna peragrata* (Bishop & Ruderman, 1946)**

Global Distribution: AK to QC south to northern CA & western MT

BC Records: Copper R valley (nr Terrace), Kyuquot, Carmanah Valley, Forbidden Plateau, E Sooke Point, Albert Head, Mt Griffin Eco Res (SW of Revelstoke), Bonanza Pass (nr Christina Lk), Waldie Lk (nr Salmo), Glacier Nat Pk (Rogers Pass), Yoho Nat Pk (Boulder Ck), Kootenay Nat Pk (Daer-Pitts)

***Emblyna phylax* (Gertsch & Ivie, 1936)**

Global Distribution: Southern interior BC to NF south to WY & NH

BC Records: Pine R (nr Chetwynd), Lillooet, Gang Ranch, nr Quesnel, nr Lemoray, Vance Ck Eco Res (N of Lumby), Summerland, Rock Ck, Flathead townsite (nr Mt Corrigan)

***Emblyna reticulata* (Gertsch & Ivie, 1936)**

Global Distribution: Southern interior BC to SD south to northwestern Mexico and southeastern TX

BC Records: nr Prince George, nr Salmon Valley, Whistler, Walhachin, Mt. Kobau, Kilpoola Lk, Mud Lk (nr Osoyoos), Osoyoos, Oliver (Manuel Flats)

***Emblyna sublata* (Hentz, 1850)**

Global Distribution: BC to LB south to eastern Mexico & FL

BC Records: Atlin, Kyuquot

***Hackmania prominula* (Tullgren, 1948)**

Global Distribution: Holarctic; in Nearctic - AK to MB south to NM

BC Records: Cathedral Lks Prov Pk (talus Ladyslipper Lk to Stone City), St Elias Mtns (59.39N 137.54W), Liard R Hotsprings, S bank Peace R @ Halfway Ck, nr Valemount (Packsaddle Ck), Kinbasket Reservoir (Goodfellow Ck, nr Bush Arm causeway), Lk O'Hara area (Lk McArthur Tr, Odaray/Grandview Tr, Opabin Plateau)

***Lathys alberta* Gertsch, 1946**

Global Distribution: Holarctic; in Nearctic - AK to MB south to CO

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge 9 km E of Simpson Peak, Summit Lk (Alaska Hwy), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Mt Irish (nr Ft Ware), km 197 Raspberry Hbr (Williston Reservoir), Mt Crysdale, Pink Mtn, The Thumb (Sustut Prov Pk), peak 7.5 km SW of Bone Mtn, Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Barkerville, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Whistler (Whistler Peak, Blackcomb Mtn), Blowdown Pass (SW of Lillooet), km 15 Highline Rd (N of D'Arcy), Mission Ridge (Seton Portage), Bridge/Yalakom R area, Marble Canyon, Pavilion Lk, Hwy 99 @ Hat Ck Rd, Cathedral Lks Prov Pk (talus above Glacier Lk, Glacier Lk Tr, Rim Tr), nr St Mary Lk (W of Kimberley), Findlay Ck (W of Canal Flats), Lakit Peak (Ft Steele), Findlay Ck FSR (nr Canal Flats), Graves Lookout Tr (E of Whiteswan Lk), Columbia Lk Prov Pk, Paget Pk (nr Field), Kootenay Nat Pk (Stanley Glacier Tr), Yoho Nat Pk (Paget Peak, Takakkaw Falls), Graves FSR pass S of Sheep Mtn, Phillips Pass, Crowsnest Pass, Flathead R drainage (Flathead townsite nr Mt Corrigan, Cabin Ck FSR, Flathead-Sage FSR)

***Lathys humilis* (Blackwall, 1855)**

Global Distribution: Palaearctic; introduced in Nearctic - southwestern BC

BC Records: Vancouver area (Stanley Pk, Belcarra Reg Pk)

***Lathys sp.* Simon, 1884**

Global Distribution: Southwestern BC to northwestern Montana

BC Records: Cornice Ridge (Stagleap Prov Pk), Flathead Ridge (Elko), Flathead R valley (Kishenena Ck, N of Shepp Ck)

***Mallos niveus* O. P.-Cambridge, 1902**

Global Distribution: Southern interior BC to CO south to Guatemala

BC Records: Kelowna, Summerland, Osoyoos

***Phantyna terranea* (Ivie, 1947)**

Global Distribution: Southwestern BC to western WY south to OR & CO

BC Records: Hwy 29 20 km NW Ft St John, Island View Beach (Victoria)

***Tricholathys rothi* Chamberlin & Gertsch, 1958**

Global Distribution: Southwestern BC south to western OR

BC Records: Comox, Island View Beach (Saanichton), Iona Beach (Richmond), Westham Is (Delta), Gulf Islands Nat Pk (Tumbo Is)

***Tricholathys sp.* Chamberlin & Ivie, 1935**

Global Distribution: Southeastern BC to ...?

BC Records: Mt Baldy, Cornice Ridge (Stagleap Prov Pk)

***Tricholathys spiralis* Chamberlin & Ivie, 1935**

Global Distribution: Southwestern BC to WY south to CA & CO

BC Records: Kyuquot, White Lk (southern Okanagan Valley)

DIPLURIDAE

Microhexura idahoana Chamberlin & Ivie, 1945

Global Distribution: Scattered high elevation localities from southern interior BC to western MT south to central OR & ID

BC Records: Kootenay Pass (Bridal Lk, Stagleap Prov Pk avalanche slope, west slope Cornice Ridge, east slope Cornice Ridge, east summit Cornice Ridge)

DYSDERIDAE

Dysdera crocata C. L. Koch, 1838

Global Distribution: Nearly cosmopolitan; synanthropic

BC Records: Nanaimo, Victoria area (Race Rocks, William Head, Albert Head, Beacon Hill, Government House, Saxe Point, Holland Point, James Bay, 10 Mile Point, Haliburton Farm, Christmas Hill, Coles Bay, Island View Beach, Brentwood Bay), Galiano Is, Tent Is (nr Chemainus), Vancouver and area (Boundary Bay)

GNAPHOSIDAE

Callilepis eremella Chamberlin, 1928

Global Distribution: Southern BC to northern ID south to AZ & northwestern Mexico

BC Records: Summerland, Osoyoos area (nr Desert Centre, Mt Kobau, Fairview)

Callilepis pluto Banks, 1896

Global Distribution: NU to NS south to WA, CO, & AL

BC Records: Hwy 29 NE of Halfway Ck, nr Valemount (peatland, Packsaddle Ck), Mt Benson, Wellington, Mt Maxwell (Saltspring Is), Kludahk Trail (~13km NW Jordan R), Victoria area (Albert Head, Ft Rodd Hill, Prospect Lk, Goward Rd, Munn's Rd, Island View Beach, Portland Is), S Pender Is, Saturna Is (Narvaez Bay, Warburton Pike), Gulf Islands Nat Pk (Hawkins Is), Brandywine Falls Prov Pk, Whistler, Roberts Ck, Quadra Is, Edgewood, Burton, Mosquito Ck (nr Nakusp), Grohmann Narrows (Nelson), Rampart grassland (E of Cranbrook), Bummers Flats W A (nr Ft Steele)

Drassodes neglectus (Keyserling, 1887)

Global Distribution: Holarctic; in Nearctic - AK to NS south to AZ & WV

BC Records: Pink Mtn, Copper R valley (nr Terrace), Babine Lk (Pinkut Ck), Hudsons Hope, Ft St John, 35 km E of Prince George, Secret Peak (~10 km W Perkins Peak), Williams Lk, nr Valemount peatland, Packsaddle Ck), Carmanah Valley, Mt Cokely, Victoria area (Langford, D'Arcy Is, Sallas Is), Cathedral Lks Prov Pk, Deadman Valley FSR (nr Cache Ck), Okanagan Falls, Oliver, Mt Kobau, Edgewood, Marion Ck benchlands (nr Canal Flats), E of Whiteswan Lk Prov Pk (Graves Lookout Tr, jnct N & E White FSRs), Cranbrook, Rampart grasslands (E of Cranbrook), Sparwood, Elko, Flathead R drainage (border crossing, Mt Hefty), Yoho Nat Pk (Odaray Grandview Tr)

Drassodes saccatus (Emerton, 1889)

Global Distribution: Southern BC to NH south to southern Mexico

BC Records: Gang Ranch (13 km S Dog Ck Airport), Lillooet, Chopaka, Nighthawk, Oliver (Fairview), Osoyoos (nr Desert Centre), Kilpoola Lk, Skaha Lk, Summerland, Keremeos

Drassyllus depressus (Emerton, 1890)

Global Distribution: Southern BC to NS south to AZ & VA

BC Records: Kyuquot, Comox, Mt Benson, Wellington, Kludahk Trail (~13km NW Jordan R), nr Shirley, Victoria area (Ft Rodd Hill, Veitch Ck, Langford, Beacon Hill Pk, Cattle Point, Saanich, Christmas Hill), Saltspring Is (Mt Maxwell), Gulf Islands Nat Pk (Acland Is, Bright Is, Sallas Is, Tumbo Is), Saturna Is (Campbell Farm), Vancouver area (Burns Bog, Boundary Bay, Iona Beach, Burnaby), Roberts Ck, Pemberton, Yal, Campbell-Brown Eco Res (SW of Vernon), Salmon Arm, Vaseux Lk, Burton, Edgewood, Kootenay Pass, Hudsons Hope, Hwy 29 N of Lynx Ck

***Drassyllus dromeus* Chamberlin, 1922**

Global Distribution: Southern BC to MA south to AZ and GA

BC Records: Gang Ranch (S of Dog Ck Airport), Victoria (Government House), Mt Maxwell (Saltspring Is), Princeton, Old Hedley Rd, Ashnola R valley, Kalamalka Lk, Max/Madeline Lk (Penticton), Summerland, Oliver, Osoyoos, Haynes Lease Eco Res

***Drassyllus insularis* (Banks, 1900)**

Global Distribution: Southern interior BC to western Mexico

BC Records: Lillooet, Bridge/Yalakom R area, Deadman Valley FSR (nr Cache Ck), Oliver, Summerland

***Drassyllus lamprus* (Chamberlin, 1920)**

Global Distribution: Southern BC to southern SK south to central Mexico

BC Records: Savary Is, Mt Maxwell (Saltspring Is), Surrey, Gang Ranch (13 km S of Dog Ck Airport), Savona, Ashcroft area, nr Chopaka border crossing (49.01.157N 119.40.961W), Nighthawk, Summerland, Mt Kobau, Oliver, Osoyoos (nr Desert Centre)

***Drassyllus niger* (Banks, 1896)**

Global Distribution: Southern CAN south to CA & PA

BC Records: Victoria (Rocky Point, Christmas Hill, nr Prospect Lk), Saltspring Is (Hawkins Is, Mt Maxwell), Gulf Islands Nat Pk (Tiny D'Arcy Is, Tumbo Is), Whistler, Lillooet, Summerland, Oliver, Hudsons Hope, Hwy 29 @ Lynx Ck

***Drassyllus saphes* Chamberlin, 1936**

Global Distribution: Southern BC to MT south to northwestern Mexico

BC Records: Victoria (Cattle Point), Osoyoos

***Gnaphosa antipola* Chamberlin, 1933**

Global Distribution: Western BC south to northern CA & western CO

BC Records: Skidegate, Tumbo Is, Burton, East Arrow (S of Nakusp)

***Gnaphosa borea* Kulczynski, 1908**

Global Distribution: Holarctic; in Nearctic - AK to NL south to NM and New England

BC Records: Pink Mtn, Hwy 29 NW of Ft St John,

***Gnaphosa brumalis* Thorell, 1875**

Global Distribution: AK to LB south to AZ & NH

BC Records: Mt McCallum, Idaho Peak (Atlin), Paradise Mine, Alaska Hwy (Swan Lk, Summit Lk, Pink Mtn), other localities in Rocky Mtns, Lk O'Hara area (Lk McArthur Tr), nr Itcha Lk, Wilson Lk (~7 km W Tsitsutl Peak)

***Gnaphosa californica* Banks, 1904**

Global Distribution: Southern BC south to CA & NM

BC Records: Keremeos, Summerland, Osoyoos area (Mt Kobau, Fairview), Savary Is (Duck Bay)

***Gnaphosa microps* Holm, 1939**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CO & ME

BC Records: nr Ft Ware (Mt Irish, Cirque Mine base camp), Ospika Cones Eco Res, Sikanni Chief R, alpine pass 4.5 km NW of Mt Laurier, nr Valemount (peatland), Taseko Mtn, Cathedral Lks Prov Pk (talus above Glacier Lk, Glacier Lk Tr, Rim Tr), Yoho Nat Pk (Odaray Grandview Tr, Opabin Plateau)

***Gnaphosa muscorum* (L. Koch, 1866)**

Global Distribution: Holarctic; in Nearctic - AK to LB south to NM & WV

BC Records: Mt McCallum, Gataga Range (~75 km N of Ft Ware), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Pink Mtn, Poutang Ck headwaters, N of Motase Peak, The Thumb (Sustut Prov Pk), W Hudson Bay Mtn, Smithers, Eagle Peak (SW of Telkwa), Babine Lk (Johnson Bay,

Pinkut Ck), Ft Fraser, Halfway Ck @ Peace R, 35 km E of Prince George, Belle Mtn, Pan Ck (Ilgachuz Range), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Riske Ck, nr Valemount (Packsaddle Ck, peatland), Strathcona Prov Pk (Grieg Ridge), Victoria area (Goldstream Prov Pk, Munn's Rd, nr Prospect Lk, Island View Beach), Saturna Is (Warburton Pike), Whistler area (Mosquito Lk, Black Tusk, Whistler Peak), Pemberton, Ashcroft area, Princeton, Mt Baldy, Kalamalka Lk, Cougar Canyon Eco Res (nr Oyama), White Lk (nr Okanagan Falls, Vaseux Lk, Oliver, Kilpoola Lk, Mt Kobau, Castle Mtn (nr Christina Lk), Edgewood, Grohmann Narrows (Nelson), "Darkwoods" NE of Salmo (Tye Camp), Creston area, Mt Thompson, nr Canal Flats (Marion Ck benchlands, Finlay Ck FSR, Graves Lookout Tr), St Mary Lk (W of Kimberly), Cranbrook, Sunken Ck Tr (nr Cranbrook), Bummers Flats Wildlife Area (nr Ft Steele), nr Sparwood (Graves FSR, Big Ranch Wildlife Area), Grasmere-Dorr FSR (Lk Kooconusa), Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR, Kishinena FSR, Mt Hefty), Whitetooth Range (Golden)

***Gnaphosa orites* Chamberlin, 1922**

Global Distribution: Holarctic; in Nearctic - AK to NL south to WY & northern New England

BC Records: Mt McCallum, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Pink Mtn, alpine pass 4.5 km NW of Mt Laurier, Ft Nelson / Ft St John area, McBride Peak

***Gnaphosa parvula* Banks, 1896**

Global Distribution: AK to NF south to CO & WV

BC Records: Alsek R nr junction with Tatshenshini R, Tetsa R, Pink Mtn, Poutang Ck headwaters, peak 7.5 km SW of Bone Mtn, Ft Fraser, Copper R valley (nr Terrace), Ft St James, Hudsons Hope, Hwy 29 @ Lynx Ck, 35 km E of Prince George, nr Valemount (peatland, Yellowjacket Ck), nr Bush Arm causeway (Kinbasket Reservoir), Marble Canyon, Kamloops, Edgewood, East Arrow (S of Nakusp), Burton

***Gnaphosa snohomish* Platnick & Shadab, 1975**

Global Distribution: Southwestern BC and adjacent WA

BC Records: Victoria (Island View Beach), Portland Is, Gulf Islands Nat Pk (Cabbage Is, Tumbo Is), Burnaby, Delta (Burns Bog), Langley (Campbell Valley Reg Pk), Haney (Malcolm Knapp Forest)

***Haplodrassus bicornis* (Emerton, 1909)**

Global Distribution: BC to NS south to AZ & VA

BC Records: S Acland Is (nr Saltspring Is), Vernon, Westbank, White Lk, Chopaka, Keremeos

***Haplodrassus eunis* Chamberlin, 1922**

Global Distribution: AK to northern ON south to CA & NM

BC Records: Lillooet, Manning Prov Pk, Apex Mtn, Nelson, Hwy 29 @ Halfway Ck, Hwy 29 NW of Ft St John, nr Valemount (peatland), Kinbasket Reservoir (Hope Ck), Marion Ck benchlands (nr Canal Flats), Flathead R drainage (Mt Hefty)

***Haplodrassus hiemalis* (Emerton, 1909)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CO & NJ

BC Records: Mt McCallum, Copper R valley (nr Terrace), Hwy 29 @ Watson Slough, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Big Bend, Hope Ck), Clearwater Valley, Lillooet area

***Haplodrassus signifer* (C. L. Koch, 1839)**

Global Distribution: Holarctic; in Nearctic - YT to NS south to Mexico & FL

BC Records: Alsek R near junction with Tatshenshini R, Copper R valley (nr Terrace), Smithers, E of Prince George, nr Valemount (peatland, Packsaddle Ck), Wilson Lk (~7 km W Tsitsutl Peak), Savary Is, Victoria area (Island View Beach, D'Arcy Is), Ashcroft, Beaconsfield Mtn, Oliver, Mt Kobau, Osoyoos, Mt Baldy, Vernon, Burton

***Herpyllus hesperolus* Chamberlin, 1928**

Global Distribution: Southern BC to southern SK south to northwestern Mexico & adjacent TX

BC Records: Summerland

***Herpyllus propinquus* (Keyserling, 1887)**

Global Distribution: Southern BC to MT south to central Mexico

BC Records: Osoyoos

***Micaria aenea* Thorell, 1871**

Global Distribution: Holarctic; in Nearctic - AK to NF south to UT & ME

BC Records: Summit Lk, Dease Lk, Smithers, E of Prince George, nr Valemount (peatland, Dave Henry Ck, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Big Bend, Goodfellow Ck, Hope Ck), Revelstoke, Yoho Nat Pk, Ram Ck Hot Springs, Lillooet, Manning Prov Pk

***Micaria alpina* L. Koch, 1872**

Global Distribution: Holarctic; in Nearctic - AK & northern BC south to northern ON

BC Records: Summit Lk (Alaska Hwy)

***Micaria coloradensis* Banks, 1896**

Global Distribution: AK to SK south to CA & SD

BC Records: Ashcroft, Apex Mtn, Mt Kobau

***Micaria constricta* Emerton, 1894**

Global Distribution: Norway; YT to LB south to CA & NH

BC Records: Mt McCallum, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), N of Motase Peak, nr The Thumb (Sustut Prov Pk), W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Cain, Brooks Peninsula, Strathcona Prov Pk (Greig Ridge), Mt Cokely, Victoria (Camas Hill), Whistler (Beverly Lk, Black Tusk, Blackcomb Mtn, Whistler Peak), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Mt Cheam, Manning Prov Pk (Paintbrush Tr summit), Cathedral Lks Prov Pk, Mt Kobau, Mt Baldy, Evening Ridge (S of Nelson), Kootenay Pass (Bridal Lk, Cornice Ridge), Gray Ck Pass, Valemount (Yellowjacket Ck), Revelstoke (Mt MacKenzie, Mt Revelstoke, Sale Mtn), Glacier Nat Pk (Mt Fidelity, Rogers Pass), Whitetooth Range (nr Golden), Yoho Nat Pk (Odaray Grandview Tr, Opabin Plateau, Paget Peak, Takakkaw Falls), Flathead R drainage (Mt Hefty)

***Micaria foxi* Gertsch, 1933**

Global Distribution: Central BC to southern AB south to CA & NM

BC Records: Prince George, Summerland, E Skaha Lk (NatureTrust property), Oliver, Osoyoos (Desert Centre, Grasslands Cons Area), S of Kilpoola Lk

***Micaria idana* Platnick & Shadab, 1988**

Global Distribution: Southern BC south to CA

BC Records: Manning Prov Pk, Apex Mtn, White Lk

***Micaria laticeps* Emerton, 1909**

Global Distribution: Southern BC to eastern ON south to AR & CT

BC Records: Osoyoos (nr Desert Centre), White Lk, Chopaka

***Micaria longipes* Emerton, 1890**

Global Distribution: Southeastern BC to NB south to AZ & Mexico

BC Records: Chopaka, White Lk, Osoyoos (Desert Centre), Koocanus Lk

***Micaria longispina* Emerton, 1911**

Global Distribution: South central BC to NS south to AR & FL

BC Records: White Lk, Osoyoos area (Fairview)

***Micaria pulicaria* (Sundevall, 1831)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA and TX

BC Records: Tats Lk (St Elias Mtns), Copper R valley (nr Terrace), Smithers, 35 km E of Prince George, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (nr Bush Arm causeway), Calvert Is area, Tofino, Carmanah Valley, Walbran Valley, Kludahk Trail (~13km NW Jordan R), Victoria area (Rocky Point, Pearson College, Camas Hill, Langford, Saxe Point, Cattle Point, Christmas Hill, Beacon Hill, Saanich, Island, View Beach, D'Arcy Is, Sallas Is, Portland Is), Saltspring Is (Big Red Is, Hawkins Is), Gulf Islands Nat Pk (Big Channel Is, Cabbage Is, Tumbo Is), Vancouver area (Burnaby), Whistler (Rainbow Lk Tr), Roberts Ck, Oliver, Edgewood, Beaton, Burton, "Darkwoods" NE of Salmo, Yoho Nat Pk (nr Wapta Falls)

***Micaria riggsi* Gertsch, 1942**

Global Distribution: Southern BC to MA south to AZ & TN

BC Records: Salmon Arm, Apex Mtn, Chopaka, Anarchist Mtn

***Micaria rossica* Thorell, 1875**

Global Distribution: Holarctic; in Nearctic - AK to MB south to CA & NM

BC Records: Atlin, Hwy 29 @ Bear Flat, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Chatter Ck, nr Bush Arm causeway), nr Itcha Lk, Victoria (Island View Beach), Otter Lk (nr Vernon), White Lk (nr Okanagan Falls), Mt Kobau, Evening Ridge (nr Nelson), Kootenay Pass (Cornice Ridge), Valemount (peatland, Packsaddle Ck)

***Micaria utahna* Gertsch, 1933**

Global Distribution: Southern BC to MT south to CA & UT

BC Records: Victoria area (Millstream, Beacon Hill, Island View Beach, D'Arcy Is, Witty's Lagoon), Ashcroft, nr Chopaka border crossing (49.01.157N 119.40.961W), Osoyoos

***Nodocion eclecticus* Chamberlin, 1924**

Global Distribution: Southern BC south to northwestern Mexico and TX

BC Records: Summerland, Haynes Lease Eco Res

***Nodocion mateonus* Chamberlin, 1922**

Global Distribution: South central BC to southern CA

BC Records: New Afton Mine wetland (nr Kamloops), Osoyoos (Desert Centre, Haynes Lease, Fairview)

***Nodocion rufithoracicus* Worley, 1928**

Global Distribution: Southern BC to AB south to CA & NM

BC Records: Victoria, Summerland, Grasmere-Dorr FSR (nr Lk Kooacanusa)

***Nodocion voluntarius* (Chamberlin, 1919)**

Global Distribution: Southern BC & AB south to Mexico

BC Records: Shawnigan Lk, Summerland, "Darkwoods" NE of Salmo

***Orodassus canadensis* Platnick & Shadab, 1975**

Global Distribution: YT to NB south to WA & SD

BC Records: Boya Lk, Babine Lk (Johnson Bay, Pinkut Ck), Ft Fraser, Atlin, Alaska Hwy (Swan Lk), Terrace, Packsaddle Ck (nr Valemount), nr Itcha Lk, Forbidden Plateau, Cathedral Lks Prov Pk (Rim Tr)

***Orodassus coloradensis* (Emerton, 1877)**

Global Distribution: BC to MB south to CA & AZ

BC Records: Summit Lk, Cathedral Lk Prov Pk (Glacier Lk Tr), Mt Kobau, nr Itcha Lk, Kamloops, Radium Hotsprings, Kaslo, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Swamp Basin Rd, Wurttemberg Mtn), Kootenay Pass (Bridal Lk, Cornice Ridge, Ripple Ridge), Gray Ck Pass (Crawford Bay), Lakit Peak (Ft

Steele), Sale Mtn, Paget Peak (nr Field), Kootenay Nat Pk (Daer-Pitts, Stanley Glacier Tr), Alexander Ck FSR (SE of Sparwood), Phillips Pass, Flathead R drainage (nr border crossing, Kishinena FSR, Mt Hefty, Shepp Ck, Flathead townsite nr Mt Corrigan)

***Parasyrisca orites* (Chamberlin & Gertsch, 1940)**

Global Distribution: Southwestern BC & adjacent WA

BC Records: Whistler (Whistler Peak, Blackcomb Mtn, Black Tusk microwave, Beverley Lk), Blowdown Pass (SW of Lillooet), Mission Ridge (Seton Portage), Manning Prov Pk, Cathedral Lks Prov Pk (talus above Glacier Lk, Rim Tr, talus Ladyslipper Lk to Stone City)

***Scotophaeus blackwalli* (Thorell, 1871)**

Global Distribution: Holarctic; introduced in Nearctic & Neotropic - southern BC south to northwestern Mexico & Gulf Coast USA

BC Records: Victoria, Salmon Arm

***Sergiolus columbianus* (Emerton, 1917)**

Global Distribution: Southwestern BC to SD south to CA & AZ

BC Records: Comox, Departure Bay, Wellington, Kludahk Trail (~12km NW Jordan R), nr Shirley, Victoria area (Camas Hill, Witty's Lagoon, Goldstream Prov Pk, Ft Rodd Hill, Langford, Little Saanich Mtn, 10 Mile Point, Chatham Is, Island View Beach, Portland Is), Gulf Islands Nat Pk (Brackman Is, E Hawkins Is, Saturna Is (Warburton Pike), Whistler, Roberts Ck, Princeton, Mahoney Lk (southern Okanagan Valley)

***Sergiolus iviei* Platnick & Shadab, 1981**

Global Distribution: Southern BC & southern AB south to NV & CO

BC Records: scree E side Thompson R 14 km S of Ashcroft

***Sergiolus montanus* (Emerton, 1890)**

Global Distribution: Southeastern AK to NB south to northwestern Mexico & SC

BC Records: nr Terrace (Copper R valley, Rosswood), Smithers, Babine Lk (Johnson Bay), Kinbasket Reservoir (nr Bush Arm causeway), nr Itcha Lk, Carmanah Valley, Mt Washington, Sheringham Point, Sooke, Victoria (Goldstream Prov Pk, Saanichton), Whistler (Cheakamus Lk Rd), Roberts Ck, Pavilion Lk, Hat Ck Ranch, Salmon Arm, Vernon, Campbell-Brown Eco Res (nr Oyama), Summerland, Mt Kobau, Beaton, Kootenay Pass (Cornice Ridge), Creston area, Cranbrook, Ramparts Grassland (E of Cranbrook), Flathead R drainage (Ram Ck FSR), Yoho Nat Pk (Yoho Valley Rd at Kicking Horse R), Glacier Nat Pk (Beaver Valley)

***Zelotes exiguoides* Platnick & Shadab, 1983**

Global Distribution: Northern BC to NH south to CO & PA

BC Records: Telegraph Ck, Hwy 29 NE of Halfway R, Kinbasket Reservoir (nr Bush Arm causeway), Osoyoos (Crown Lands), Edgewood

***Zelotes fratris* Chamberlin, 1920**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & NM

BC Records: Tagish Lk, Mt McCallum, Haida Gwaii (Sandspit, Alliford Bay), Kitlope R, Terrace, Babine Lk (Johnson Bay, Pinkut Ck), Ft Fraser, Misinchinka R, alpine pass 4.5 km NW of Mt Laurier, Hudsons Hope, Ft St John, peak 7.5 km SW of Bone Mtn, Prince George, 35 km E of Prince George, SW of Wallop Mtn (McGregor Range), Secret Peak (~10 km W Perkins Peak), Taseko Mtn, nr Valemount (Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, nr Bush Arm causeway), nr Itcha Lk, Gosling Is (Goose Islands group), Mt Cain, Brooks Peninsula, Texada Is, Hornby Is, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Port Alberni, Kludahk Trail (~13km NW Jordan R), Jordan R, Victoria area (Rocky Point, Camas Hill, Munn's Rd, Christmas Hill, Saxe Point, Beacon Hill, Cattle Point, nr Prospect Lk, Playfair Pk, 10 Mile Point, Island View Beach), Gulf Islands Nat Pk (Acland Is, Channel Is, Brackman Is, Bright Is, Cabbage Is, D'Arcy Is, Dock Is, Forrest Is, Hawkins Is, Portland Is, Red Is, Sallas Is, Tumbo Is), Whistler area (Brandywine Falls Prov Pk, Cheakamus Lk Rd, Whistler Village, Blackcomb Mtn, Black Tusk), Pemberton, Roberts Ck, Highline Rd nr D'Arcy, Ashcroft, Cathedral Lks Prov Pk, Vernon, Beaconsfield Mtn, Mt Kobau, Oliver, Osoyoos (Sagebrush Slopes Cons Area), Castle Mtn (nr Christina Lk), Mosquito Ck (nr Nakusp), Edgewood, Beaton, Burton, Idaho Peak (nr New Denver), Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo (Mt Wurttemberg, Swamp Basin Rd), Waldie Lk (nr Kootenay Pass), Kootenay Pass (Cornice Ridge, Ripple Ridge), Gray Ck Pass, St Mary Lk (W of Kimberly, nr Ft Steele (Bummers Flats Wildlife Area, Lakit Peak), nr Canal Flats (Marion Ck benchlands, Graves Lookout Tr, junction of E & N White FSRs), nr Cranbrook (Ramparts Grasslands, Sunken Ck Tr, Bull R valley), Fernie, nr Sparwood (Alexander Ck, Graves Prairie), Flathead R drainage (Flathead-Sage FSR, Mt Hefty, Ram Ck

FSR, Flathead townsite nr Mt Corrigan, N of Shepp Ck), Glacier Nat Pk (Beaver Valley), Yoho Nat Pk (nr Wapta Falls, Boulder Ck Ranger Sta, Paget Peak, nr Takakkaw Falls), Kootenay Nat Pk (Stanley Glacier Tr)

***Zelotes hentzi* Barrows, 1945**

Global Distribution: Southern BC to NS south to northern CA & FL

BC Records: Wellington, Victoria area (Rocky Point, Camas Hill, Langford, Saanich, Munn's Rd, Harling Point, Holland Point, Beacon Hill, Cattle Point, Island View Beach, Portland Is), Saturna Is (Warburton Pike), Osoyoos (Desert Centre)

***Zelotes puritanus* Chamberlin, 1922**

Global Distribution: Holarctic; in Nearctic - AK to NB south to CA & MA

BC Records: Hudsons Hope, Hwy 29 @ Lynx Ck, Hwy 29 NW of Ft St John, 35 km E of Prince George, Valemount (Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), Victoria area (William Head, nr Prospect Lk, Island View Beach), Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Acland Is, Bright Is, Sallas Is, Portland Is, Tumbo Is), Pemberton, Blowdown Pass (nr Duffey Lk), Gang Ranch S of Dog Ck Airport, Ashcroft, Vernon, Summerland, E side Skaha Lk, Vaseux Lk, White Lk (nr Okanagan Falls), Mt Kobau, Chopaka, Nighthawk, Kilpoola Lk, Oliver, Osoyoos, Mosquito Ck (nr Nakusp), Burton, Grohmann Narrows (nr Nelson), Kootenay Pass (Cornice Ridge), Gray Ck Pass, nr Canal Flats (Marion Ck benchlands), Cranbrook, Flathead R drainage (Flathead townsite nr Mt Corrigan)

***Zelotes rainier* Platnick & Shadab, 1983**

Global Distribution: Southwestern BC & western WA

BC Records: Blowdown Pass (nr Duffey Lk)

***Zelotes sula* Lowrie & Gertsch, 1955**

Global Distribution: Holarctic; in Nearctic - AK to LB south to UT & northern NY

BC Records: Manson Ck, Morley R Lodge, Cirque Mine base camp (nr Ft Ware), Summit Lk (Alaska Hwy), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), alpine pass 4.5 km NW of Mt Laurier, Manning Prov Pk (Blackwall Peak)

***Zelotes tuobus* Chamberlin, 1919**

Global Distribution: Southern BC to KY south to CA & TN

BC Records: Departure Bay, Kamloops, Old Hedley Rd, Chopaka, Nighthawk, Mt Kobau, White Lk (nr Okanagan Falls), Summerland, E side Skaha Lk, Oliver, Osoyoos (Desert Centre, West Bench, Fairview), Kilpoola Lk

HAHNIIDAE

***Antistea brunnea* (Emerton, 1909)**

Global Distribution: BC to NS south to IL & NJ

BC Records: Prince Rupert, Copper R valley (nr Terrace), Valemount, Mara Meadows Eco Res (nr Enderby), Burton, Kootenay Nat Pk (Dog Lk Tr)

***Cicurina idahoana* Chamberlin, 1919**

Global Distribution: Southern BC to western MT south to OR

BC Records: Lynn Valley (N Vancouver), Ft Langley, Haney, Whistler (Brandywine Prov Pk), Pemberton, Lillooet, Blackwall Peak (Manning Prov Pk), Old Hedley Rd, Ashnola Valley, Cathedral Lks Prov Pk (Glacier Lk Tr), Mt Kobau, Penticton, Mt Baldy, Rossland (Nancy Greene Rec Area, Granite Mtn), Mosquito Ck (Nakusp), Edgewood, Burton, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity)

***Cicurina intermedia* Chamberlin & Ivie, 1933**

Global Distribution: Southern interior BC to UT

BC Records: Vernon, Vaseux Lk, "Throne" Haynes Lease EcoReserve (Osoyoos), Old Hedley Rd, Mt Kobau, Cranbrook area (Lakit Peak, Sunken Ck Tr), Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR, Kishinena FSR, Mt Hefty), Canal Flats, White R (nr junct of N & E White R FSRs)

***Cicurina robusta* Simon, 1886**

Global Distribution: Southern BC to NS south to CO

BC Records: White Lk, Osoyoos (Sagebrush Slopes Cons Area)

***Cicurina simplex* Simon, 1886**

Global Distribution: Southwestern AK south to WA & MT

BC Records: Haida Gwaii (Bonanza Ck), Sterling Islands group, Lakelse Lk, Mt Washington, Carrington Bluff (Cortes Is), Carmanah Valley, Cameron Lk, Kendrick Is, Departure Bay, Sansum Narrows Reg Pk (nr Genoa Bay), Cobble Hill, Victoria area (Sidney, Thetis Lk, nr Prospect Lk, Munn's Rd, Island View Beach, Haliburton Farm, Albert Head, E Sooke Pk, Camas Hill, Mt Braden, Chatham Is, Discovery Is, Witty's Lagoon, Matheson Lk, Pearson College, Mary Hill, Mt Manuel Quimper), Texada Is, S Pender Is, Mayne Is, Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Acland Is, Brackman Is, Cabbage Is, D'Arcy Is, Hawkins Is, Portland Is, Sallas Is), Ladner, Arrow Lk, Beaton, Kootenay Pass (Cornice Ridge, Ripple Ridge), "Darkwoods" NE of Salmo (Tye Camp, Wurttemberg Mtn, Swamp Basin Rd), Evening Ridge Mt (Nelson), nr Canal Flats (Marion Ck benchlands), lower Bull R valley (E of Cranbrook), Fernie, Flathead R drainage (Flathead-Sage FSR, Kishinena FSR, Mt Hefty), Beaver Valley (Glacier Nat Pk)

***Cicurina tersa* Simon, 1886**

Global Distribution: Western BC south to OR

BC Records: Johnson Bay (Babine Lk), Campbell R, Parksville, Departure Bay, Mesachie Lk, Sansum Narrows Reg Peak (nr Genoa Bay), Victoria area (Pearson College, Albert Head, Beaver Lk Pk, Goldstream Prov Pk, Francis King Reg Pk, Prospect Lk, Observatory Hill, Elk/Beaver Lk Reg Pk, E Sooke Pk, Langford, sw slope Mt MacDonald, Mt Braden, Impala Rd, Mt Douglas, Tod Inlet, Sidney, Dock Is), Galiano Is, Saturna Is (Narvaez Bay), Gulf Islands Nat Pk (Bright Is, Cabbage Is, Tumbo Is, N & E Hawkins Is, Little Channel Is), Ft Langley, Whistler (Brandywine Prov Pk), Highline Rd (nr D'Arcy)

***Hahnia arizonica* Chamberlin & Ivie, 1942**

Global Distribution: AK south to AZ & western TX

BC Records: Hudson Bay Mtn, Hwy 29 @ Szoo Rd, Carmanah Valley, Nanaimo, Brandywine Prov Pk, Black Tusk microwave access road, Echo Lk (Harrison Mills), Skagit R, White R (E of Whiteswan Lk Prov Pk), Flathead R drainage (Flathead-Sage FSR)

***Hahnia cinerea* Emerton, 1890**

Global Distribution: AK to NS south to Mexico & FL

BC Records: Alsek R nr junction with Tatshenshini R, Williston Lk (~40 km N Raspberry Hbr), Prince Rupert, Bella Coola, 35 km E of Prince George, nr Valemount (Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), Vancouver, Whistler (Brandywine basalt ponds), Marble Canyon, Kamloops, Old Hedley Rd, Hedley/Nickelplate overlook, Princeton, Marion Ck Benchlands (nr Canal Flats)

***Hahnia glacialis* Soerensen, 1898**

Global Distribution: Holarctic; in Nearctic - AK to NH south to CO & NY

BC Records: junction Tatshenshini R & O'Connor R, Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), nr Ft Ware (Mt Irish, Cirque Mine base camp), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), N of Motase Peak, The Thumb (Sustut Prov Pk), Lakelse Lk, Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, SW of Wallop Mtn (McGregor Range), McBride Peak, Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Cain, Whistler (Blackcomb Mtn, Whistler Peak, Black Tusk microwave), Mission Ridge (nr Seton Portage), Blowdown Pass (SW of Lillooet), Mt Cheam (nr Chilliwack), Manning Prov Pk (Paintbrush Tr), Cathedral Lks Prov Pk (Rim Tr), Beaconsfield Mtn, Mt Baldy, "Darkwoods" NE of Salmo (Wurttemberg Mtn), Gray Ck Pass (Crawford Bay), Lakit Peak (Ft Steele), Graves Lookout Tr (E of Whiteswan Lk), Graves FSR pass S of Sheep Mtn, Mt Mackenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Yoho Valley Rd, Lk O'Hara access rd, Lk McArthur Tr, Odaray Grandview Tr, Opabin Plateau, Takakkaw Falls)

***Hahnia ononidum* Simon, 1875**

Global Distribution: Holarctic; in Nearctic - YT to NU south to NM & AR

BC Records: Atlin, Beaton, Mosquito Ck (nr Nakusp), Kootenay Nat Pk (Redstreak Campground)

***Neoantistea agilis* (Keyserling, 1887)**

Global Distribution: Northern BC to NS south to CA & FL

BC Records: Prince Rupert, Manson R, Ft St John, E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), nr Bush Arm causeway (Kinbasket Reservoir), Edgewood, Burton, Flathead R drainage (nr Flathead Border Sta)

***Neoantistea gosiuta* Gertsch, 1934**

Global Distribution: Northwestern BC south to AZ & NM

BC Records: St Elias Mtns (59.39N 137.10W), Brooks Peninsula, Mosquito Ck (nr Nakusp), Edgewood, Columbia Lk ProvPk, Grasmere-Dorr FSR (nr Lk Koochanusa)

***Neoantistea magna* (Keyserling, 1887)**

Global Distribution: AK to NF south to CA & FL

BC Records: Tats Lk (St Elias Mtns), Mt Irish (nr Ft Ware), Haida Gwaii (Mosquito Lk, Rennel Sd - Bonanza Ck, Tlell), Babine Lk (Johnson Bay, Pinkut Ck), Prince George, Kinbasket Reservoir (nr Bush Arm causeway), Bute Inlet, Strathcona Prov Pk (Cruikshank Canyon), Jordan River bog, Vancouver area (Burnaby Marshlands, Burns Bog), Whistler (Beverley Lk), Osoyoos, E Arrow (S of Nakusp), Edgewood, Beaton, Burton

LINYPHIIDAE

***Acanthoneta aggressa* (Chamberlin & Ivie, 1943)**

Global Distribution: Southern BC and AB south to WA, UT, and WY (apparently also in QC)

BC Records: Mt Irish (nr Ft Ware), Itcha Lk, Cathedral Lks Prov Pk (Glacier Lk Tr, Rim Tr), Flathead townsite (nr Mt Corrigan), Lk O'Hara area (Odaray Grandview Tr)

***Acanthoneta furcata* (Emerton, 1913)**

Global Distribution: YT to NL south to n BC, WI, & NY

BC Records: Mt Irish (nr Ft Ware)

***Agnypantes arboreus* (Emerton, 1915)**

Global Distribution: AK south to WA & WY

BC Records: Kinashan Lk Prov Pk, Poutang Ck headwaters, N of Motase Peak, The Thumb (Sustut Prov Pk), peak 7.5 km SW of Bone Mtn, Haida Gwaii (Alliford Bay, Massett), nr Itcha Lk, Lk Cowichan, Forbidden Plateau, Heather Mtn (Nitinat), Sumas Mtn, Glacier Nat Pk (Bald Ridge), Yoho Nt Pk (Emerald Lk, Odaray Grandview Tr, Wapta Lk)

****Agneta "3rb" Hull, 1911***

Global Distribution: BC

BC Records: Deadman Valley FSR (nr Cache Ck), Flathead R drainage (Cabin Ck FSR)

***Agneta allosubtilis* Loksa, 1965**

Global Distribution: Holarctic; in Nearctic - YT to NF south to BC & MB

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge 9 km E of Simpson Peak, Mt Irish (nr Ft Ware), Ospika Cones Eco Res, Sikanni R (Alaska Hwy), Pink Mtn, Liard R Hotsprings, Hwy 29 @ Watson Slough, Mt Crysdale, alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Copper R valley (nr Terrace), Taseko Mtn, Koksilah R, Saturna Is (Narvaez Bay), Roberts Ck, Manning Prov Pk, "Darkwoods" NE of Salmo (Lower Laib Rd)

***Agneta amersaxatilis* Saaristo & Koponen, 1998**

Global Distribution: Holarctic; in Nearctic - AK to NS south to WY & ND

BC Records: Terrace

***Agyneta aquila* Dupérré, 2013**

Global Distribution: YT to northern BC

BC Records: Summit Lk

***Agyneta bucklei* Dupérré, 2013**

Global Distribution: Coastal BC south to OR

BC Records: Terrace, Rocky Point, Saanich Inlet, Brandywine Prov Pk

****Agyneta conigera* (O. P.-Cambridge, 1863)**

Global Distribution: Holarctic; in Nearctic - northern BC

BC Records: Idaho Peak (Atlin)

***Agyneta danielbelangeri* Dupérré, 2013**

Global Distribution: BC & AB south to NM

BC Records: Johnson Bay (Babine Lk), nr Valemount (peatland, Dave Henry Ck), Kinbasket Reservoir (Hope Ck), Granite Mtn (Rosland), "Darkwoods" NE of Salmo (Mt Wurttemberg), Gray Ck Pass, Flathead R drainage (Mt Hefty, others), Kootenay Nat Pk (Stanley Glacier), Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (Paget Peak, Takakkaw Falls, Yoho Valley Rd)

***Agyneta darrelli* Dupérré, 2013**

Global Distribution: Southern BC south to coastal central CA

BC Records: Mt Cain, Parksville, Ucluelet, Bamfield, Carmanah Valley, French Beach, Sansum Narrows Reg Pk, Victoria area (Rocky Point, Camas Hill, Devonian Reg Pk, Albert Head, Goldstream Prov Pk, Elk-Beaver Lk Reg Pk), Halfmoon Bay, Osyoos, Christina Lk

****Agyneta decora* (O. P.-Cambridge, 1871)**

Global Distribution: Holarctic; in Nearctic - AK, YT, & northern BC

BC Records: W Hudson Bay Mtn

***Agyneta decorata* (Chamberlin & Ivie, 1944)**

Global Distribution: BC & southeastern USA

BC Records: Smithers, 35 km E of Prince George, Mt Cain, Walbran Valley, Harris Ck spruce (nr Port Renfrew), Roberts Ck, Whistler (Rainbow Lk Tr), Cathedral Lks Prov Pk (Rim Tr)

***Agyneta emertoni* (Roewer, 1942)**

Global Distribution: Western BC to WA

BC Records: Nanaimo, Vancouver, Massett

***Agyneta fabra* (Keyserling, 1886)**

Global Distribution: BC to NB south to TX & AL

BC Records: nr Valemount (peatland), Clearwater Valley, Edgewater, Edgewood, Hwy 29 NW of Ft St John

***Agyneta fillmorana* (Chamberlin, 1943)**

Global Distribution: AK to ND south to OR and WY

BC Records: Boya Lk, Kinaskan Lk, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Ft McLeod, Kyuquot, Strathcona Prov Pk (Cream Lk), Wellington, Carmanah Valley, Jordan R, Victoria area (Mt Manuel Quimper, E Sooke Point, Rocky Point, Camas Hill, 10 Mi Point, Saanich), Saturna Is (Taylor Point), Vancouver, Old Hedley Rd, Mt Kobau, Whitetooth Ridge (nr Golden)

***Agyneta flibuscrocus* Dupérré, 2013**

Global Distribution: BC, AB, & WY

BC Records: Secret Peak (~10 km W Perkins Peak), Cathedral Lks Prov Pk (talus above Glacier Lk), "Darkwoods" NE of Salmo (Mt Wurttemberg), Gray Ck Pass summit, Idaho Peak (nr New Denver), Whitetooth Ridge (nr Golden), Rampart grassland (E of Cranbrook), Lakit Peak (nr Ft Steele), Pink Mtn

***Agyneta fratrella* (Chamberlin, 1919)**

Global Distribution: Southern BC and WY south to WA, and UT

BC Records: Smithers, nr Cinema, Idaho Peak (nr New Denver), W side Cornice Ridge (Kootenay Pass), "Darkwoods" NE of Salmo (Elmo Lk Rd), Whitetooth Ridge (nr Golden)

***Agyneta jacksoni* (Braendegaard, 1937)**

Global Distribution: AK to Greenland S to WA & ME

BC Records: Cathedral Lks Prov Pk (talus Ladyslipper Lk to Stone City), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), alpine pass 4.5 km NW of Mt Laurier

***Agyneta lophophor* (Chamberlin & Ivie, 1933)**

Global Distribution: AK & YT to BC & SK

BC Records: Hwy 29 @ Halfway Ck, Hwy 29 20 km NW Ft St John, nr Valemount (peatland), Whistler Peak, Ramparts Grassland (E of Cranbrook), Grave's Prairie (east of Sparwood airport)

***Agyneta manni* (Crawford & Edwards, 1989)**

Global Distribution: northern BC to northwestern WA

BC Records: Mt McCallum, Gataga Range (~75 km N of Ft Ware), Mt Irish (nr Ft Ware), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Trapper Mtn (SE of Terrace), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Wilson Lk (~7 km W Tsitsutl Peak), Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Cokely, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Mt Cain, Whistler Peak, Black Tusk microwave, Mission Ridge (Seton Portage), Blowdown Pass (SW of Lillooet), Mt Cheam (nr Chilliwack), Cathedral Lks Prov Pk (talus above Glacier Lk)

***Agyneta maritima* (Emerton, 1919)**

Global Distribution: YT & NU to southwestern BC

BC Records: Ospika Cones Eco Res, Mt Whitford, Whistler Peak (Whistler)

****Agyneta micaria* (Emerton, 1882)**

Global Distribution: BC, ON south to TX & FL

BC Records: Summerland

***Agyneta nigripes* (Simon, 1884)**

Global Distribution: Holarctic; in Nearctic - NU, BC, & QC

BC Records: Gray Ck Pass (SW of Crawford Bay), "Darkwoods" NE of Salmo (Wurttemberg Mtn), Flathead Valley (Butts Rec Site)

***Agyneta olivacea* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - YT to NF south to ND & NH

BC Records: Mt St Elias, Idaho Peak (Atlin), Hwy 29 @ Szoo Rd, S of Taylor, Tumbler Ridge, W Hudson Bay Mtn, 35 km E of Prince George, nr Valemount (peatland, Yellowjacket Ck), Bush Arm Kinbasket Lk (Good Fellow Ck), Mt Cain, Vernon, Lily Pad Lk Eco Res

***Agyneta ordinaria* (Chamberlin & Ivie, 1947)**

Global Distribution: AK to MT

BC Records: Terrace, 10 km W of Kitwanga, McDonell FSR (nr Smithers), Babine Lk (Johnson Bay, Pinkut Ck), Prince George, Goldstream Prov Pk, Whistler (Alpha Lk), Manning Prov Pk, Mt Cain, 25 km se Vernon, Lily Pad Lk Eco Res, Granite Mtn (Rossland), Idaho Peak, Lakit Peak (nr Ft Steele), Yoho Nat Pk (jct Yoho & Kicking Horse Rivers, Lk McArthur Tr)

***Agyneta perspicua* Dupérré, 2013**

Global Distribution: Southern AK to AB south to OR & MT

BC Records: ridge 9 km E of Simpson Peak, Dawson Ck, nr Queen Charlotte City, Copper R valley (nr Terrace), McDonnell FSR (nr Smithers), Babine Lk (Cross Ck, Pinkut Ck), Cottonwood R @ Hwy 37, Gosling Is (Goose Is group), Calvert Is area, Mt Cain, Brooks Peninsula, Maquinna Prov Pk, Walbran Valley, Carmanah Valley, Kludahk Trail (~12km NW Jordan R), Errington, Mt Arrowsmith, Campbell-Brown Eco Res (Vernon), Bull R valley (nr Cranbrook), Yoho Nat Pk (Boulder Ck, jct Yoho & Kicking Horse Rivers, Lk O'Hara access rd)

***Agyneta protrudens* (Chamberlin & Ivie, 1933)**

Global Distribution: Southern BC to SK south to UT

BC Records: Idaho Peak (Atlin), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Copper R valley (nr Terrace), McDonell FSR (nr Smithers), Babine Lk (Johnson Bay), 35 km E of Prince George, peak 7.5 km SW of Bone Mtn, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, nr Bush Arm causeway), Mt Cain, Carmanah Valley, nr Pt Renfrew (Avatar Grove, Harris Ck spruce), Victoria (10 Mile Pt), Yellow Point, Sansum Narrows Reg Pk, Roberts Ck, Manning Prov Pk, Mt Kobau, Campbell-Brown Eco Res, Grave's Prairie (east of Sparwood airport)

***Agyneta simplex* (Emerton, 1926)**

Global Distribution: AK to NS south to NM & MA

BC Records: nr Queen Charlotte City, S of 100 Mi House, nr Valemount (peatland), Goldstream Prov Pk, Brentwood Bay, Beaconsfield Mtn, Burton, W of Creston

***Agyneta uta* (Chamberlin, 1920)**

Global Distribution: Southwestern BC south to CA & NM

BC Records: saddle btwn Mt Cokely & Mt Arrowsmith, Whistler (Beverly Lk, Whistler Peak)

***Agyneta watertoni* Dupérré, 2013**

Global Distribution: Central BC and southwestern AB

BC Records: Copper R (nr Terrace), 35 km E of Prince George

***Allomengea dentisetis* (Grube, 1861)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CO & NJ

BC Records: Clearwater Valley

***Aphileta microtarsa* (Emerton, 1882)**

Global Distribution: BC to NF south to UT & NY

BC Records: Copper R (nr Terrace), Babine Lk (Johnson Bay, Donald Landing), Poutang Ck headwaters, nr Valemount (peatland), Whistler (Black Tusk, Brandywine basalt ponds), Manning Prov Pk (Rein Orchid Tr, Skyline Tr), Kootenay Pass (Cornice Ridge), Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (Takakkaw Falls, Opabin Plateau)

***Aphileta misera* (O. P.-Cambridge, 1882)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to BC & NY

BC Records: Hudson Bay Mtn, nr Valemount (peatland), Wap Lk (Revelstoke), Burton

***Arcuphantes arcuatulus* (Roewer, 1942)**

Global Distribution: Southwestern BC to OR

BC Records: Carmanah Valley, Parksville, Greenburn Lk (S Pender Is), Clam Bay Tr (N Pender Is), Durrance Lk. (Victoria), Gulf Islands Nat Pk (Acland Is, Hawkins Is, Big Red Is), Saturna Is (nr Money Lk)

***Arcuphantes sylvaticus* Chamberlin & Ivie, 1943**

Global Distribution: BC to CA

BC Records: Whistler area (Brandywine Prov Pk), Pemberton, Highline Rd (nr D'Arcy), Blowdown FSR (SW of Lillooet), 16 km W of Barkerville, Vernon (Campbell Brown Ecol Reserve), McIntyre Rd bluffs (Vaseux Lk), Princeton, Old Hedley Rd, Pend d'Oreille Valley, "Darkwoods" NE of Salmo (nr Porcupine Lk, Mt Wurttemberg, Swamp Basin Rd), Kootenay Pass (Waldie Lk, Cornice Ridge, Ripple Ridge, Stag Leap Prov Pk), St Marys Lk (nr Kimberly), Lakit Peak (nr Ft Steele), Deadmans Pass (E of Sparwood), Mt Revelstoke, Yoho Nat Pk (Opabin Plateau), Flathead R drainage (Flathead-Sage FSR)

***Baryphyma trifrons* (O. P.-Cambridge, 1863)**

Global Distribution: Holarctic; in Nearctic - YT to QC south to WA & NY

BC Records: Atlin, Letain Lk (Stikine Region), Hwy 29 @ Halfway Ck, Hwy 29 @ Watson Slough, Mt Wurttemberg ("Darkwoods" NE of Salmo)

***Bathyphantes alameda* Ivie, 1969**

Global Distribution: Southwestern BC to CA

BC Records: Kyuquot

***Bathyphantes alascensis* (Banks, 1900)**

Global Distribution: AK south to CA

BC Records: Haida Gwaii (Alliford Bay, Bonanza Ck, Moresby Camp), Hazelton, Copper R valley (nr Terrace), Smithers, E of Prince George, Calvert Is area, Bute Inlet, Tsitika R, Mt Cain, Brooks Peninsula, Kyuquot, Carrington Lagoon (Cortes Is), Maquinna Prov Pk, Tofino, Schooner Cove (nr Tofino), Strathcona Prov Pk (Crown Mtn), Carmanah Valley, Walbran Valley, Sombrio Beach, Cortes Is (Carrington Bluff, Carrington Lagoon), Wellington, Victoria area (E Sooke Pk, Roche Cove, Matheson Lk, Langford, Goldstream Prov Pk), Texada Is, Whistler area (Brandywine Prov Pk, Rainbow Lk Tr), Echo Lk (Harrison Mills), Cathedral Lks Prov Pk (Rim Tr), Granite Mtn (Rossland), "Darkwoods" NE of Salmo (nr Porcupine Lk), nr Prince George, Rogers Pass, Sale Mtn, Yoho Nat Pk (jct Yoho & Kicking Horse Rivers, Yoho Valley Rd, Takakkaw Falls)

***Bathyphantes brevipes* (Emerton, 1917)**

Global Distribution: AK to NF south to CA & WY

BC Records: Prince Rupert, Babine Lk (Johnson Bay), S bank Peace R @ Bear Flat, nr Valemount (peatland, Yellowjacket Ck), Calvert Is area, Wakeman Sound, Little Qualicum R estuary, Victoria area (Saanich, Haliburton Farm, Island View Beach, James Is), Gulf Islands Nat Pk (Cabbage Is, Forrest Is, Hawkins Is, Portland Is), Saturna Is (Narvaez Bay), Vancouver area (Coquitlam, Reiffel Bird Sanctuary), Whistler (Madely Lk), Mara Meadows Eco Res, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity)

***Bathyphantes brevis* (Emerton, 1911)**

Global Distribution: AK to NF south to northern USA

BC Records: Calvert Is area, Island View Beach (Victoria)

***Bathyphantes canadensis* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to BC & NY

BC Records: Johnson Bay (Babine Lk), Ft Fraser, S of Taylor

***Bathyphantes diasosnemis* Fage, 1929**

Global Distribution: Southwestern BC to CA

BC Records: Mt Cain (Vancouver Is)

***Bathyphantes eumenis* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - AK to NL south to northern BC & ON

BC Records: Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, 49 km S of Cassiar Jct, Heart Lk (nr Dease Lk), Driftwood Ck (nr Smithers), Poutang Ck headwaters, Mt Whitford

***Bathyphantes iviei* Holm, 1970**

Global Distribution: AK & northern BC

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9 km E of Simpson Peak, Sikanni Chief R Eco Res, Poutang Ck headwaters

***Bathyphantes keeni* (Emerton, 1917)**

Global Distribution: AK south to CA

BC Records: Haida Gwaii (Alliford Bay, Bonanza Ck, Rose Spit), Port Edward, Copper R valley (nr Terrace), McMullin Is group, Gosling Is (Goose Is group), Calvert Is area, Tsitika R, Brooks Peninsula, Carrington Lagoon (Cortes Is), Hornby Is, Texada Is, Carmanah Valley, Walbran Valley, Koksilah R, Mesachie Lk, Mill Bay, Sooke, Victoria area (Rocky Point, Mary Hill, Pearson College, Impala Rd, Matheson Lk, Goldstream Prov Pk, Ft Rodd Hill, Saxe Point, Holland Point, Beacon Hill, Government House, Durrance Lk, 10 Mile Point, Haliburton Farm, Island View Beach, D'Arcy Is, Forrest Is), Gulf Islands Nat Pk (Acland Is, Cabbage Is, Portland Is), Saturna Is (Campbell Farm, Lyall Ck), Vancouver area (Belcarra Reg Pk), Roberts Ck, Echo Lk (Harrison Mills)

***Bathyphantes malkini* Ivie, 1969**

Global Distribution: Southwestern BC south to CA

BC Records: Wellington, Sooke R, Goldstream Prov Pk (Finalyson Arm Rd bridge, Niagara Canyon)

***Bathyphantes orica* Ivie, 1969**

Global Distribution: Southwestern BC south to CA

BC Records: Gosling Is (Goose Is group), Calvert Is area, Texada Is, Tsitika R valley, Wellington, Carmanah Valley, Victoria area (Rocky Point, Pearson College, Witty's Lagoon, Haliburton Farm, D'Arcy Is, Forrest Is), Carrington Lagoon (Cortes Is), Big Red Is, Long Harbour, Tent Is (nr Chemainus), Gulf Islands Nat Pk (Channel Is, D'Arcy Is, Portland Is), Saturna Is (Lyall Ck), Vancouver, Echo Lk (Harrison Mills), Waldie Lk (Salmo)

***Bathyphantes pallidus* (Banks, 1892)**

Global Distribution: AK to NF south to AZ & NC

BC Records: Smithers area (Driftwood Canyon, nr Round Lk), Ft Fraser, Babine Lk (Johnson Bay), 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Big Bend, Chatter Ck, Goodfellow Ck, nr Bush Arm causeway), nr Itcha Lk, Vancouver area (Reiffel Bird Sanctuary, Burnaby Marshlands, Surrey Bend Reg Pk), Mara Meadows Eco Res, Mosquito Ck (nr Nakusp), Yoho Nat Pk (nr Wapta Falls, Boulder Ck)

***Bathyphantes reprobus* (Kulczynski, 1916)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to northeastern BC & NY

BC Records: Ft St John

***Bathyphantes waneta* Ivie, 1969**

Global Distribution: BC south to OR & ID

BC Records: Victoria area (Island View Beach), Merritt, Vernon, Summerland, Apex Mountain, Vaseux Lk, Idaho Peak (nr New Denver)

***Caviphantes saxetorum* (Hull, 1916)**

Global Distribution: Holarctic; in Nearctic - OR, BC, & AB

BC Records: nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway)

***Centromerita bicolor* (Blackwall, 1833)**

Global Distribution: Holarctic; introduced in Nearctic - BC to WA, NF to NS

BC Records: Victoria area (Haliburton Farm, Forrest Is), Gulf Islands Nat Pk (Portland Is, Narvaez Bay), Vancouver area (Burnaby, Surrey Bend Reg Pk, Delta)

***Centromerus longibulbus* (Emerton, 1882)**

Global Distribution: BC to NF south to MI & NY

BC Records: Enderby, Lumby, Cherryville, Mosquito Ck (nr Nakusp), Beaton, E of Prince George, Cornice Ridge (Kootenay Pass)

***Centromerus mariannae* Slowik, 2018**

Global Distribution: AK to WA

BC Records: Terrace, Gosling Is (Goose Is group), Bella Coola, Brooks Peninsula, Pacific Rim Nat Pk (Willowbrae Tr), Roberts Ck, Gulf Islands Nat Pk (Portland Is, Mt Norman), Beaton, "Darkwoods" NE of Salmo (lower Laib Rd, km 31.5 Porcupine Rd), W slope Cornice Ridge Peak (Kootenay Pass)

***Centromerus sylvaticus* (Blackwall, 1841)**

Global Distribution: Holarctic; in Nearctic - AK to NL and south to MN & NY

BC Records: Vancouver

***Ceraticelus atriceps* (O. P.-Cambridge, 1874)**

Global Distribution: YT to NF south to WA & NY

BC Records: Atlin, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), N of Motase Peak, Hudson Bay Mtn, Smithers, Babine Lk (Johnson Bay), Ft Fraser, Burns Lk, nr Salmon Valley, nr Itcha Lk, Hixon, Gosling Is (Goose Is group), Carrington Lagoon (Cortes Is), Comox, Carmanah Valley, Burns Bog (Delta), Coquihalla Lks, Craigellachie, Mara Meadows Eco Res, Sale Mtn, Mt Mackenzie, Mt Revelstoke, Yoho Nat Pk (nr Wapta Falls, Wapta Lk, Boulder Ck, Field, Takakkaw Falls, Opabin Plateau, Odaray Grandview Tr, Emerald Lk), Flathead townsite (southeast of Mt Corrigan)

***Ceraticelus bulbosus* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - AK to NL south to WA & NY

BC Records: Manning Prov Pk (Blackwall), Mt Revelstoke

***Ceraticelus crassiceps* Chamberlin & Ivie, 1939**

Global Distribution: AK to LB south to NM

BC Records: Osoyoos

****Ceraticelus emertoni* (O. P.-Cambridge, 1874)**

Global Distribution: BC, AB, ON to PE south to NE & GA

BC Records: Kinbasket Reservoir (nr Bush Arm causeway)

***Ceraticelus fissiceps* (O. P.-Cambridge, 1874)**

Global Distribution: AK to NF south to WA & GA

BC Records: Hazelton, N of Motase Peak, Hudson Bay Mtn, Smithers, Babine Lk (Johnson Bay), Ft Fraser, Hwy 29 NW of Ft St John, nr Vanderhoof, 35 km E of Prince George, Hixon, Wells Gray Prov Pk, 40 km S of Quesnel, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Hope Ck, nr Bush Arm causeway), Strathcona Prov Pk (Cream Lk), Victoria (Munns Rd), Whistler (Brandywine Prov Pk), Langley (Mountain View Cons Area), Lillooet, Hope, Salmon Arm, Vernon, Cougar Canyon Eco Res, Edgewood, Craigellachie, Mount Revelstoke Nat Pk, 16 km E of Golden, Yoho Nat Pk (nr Wapta Falls, Boulder Ck, Emerald Lk), Kootenay Nat Pk (Daer-Pitts)

***Ceraticelus laetabilis* (O. P.-Cambridge, 1874)**

Global Distribution: BC to NF south to MO and NC

BC Records: nr Prince George

***Ceraticelus minutus* (Emerton, 1882)**

Global Distribution: BC; AB to QC south to MO & GA

BC Records: Mt Baldy

***Ceraticelus rowensis* Levi & Levi, 1955**

Global Distribution: AK south to AB & WA

BC Records: Mt McCallum, W Hudson Bay Mtn, nr The Thumb (Sustut Prov Pk), alpine pass 4.5 km NW of Mt Laurier, Kingfisher Ck Eco Res, Enderby, Mt Revelstoke, Whitetooth Ridge (nr Golden)

***Ceraticelus silus* Dondale, 1958**

Global Distribution: AK south to BC & east to ON, QC, & NS

BC Records: alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Pacific Rim Nat Pk (Shorepine Bog Tr), Vancouver, Mt Revelstoke Nat Pk (Giant Cedar Tr)

****Ceraticelus similis* (Banks, 1892)**

Global Distribution: BC, MB to NL south to MX & GA

BC Records: Hudson's Hope (Farrell Ck)

***Ceratinella acerea* Chamberlin & Ivie, 1933**

Global Distribution: BC south to OR & UT

BC Records: Stewart, Babine Lk (Pinkut Ck), Carrington Lagoon (Cortes Is), Nanaimo (Yellow Point), Sansum Narrows Reg Pk (nr Genoa Bay), Victoria area (Monument Ridge (Sooke Hills), Rocky Point, Pearson College, Mary Hill, Mt Braden, Sugarloaf Mtn, Barrow Rd, Impala Rd, Veitch Ck, Devonian Reg Pk, Witty's Lagoon, Durrance Lk, Observatory Hill, Jocelyn Hill, Goldstream Prov Pk, Beaver Lk Reg Pk, Haliburton Farm), Carrington Lagoon (Cortes Is), Big Red Is, Saltspring Is (Hawkins Is, Long Harbour), Gulf Islands Nat Pk (Brackman Is, Bright Is, Cabbage Is, D'Arcy Is, Portland Is, Tumbo Is), Saturna Is (Lyll Ck, nr Money Lk), Whistler area (Brandywine Prov Pk, Rainbow Lk Tr), Edgewood

***Ceratinella alaska* Chamberlin & Ivie, 1947**

Global Distribution: Holarctic; in Nearctic - AK & BC to QC

BC Records: Babine Lk (Pinkut Ck), Carmanah Valley, Sutton Pass, Victoria area (Mt Manuel Quimper, Rocky Point, Veitch Ck, Durrance Lk, Goldstream Prov Pk, Little Saanich Mtn), Saltspring Is (Long Hbr), Tent Is (nr Chemainus), Manning Prov Pk (Blackwall), "Darkwoods" NE of Salmo (Tye Rd, Elmo Lk Rd), Phillips Pass, Phillips Peak vicinity, east of Glacier Nat Pk

***Ceratinella brunnea* Emerton, 1882**

Global Distribution: AK to NF south to NM & VA

BC Records: Tetsa R (Alaska Hwy), Liard Hotsprings, nr The Thumb (Sustut Prov Pk, Copper R valley (nr Terrace), Johnson Bay (Babine Lk), alpine north of Limestone Lakes, Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), Gulf Islands Nat Pk (Bright Is), Manning Prov Pk (Blackwall), Mosquito Ck (nr Nakusp), Beaton, Edgewood, "Darkwoods" NE of Salmo (Porcupine FSR), Sale Mtn, Glacier Nat Pk (Beaver Valley, Mt Fidelity, Rogers Pass), Kootenay Nat Pk (Stanley Glacier Tr), Yoho Nat Pk (Paget Pk, Takakkaw Falls, Yoho Valley Rd)

***Ceratinella ornatula alaskana* Chamberlin, 1948**

Global Distribution: AK to YT south to BC

BC Records: Grotto Ck (Atlin), Tetsa R (Alaska Hwy), Copper R valley (nr Terrace), Brooks Peninsula, Carmanah Valley, Waldie Lk (Kootenay Pass), E of east entrance to Glacier Nat Pk

***Ceratinella parvula* (Fox, 1891)**

Global Distribution: BC to QC south to WA & NY

BC Records: Alaska Hwy (Swan Lk), nr Vanderhoof, Copper R valley (nr Terrace), Little Qualicum R estuary, Delta,

***Ceratinella tigana* Chamberlin, 1949**

Global Distribution: AK south to WA

BC Records: Babine Lk (Pinkut Ck), Victoria area (nr Prospect Lk)

***Ceratinops inflatus* (Emerton, 1923)**

Global Distribution: AK south to WA & MT

BC Records: Stewart, Haida Gwaii (Alliford Bay, nr Tow Hill), Copper R valley (nr Terrace), Smithers, Penrose Is group, Calvert Is area, Bella Coola, Stuie, Davis Bay (Drury Inlet), Bute Inlet, Carrington Lagoon (Cortes Is), Tsitika Valley, Maquinna Prov Pk, Carmanah Valley, Walbran Valley, nr Port Renfrew (Harris Ck), Jordan R, Koksilah, Nanaimo, Yellow Point, Tent Is (nr Chemainus), Koksilah R, Sansum Narrows Reg Pk, Victoria area (Monument Ridge (Sooke Hills), Babbington Hill, Rocky Point, Pearson College, Mary Hill, Impala Rd, Sugarloaf Mtn, Veitch Ck, Witty's Lagoon, Humpback Rd, Mt Braden, Mt Wells, Goldstream Prov Pk, Jocelyn Hill, Durrance Lk, nr Prospect Lk, Little Saanich Mtn, Elk/Beaver Lk Reg Pk, Island View Beach, Dock Is), Carrington Lagoon (Cortes Is), Gulf Islands Nat Pk (Acland Is, Brackman Is, Channel Is, D'Arcy Is, Portland Is), Saltspring Is (Big Red Is, Glenthorne Is, Hawkins Is), Galiano Is (nr Retreat Cove), Saturna Is (Warburton Pike), Vancouver area (Ft Langley, Stanley Pk), Roberts Ck, Whistler (Brandywine Prov Pk, Rainbow Lk Tr), Echo Lk (Harrison Mills), Hope, "Darkwoods" NE of Salmo (Tye Rd), Glacier Nat Pk (Rogers Pass, Beaver Valley)

***Ceratinops latus* (Emerton, 1882)**

Global Distribution: NT to NL south to MO & FL

BC Records: Sidney (nr McDonald campground)

***Ceratinops obscurus* (Chamberlin & Ivie, 1939)**

Global Distribution: BC, NY, & FL

BC Records: Halfway Ck @ Hwy 29

***Ceratinopsis labradorensis* Emerton, 1925**

Global Distribution: YT & BC to NF

BC Records: N of Motase Peak, W Hudson Bay Mtn, Burnt Cabin Bog Eco Res, Wilson Lk (~7 km W Tsitsutl Peak)

***Cnephalocotes obscurus* (Blackwall, 1834)**

Global Distribution: Holarctic; in Nearctic - YT & northern BC to QC

BC Records: Pink Mtn, Copper R valley (nr Terrace)

***Collinsia holmgreni* (Thorell, 1871)**

Global Distribution: Holarctic; in Nearctic - AK to northern QC south to northern BC & NF

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge 9 km E of Simpson Peak, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (Redfern Mtn, karst plateau N of Redfern Lk), Ospika Cones Eco Res, Sikanni Chief R Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysedale, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Hudson Bay Mtn

***Collinsia ksenia* (Crosby & Bishop, 1928)**

Global Distribution: AK south to WA & MT

BC Records: nr Kelsall Lk, Atlin area (Mt McCallum, Idaho Peak), Gataga Range (~75 km N of Ft Ware), Gathto Ck (~11.5 km SW of Mt Gary Powell), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Ospika Cones Eco Res, Sikanni Chief R Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysedale, Moresby Is (Moresby Camp), N of Motase Peak, nr The Thumb (Sustut Prov Pk), Copper R valley (nr Terrace), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Ft Fraser, Vanderhoof, Prince George, 35 km E of Prince George, Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, SW of Wallop Mtn (McGregor Range), McBride, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Mt Cain, Strathcona Prov Pk (Crown Mtn), Victoria area (Island View Beach), Gulf Islands Nat Pk (Big D'Arcy Is, Portland Is), Whistler area (Beverly Lk, Blackcomb, Black Tusk, Whistler Peak), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Mt Cheam, Manning Prov Pk (Blackwall), Beaconsfield Mtn, Mt Kobau, Edgewood, Burton, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Mt Wurttemberg), Kootenay Pass (Ripple Ridge), 14.8 mi W Creston, Sale Mtn, Mt MacKenzie, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity, Rogers Pass), Yoho Nat Pk (Odaray Grandview Tr, Opabin Plateau)

***Collinsia plumosa* (Emerton, 1882)**

Global Distribution: BC to NS south to NM & NY

BC Records: Comox, Edgewood

***Colonus siou* Chamberlin, 1949**

Global Distribution: Southern BC to QC south to MT & MA

BC Records: Chopaka, Nighthawk, Mt Kobau, Haynes Lease Eco Res, Kilpoola Lk

***Coreorgonal bicornis* (Emerton, 1923)**

Global Distribution: Southern AK, BC, & WA

BC Records: alpine pass 4.5 km NW of Mt Laurier, peak 7.5 km SW of Bone Mtn, Terrace, Copper R valley (nr Terrace), W Hudson Bay Mtn, Secret Peak (~10 km W Perkins Peak), Black Tusk, Granite Mtn (Rosslund)

***Coreorgonal monoceros* (Simon, 1884)**

Global Distribution: BC south to OR

BC Records: Mt McCallum, Sustut Prov Pk, Eagle Peak (SW of Telkwa), Babine Lk (Pinkut Ck), Bute Inlet, Parksville, saddle btwn Mt Cokely & Mt Arrowsmith, Nanaimo, San Juan Ridge (nr Jordan R), Victoria area (Mystic Vale, Island View Beach, Sidney, Sidney Is), Gulf Islands Nat Pk (D'Arcy Is, Forrest Is, Red Is, Sidney Is), Roberts Ck, Beverly Lk (nr Whistler), Mission Ridge (nr Seton Portage), Manning Prov Pk (Blackwall Pk), Cathedral Lks Prov Pk (Glacier Lk Tr, Rim Tr), Mt Baldy, Mosquito Ck (nr Nakusp), Kootenay Pass (Ripple Ridge, Cornice Ridge), Whitetooth Ridge (nr Golden)

***Coreorgonal petulcus* (Millidge, 1981)**

Global Distribution: Southern BC & adjacent WA

BC Records: Victoria area (Sooke R valley, Rocky Point, Pearson College, Impala Rd, Mystic Vale), Vancouver area (Stanley Pk), Roberts Ck, Manning Prov Pk (Rhododendron Flats), Mt Kobau, Whitetooth Ridge (Golden)

***Diplocentria bidentata* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to UT & NY

BC Records: junction Tatshenshini R & O'Connor R, Grotto Ck (Atlin), Tanglechain Lk, Boya Lk, Cottonwood R @ Old Hwy 37, Copper R valley (nr Terrace), Smithers, Babine Lk (Johnson Bay), nr Lemoray, S bank Peace R nr Bear Flat, W of Ft St John, Hwy 29 @ Watson Slough, S of Taylor, Tumbler Ridge, nr Chetwynd, nr Cinema, Red Rock (S of Prince George), Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck), Itcha Lk, Marble Canyon, Lily Pad Lk Eco Res, Gray Ck Pass, Revelstoke Nat Pk (Giant Cedars), 16 km E of Golden, Yoho Nat Pk (Boulder Ck, Lk O'Hara access rd, jct Yoho & Kicking Horse Rivers, Emerald Lk), nr E entrance to Glacier Nat Pk, nr Canal Flats (Marian Ck Benchlands, Graves Lookout Tr, White R), Bull River valley (nr Cranbrook), Grave's Prairie (E of Sparwood airport), Graves FSR pass S of Sheep Mtn

***Diplocentria perplexa* (Chamberlin & Ivie, 1939)**

Global Distribution: YT to QC south to UT

BC Records: Grotto Ck (Atlin), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Sikanni Chief R, Copper R valley (nr Terrace), Manning Prov Pk, Yoho Nat Pk (Wapta Lk), Graves Lookout Trail (E of Canal Flats), Alexander Ck FSR (SE of Sparwood)

***Diplocentria rectangulata* (Emerton, 1915)**

Global Distribution: Holarctic; in Nearctic - YT to NB south to BC & NY

BC Records: 49 km S of Cassiar Jct, Hwy 37 @ Needlepoint Mtn, along Alaska Hwy (Tetsa R, Sikanni Chief R, Summit Lk), Mt Crysdale, Babine Lk (Johnson Bay), S of Taylor, Tumbler Ridge, nr Valemount (peatland, Packsaddle Ck), Wilson Lk (~7 km W Tsitsutl Peak), Bull R valley (nr Cranbrook), Yoho Nat Pk (Boulder Ck, jct Yoho & Kicking Horse Rivers)

****Diplocentria retinax* (Crosby & Bishop, 1936)**

Global Distribution: YT & BC; ON south to NL & NY

BC Records: Trinity Valley

***Diplocephalus cristatus* (Blackwall, 1833)**

Global Distribution: Holarctic, NZ & Falklands; in Nearctic - southeastern BC to NL south to WI and ME

BC Records: Prince George, Kicking Horse R @ Field

***Diplocephalus sphagnicola* Eskov, 1988**

Global Distribution: Holarctic; in Nearctic - NT to northern BC

BC Records: Summit Lk (Alaska Hwy), Pink Mtn

***Diplocephalus subrostratus* (O. P.-Cambridge, 1873)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to WA & NY

BC Records: Boya Lk, Babine Lk (Johnson Bay), Liard R Hotsprings, S bank Peace R nr Bear Flat, Hwy 29 @ Szoo Rd, 10 Mile Lk (Quesnel)

***Diplostyla concolor* (Wider, 1834)**

Global Distribution: Holarctic; in Nearctic - BC to QC south to OR & NJ

BC Records: Kitimat, Prince George, nr Salmon Valley, Victoria area (10 Mile Point, Saanich), Gulf Islands Nat Pk (Portland Is), Vancouver area (Iona Beach, Reifel Bird Sanctuary, Richmond, Colony Farm, Boundary Bay, Surrey Bend Reg Pk, Brae Is), Vernon, Summerland, Osoyoos, Mosquito Ck (nr Nakusp), Burton, Field (shoreline)

***Disembolus convolutus* Millidge, 1981**

Global Distribution: Southern BC & OR

BC Records: Osoyoos area (Haynes Lease Eco Res, East Bench)

***Disembolus hyalinus* Millidge, 1981**

Global Distribution: Southeastern BC & southwestern AB

BC Records: Taseko Mtn, Lk O'Hara area (Opabin Plateau area)

***Disembolus* sp. Chamberlin & Ivie**

Global Distribution: Southeastern BC to southwestern AB

BC Records: Gray Ck Pass (nr Crawford Bay), Kootenay Nat Pk (Stanley Glacier Tr)

***Dismodicus alticeps* Chamberlin & Ivie, 1947**

Global Distribution: Holarctic; in Nearctic - AK & BC to NF

BC Records: Atlin, Kinaskan Lk, Little Prairie Lk, Liard R Hotsprings, Masset, Naikoon Prov Pk, 11 km SE of Hazelton, Babine Lk (Johnson Bay), S bank Peace R (@ Halfway Ck, @ Bear Flat), S of Taylor, Mt Revelstoke Nat Pk (Skunk Cabbage Trail), Yoho Nat Pk (nr Wapta Falls)

***Dismodicus decemculatus* (Emerton, 1882)**

Global Distribution: BC to NF south to WY & NY

BC Records: ridge ~9km E of Simpson Peak, Gathto Ck (~11.5 km SW of Mt Gary Powell), Terrace, E of Smithers, Babine Lk (Johnson Bay, Donald Landing), Hwy 29 @ Watson Slough, NW of Ft St John, Taylor, Secret Peak (~10 km W Perkins Peak), 19 km SE of Princeton, nr Valemount (peatland, Yellowjacket Ck), Slovan Lk, Yoho Nat Pk (Boulder Ck, nr Wapta Falls)

***Drapetisca alteranda* Chamberlin, 1909**

Global Distribution: AK to NB south to WA & CT

BC Records: Boya Lk, Cowichan Lk, Vancouver area (Stanley Pk & unknown loc), 13 km E of Golden, Yoho Nat Pk (nr Wapta Falls)

***Entelecara acuminata* (Wider, 1834)**

Global Distribution: Holarctic; in Nearctic - southwestern BC & WA

BC Records: Sidney (nr McDonald campground), Pitt Meadows, Pemberton

***Entelecara sombra* (Chamberlin & Ivie, 1947)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to WA

BC Records: Mt McCallum, Atlin, Idaho Peak (Atlin), Alaska Hwy (Swan Lk), Mt Irish (nr Ft Ware), Redfern Mtn (Redfern-Keily Prov Pk), Pink Mtn, alpine pass 4.5 km NW of Mt Laurier, Hudson Bay Mtn, W Hudson Bay Mtn, Babine Lk (Johnson Bay), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Strathcona Prov Pk (Greig Ridge), Burnaby, Lillooet, Yoho Nat Pk (Lk McArthur Tr)

***Erigone aletris* Crosby & Bishop, 1928**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & NY

BC Records: Windy Bay (Haida Gwaii), nr The Thumb (Sustut Prov Pk), Ospika Cones Eco Res, Kispiox, Ft Fraser, Poutang Ck headwaters, Hudson's Hope, Halfway Ck @ Peace R, Hwy 29 @ Watson Slough, McBride, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Big Bend), Calvert Is, Nigei Is, Comox, Baynes Sound, Little Qualicum R estuary, Nanoose Bay, Nanaimo, Valdes Is, Port Renfrew, Victoria area (Sooke R valley, E Sooke Point, Rocky Point, William Head, Camas Hill, Ft Rodd Hill, Thetis Lk, Napier Lane, Munns Rd, Saanich, Haliburton Farm, Saanichton, Beaver Lk Reg Pk, Island View Beach), Gulf Islands Nat Pk (Bright Is, Cabbage Is, Forrest Is, Portland Is, Sallas Is), Saturna Is (Taylor Point, Narvaez Bay, Winter Cove), Savary Is, Vancouver area (Iona Beach, Burnaby, Colony Farm), Whistler (Beverly Lk, Brandywine Prov Pk, Whistler Peak), Pemberton, Hope, Salmon Arm, Armstrong (Otter Lk), Beaconsfield Mtn, Mt Kobau, Osoyoos (E Bench), Beaton, Burton, East Arrow (S of Nakusp), Edgewood, Kootenay Pass (Cornice Ridge), jct E & N White R FSRs (E of Whiteswan Lk)

***Erigone alsaida* Crosby & Bishop, 1928**

Global Distribution: AK to QC south to WY & OH

BC Records: Babine Lk

***Erigone arctica* (White, 1852)**

Global Distribution: Holarctic; in Nearctic - AK to BC east to QC

BC Records: Brothers Lake (~150 km NW of Tsay Keh), Pacific Rim Nat Pk (Combers Beach, Kennedy Lk), Victoria (Haliburton Farm), Whistler (Brandywine Prov Pk), Reifel Bird Sanctuary, Kootenay Nat Pk (Dog Lk Tr)

***Erigone arctica* Chamberlin & Ivie, 1947**

Global Distribution: Holarctic; in Nearctic - AK and N BC

BC Records: Summit Lk

***Erigone arctophylaxis* Crosby & Bishop, 1928**

Global Distribution: Holarctic; in Nearctic - YT to NT south to WA

BC Records: Summit Lk (Alaska Hwy), Glacier Nat Pk (Bald Ridge)

***Erigone atra* Blackwall, 1833**

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC & PA

BC Records: Summit Lk (Alaska Hwy), nr Valemount (peatland, Yellowjacket Ck, Ladner (Reifel Bird Sanctuary), Brandywine Prov Pk, Victoria (Haliburton Farm), Gulf Islands Nat Pk (Tumbo Is), Edgewood

***Erigone blaesa* Crosby & Bishop, 1928**

Global Distribution: Holarctic; in Nearctic - AK to NF south to WA & NJ

BC Records: Hudson's Hope, Halfway Ck @ Peace R, Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), Kamloops, White Lk, Osoyoos, East Arrow (S of Nakusp), Edgewood, Burton

***Erigone cristatopalpus* Simon, 1884**

Global Distribution: AK to QC south to WA & NY

BC Records: Turnagain R, Sustut Prov Pk, 5 km SE of Mt Reynolds, SW of Wallop Mtn (McGregor Range), Paksumo Mtn, Kinbasket Reservoir (Big Bend), Whistler (Black Tusk, Whistler Peak), Victoria (Munn's Rd), Gulf Islands Nat Pk (Cabbage Is), Cathedral Lks Prov Pk, Edgewood, Ripple Ridge (Kootenay Pass), jct E & N White R FSRs (E of Whiteswan Lk), Yoho Nat Pk (Opabin Plateau, Emerald Lk)

***Erigone dentigera* O. P.-Cambridge, 1874**

Global Distribution: Holarctic; in Nearctic - NT to NF south to CO & NJ

BC Records: nr Terrace (Copper R valley, Rosswood), Babine Lk (Johnson Bay), S bank Peace R nr Bear Flat, Hwy 29 @ Watson Slough, Mt Whitford, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Chatter Ck, Goodfellow Ck, Big Bend, nr Bush Arm causeway), Nanaimo, Sutton Pass, Shawnigan Lk, Victoria area (Roche Cove, Camas Hill, Haliburton Farm, James Is), Gulf Islands Nat Pk (Cabbage Is, Portland Is), Vancouver area (Vancouver, Burnaby, Colony Farm), Beaton, Burton, Edgewood

***Erigone dentosa* O. P.-Cambridge, 1894**

Global Distribution: BC to WY south to Guatemala

BC Records: Mt Kobau, Osoyoos (Sagebrush Slopes Cons. Area), East Arrow, Mosquito Ck (nr Nakusp), Beaton, Burton, Edgewood, Goodfellow Ck (Kinbasket Reservoir), Evening Ridge Mtn (nr Nelson)

***Erigone paradisiicola* Crosby & Bishop, 1928**

Global Distribution: BC south to WA

BC Records: Nimbus Ridge (SE of Terrace), Gataga Range (~75 km N of Ft Ware), Poutang Ck headwaters, Mt Crysdale, alpine north of Limestone Lakes, Glacier Nat Pk

***Erigone psychrophila* Thorell, 1871**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to BC & MB

BC Records: Wickaninnish, Burnaby, Haney

****Erigone tirolensis* L. Koch, 1872**

Global Distribution: Holarctic; in Nearctic - YT to QC

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk)

***Erigonoploides* sp. Eskov, 1989**

Global Distribution: BC & AB to WA

BC Records: Salmon Glacier Summit, N of Motase Peak, Sustut Prov Pk (The Thumb, plateau east of The Thumb), Copper R valley (nr Terrace), W Hudson Bay Mtn, Pink Mtn, alpine north of Limestone Lakes, Wilson Lk (~7 km W Tsitsutl Peak), Taseko Mtn, nr Valemount (peatland), Mt Cain, Mt Arrowsmith, Victoria area (Prospect Lk, James Is, Portland Is, D'Arcy Is), Whistler area (Black Tusk microwave, Beverley Lk), SW of Wallop Mtn (McGregor Range), Gray Ck Pass

***Estrandia grandaeva* (Keyserling, 1886)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC & NC

BC Records: Tanglechain Lk, Grotto Ck (Atlin), ridge ~9km E of Simpson Peak, Babine Lk (Johnson Bay, Donald Landing), Liard R Hotsprings, Summit Lk (Alaska Hwy), Poutang Ck headwaters, nr Itcha Lk, Victoria (Munn's Rd)

***Eulaira arctoa* Holm, 1960**

Global Distribution: AK to BC

BC Records: Salmon Glacier Summit (56.1694N 130.0497W), Copper R valley (nr Terrace), nr Valemount (peatland, Yellowjacket Ck), Pacific Rim Nat Pk (Willowbrae Tr), Victoria area (Island View Beach, James Is), Gulf Islands Nat Pk (Portland Is, Big D'Arcy Is)

***Eulaira chelata* Chamberlin & Ivie, 1939**

Global Distribution: BC & AB south to UT

BC Records: Smithers, Copper R valley (nr Terrace)

Eulaira dela Chamberlin & Ivie, 1933

Global Distribution: BC south to UT

BC Records: Copper R valley (nr Terrace). Mesachie Lk, Goldstream Prov Pk, Pitt Meadows, Mission City, Manning Prov Pk, , upper Shuswap R

Eulaira obscura Chamberlin & Ivie, 1945

Global Distribution: BC & AB to ID & MT

BC Records: peak 7.5 km SW of Bone Mtn, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Kinbasket Reservoir (Chatter Ck, Goodfellow Ck), Whistler area (Black Tusk microwave, Beverley Lk), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Mt Cheam (nr Chilliwack), Mt Baldy, Yoho Nat Pk (nr Wapta Falls, Paget Pk, Odaray/Grandview Tr, Yoho Valley Rd, Lk McArthur Tr), Kootenay Nat Pk (Stanley Glacier Tr)

Eulaira simplex (Chamberlin, 1919)

Global Distribution: BC south to UT & CO

BC Records: Terrace

Eulaira "1gab" Chamberlin & Ivie, 1933

Global Distribution: BC & AB

BC Records: Halfway Ck @ Peace R, Red Rock Rd (S of Prince George)

Frederickus coylei Paquin, Dup  r  , Buckle, & Crawford, 2008

Global Distribution: Southwestern BC to mid-coastal CA

BC Records: Calvert Is area, Tsitika R, Port Alice, Hoeya Sound (Knight Inlet), Kyuquot, Carrington Lagoon (Cortes Is), Walbran Valley, Carmanah Valley, Cowichan Lk, Yellow Point, Tent Is (nr Chemainus), Victoria area (Ayum Ck, Roche Cove, Veitch Ck, Rocky Pt, Matheson Lk, Impala Rd, Devonian Reg Pk, Witty's Lagoon, Barrow Rd, Sugarloaf Mtn, Ft Rodd Hill, Mystic Vale, Island View Beach, James Is, Beaver Lk Reg Pk, Observatory Hill, Haliburton Farm), Gulf Islands Nat Pk (Big D'Arcy Is, Acland Is, Forrest Is, Glenthorne Is, Portland Is, Brackman Is, Cabbage Is, Red Is, Tumbo Is), Saturna Is (Lyll Ck), Burnaby, Ft Langley, Roberts Ck, Echo Lk (Harrison Mills)

Frederickus wilburi (Levi & Levi, 1955)

Global Distribution: Southern BC and adjacent AB south to central OR & northwestern MT

BC Records: Mt Cokely, Blackcomb (Harmony Meadows), Mission Ridge (nr Seton Portage), Blackwall Peak (Manning Prov Pk), Granite Mtn (Rossland), Idaho Pk (nr New Denver), Valemount (Yellowjacket Ck), Belle Mtn (nr McBride), "Darkwoods" NE of Salmo (Swamp Basin Rd, Mt Wurttemberg), Kootenay Pass (Waldie Lk, Ripple Ridge), Gray Ck Pass (Crawford Bay), Sale Mtn, Mt Mackenzie, Mt Revelstoke, Yoho Nat Pk (Mt Fidelity), Whitetooth Ridge (nr Golden)

Frontinella pyramitela (Walckenaer, 1841)

Global Distribution: Widespread in Nearctic, Caribbean, and Central America

BC Records: Jackfish Ck, Summit Lk (Alaska Hwy), Hwy 29 NE of Hudson's Hope, Hwy 29 @ Watson Slough, Riske Ck, Fraser R @ Gang Ranch bridge, Vernon, Enderby, Creston

Glyphesis idahoanus (Chamberlin, 1949)

Global Distribution: Southern interior BC to QC south to ID

BC Records: Oliver

Glyphesis scopulifer (Emerton, 1882)

Global Distribution: NT to NF south to WA and NY

BC Records: Beaton

***Gnathonarium taczanowskii* (O. P.-Cambridge, 1873)**

Global Distribution: Holarctic; in Nearctic - AK & YT to BC

BC Records: Kinaskin Lk Tr, Mile 379 Alaska Hwy, Hazelton, Lakelse Hotsprings, Babine Lk (Smithers Landing, Johnson Bay, Pinkut Ck), Pine Pass, 100 km E of Prince George, McBride, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), Kamloops, Mt Revelstoke Nat Pk (Skunk Cabbage Tr), Glacier Nat Pk (Bear Ck Falls), Yoho Nat Pk (Emerald Lk Tr), Fernie

***Gonatium crassipalpus* Bryant, 1933**

Global Distribution: AK to LB south to CO & TN

BC Records: Sikanni Chief R, Pink Mtn, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), Taseko Mtn, Wells Gray Prov Pk, 40 km S of Quesnel, Edgewood

***Grammonota angusta* Dondale, 1959**

Global Distribution: YT to NF south to BC & NY

BC Records: Liard R Hotsprings, Hwy 29 @ Watson Slough, 10 km W of Kitwanga, Vanderhoof, nr Valemount (Packsaddle Ck)

***Grammonota gentilis* Banks, 1898**

Global Distribution: Southern BC to NF south to Mexico and OH

BC Records: New Afton Mine wetland (nr Kamloops), Burton, East Arrow, Edgewood, Grave's Prairie (east of Sparwood airport)

***Grammonota gigas* (Banks, 1896)**

Global Distribution: BC to NF south to WA & NY

BC Records: 35 km E of Prince George, nr Valemount (peatland), Mara Meadows Eco Res

****Grammonota inornata* Emerton, 1882**

Global Distribution: BC, MB to NS south to MO & CT

BC Records: 32 km W of Terrace

***Grammonota kincaidi* (Banks, 1906)**

Global Distribution: Southwestern BC to WA

BC Records: Hwy 29 @ Bear Flat, Sansum Narrows Reg Pk, Victoria area (Sooke R valley, Albert Head, Goward Rd, Beaver Lk Reg Pk, Ten Mile Pt, Saanich, Witty's Lagoon, E Sooke Pk, nr McDonald campground, Sidney Is), Saturna Is (Winter Cove), Vancouver area (Burnaby, Stanley Pk.)

***Grammonota vittata* Barrows, 1919**

Global Distribution: Southwestern BC to NF south to WI & NJ

BC Records: Higgins Lk, Gosling Lk (nr Campbell R)

***Helophora insignis* (Blackwall, 1841)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to UT & NJ

BC Records: Liard R Hotsprings, Babine Lk (Smithers Landing), Clearwater Valley, Yoho Nat Pk (Field (shoreline), nr Wapta Falls)

***Helophora reducta* (Keyserling, 1886)**

Global Distribution: AK south to OR

BC Records: Kinaskan Lk, Tanglechain Lk, Seeley Lk, Masset, Terrace, Metlakatla, Carmanah Valley, Victoria area (Sooke R valley, E Sooke Point, Pearson College, Rocky Point, Camas Hill, Wittys Lagoon, Island View Beach), Hawkins Is (nr Saltspring Is), Vancouver, Vernon, Penticton, Flathead R drainage (Flathead-Sage FSR)

***Helophora tunagyra* Chamberlin & Ivie, 1943**

Global Distribution: Southern interior BC and ID

BC Records: Vernon, Penticton, Oliver, Osoyoos area (E Bench, Haynes Eco Res, Sagebrush Slopes Cons Area), Mt Kobau

****Hilaira canaliculata* (Emerton, 1915)**

Global Distribution: Holarctic; in Nearctic - AK to NL south to CO and QC

BC Records: nr Valemount (peatland)

***Hilaira herniosa* (Thorell, 1875)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to BC & NY

BC Records: Idaho Peak (Atlin), Dease Lk, Mt Irish (nr Ft Ware), Sikanni Chief R, Tetsa R, Yoho Nat Pk (Lk O'Hara access rd)

***Horcotes quadricristatus* (Emerton, 1882)**

Global Distribution: YT to Greenland south to AZ & NY

BC Records: Idaho Peak (Atlin), Summit Lk (Alaska Hwy), N of Motase Peak, Pink Mtn

***Hybauchenidium cymbadentatum* (Crosby & Bishop, 1935)**

Global Distribution: Southern interior BC to QC south to WA & NY

BC Records: Gulf Islands Nat Pk. (Portland Is), Clearwater Valley, Edgewood

***Hybauchenidium gibbosum* (Sorensen, 1898)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to UT

BC Records: Alaska Hwy (17 km S of Sikanni R, Tetsa R, Summit Lk), Pine Pass

***Hypomma marxi* (Keyserling, 1886)**

Global Distribution: BC to NF south to WA & NY

BC Records: Summit Lk (Alaska Hwy), 32 km W of Terrace, Babine Lk (Johnson Bay), nr Valemount (peatland), Nanaimo, Sydney

***Hypomma subarcticum* Chamberlin & Ivie, 1947**

Global Distribution: AK to NT south to BC

BC Records: Summit Lk (Alaska Hwy)

***Hypselistes florens* (O. P.-Cambridge, 1875)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to WA & VA

BC Records: Haines Rd nr BC/YT border, Hyland R, Dawson Ck, Liard R Hotsprings, Sikanni Chief R, Hudson's Hope, Hwy 29 @ Watson Slough, Mackenzie, Lemoray, nr Chetwynd, peak 7.5 km SW of Bone Mtn, Prince Rupert, nr Hazelton, nr Kitwanga, Terrace, Babine Lk (Donald Landing), Vanderhoof, Ft St James, 35 km E of Prince George, Charlie Lk, Hixon, Cottonwood R, 40 km S of Quesnel, Vancouver airport, Blowdown Pass (nr Duffey Lk), nr Valemount (peatland), Packsaddle Ck, Yellowjacket Ck), Hosmer, "Darkwoods" NE of Salmo

***Hypselistes jacksoni* (O. P.-Cambridge, 1902)**

Global Distribution: Holarctic; in Nearctic - AK & BC to MB

BC Records: Mt McCallum, N of Motase Peak, Sustut Prov Pk (The Thumb & vicinity), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), alpine pass 4.5 km NW of Mt Laurier, Burnt Cabin Bog Eco Res, Wilson Lk (~7 km W Tsitsutl Peak), Whistler area (Whistler Peak, Black Tusk), Blowdown Pass (nr Duffey Lk), Mt Cheam (nr Chilliwack)

***Hypselistes semiflavus* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - YT to northern MB south to BC

BC Records: Whistler Peak

Improphantes "1gab" Saaristo & Tanasevitch, 1996

Global Distribution: BC & AB

BC Records: Copper R, W Hudson Bay Mtn, Wilson Lk (~7 km W Tsitsutl Peak), Mt Cain, Strathcona Prov Pk (Greig Ridge), Koksilah R, Whistler area (Black Tusk, Blackcomb, Madely Lk, Rainbow Lk Tr), Kootenay Pass (Waldie Lk), Glacier Nat Pk (Rogers Pass, Loop Tr), Yoho Nat Pk (MacArthur Lk Tr, Takakkaw Falls)

Improphantes "1rb" Saaristo & Tanasevitch, 1996

Global Distribution: BC & AB

BC Records: nr Itcha Lk, Whistler area (Beverly Lk), Cathedral Lks Prov Pk (Glacier Lk Tr), Mt Baldy, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Herzog Rd, nr Porcupine Lk, Swamp Basin Rd), Gray Ck Pass, nr Canal Flats (Graves Lookout Tr), Sale Mtn, Mt Revelstoke, Whitetooth Ridge (nr Golden), Yoho Nat Pk (nr Wapta Falls, Odaray/Grandview Tr, MacArthur Lk Tr, Yoho Valley Rd, avalanche slope S of Takakkaw Falls), Kootenay Nat Pk (Stanley Glacier Tr), Lakit Peak (nr Ft Steele), Flathead R drainage (Mt Hefty)

Improphantes complicatus (Emerton, 1882)

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to WA & NY

BC Records: Carmine Mtn, Tatshenshini R nr Sediments Ck, Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Alaska Hwy (Swan Lk), ridge 9 km E of Simpson Peak, Tanglechain Lk, Dease Lk, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysedale, Pink Mtn, Dease Lk, Hwy 29 @ Halfway Ck, S bank Peace R @ Bear Flat, N of Motase Peak, Sustut Prov Pk (The Thumb & vicinity), Copper R valley (nr Terrace), Terrace, Hudson Bay Mtn, W Hudson Bay Mtn, Smithers, Eagle Peak (SW of Telkwa), Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, SW of Wallop Mtn (McGregor Range), McBride Peak, Paksumo Mtn, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Blowdown Pass (nr Duffey Lk), Marble Canyon, Cathedral Lks Prov Pk (Glacier Lk Tr, Rim Tr), Beaconsfield Mtn, Campbell Brown Eco Res, "Darkwoods" NE of Salmo (lower Laib Rd), nr Canal Flats (Graves Lookout), Lakit Peak (nr Ft Steele), Graves Lookout Tr (E of Whiteswan Lk), Bull R valley (nr Cranbrook), Flathead townsite (southeast of Mt Corrigan), Mt Mackenzie, Glacier Nat Pk (Balu Pass, Rogers Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Lk O'Hara access rd, Odaray/Grandview Tr, Opabin Plateau), Kootenay Nat Pk (Stanley Glacier Tr)

Incestophantes "1gab" Tanasevitch, 1992

Global Distribution: Northeastern BC

BC Records: Mt McCallum, N of Motase Peak, Mt Irish (nr Ft Ware)

Incestophantes duplicatus (Emerton, 1913)

Global Distribution: AK to NF south to BC & ME

BC Records: Boya Lk, Tanglechain Lk, Kinaskan Lk, Babine Lk (Pinkut Ck), S bank Peace R @ Bear Flat, Hwy 29 NW of Ft St John

Incestophantes lamprus (Chamberlin, 1920)

Global Distribution: BC to AB south to UT & WY

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Raspberry Harbour, alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, The Thumb (Sustut Prov Pk), Mt Whitford, alpine north of Limestone Lakes, nr Itcha Lk, Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), 5 km SE of Mt Reynolds, McBride area (Belle Mtn, McBride Peak), Strathcona Prov Pk (Crown Mtn), Whistler (Whistler Peak, Blackcomb Mtn, Black Tusk microwave, Beverley Lk), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Mt Cheam (nr Chilliwack), Manning Prov Pk (Blackwall Peak), Cathedral Lks Prov Pk (talus above Glacier Lk, Rim Tr), Beaconsfield Mtn, Mt Kobau, Mt Baldy, Granite Mtn (Rossland), Idaho Pk (nr New Denver), "Darkwoods" NE of Salmo (Swamp Basin Rd, Wurttemberg Mtn), Kootenay Pass (Stagleap Prov Pk, Cornice Ridge, Ripple Ridge), Thompson Mtn lookout, Gray Ck Pass (Crawford Bay), Lakit Peak (Ft Steele), Graves Lookout Tr (E of Whiteswan Lk), Deadmans Pass FSR (E of Sparwood), Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR, Ram Ck FSR, Mt Hefty), Mt Mackenzie, Mt Revelstoke, Glacier Nat Pk (Balu Pass, Rogers Pass, Beaver Valley), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Paget Pk, Odaray Grandview Tr), Kootenay Nat Pk (Stanley Glacier Tr)

***Incestophantes mercedes* (Chamberlin & Ivie, 1943)**

Global Distribution: Southwestern BC south to CA & NV

BC Records: Salmon Glacier summit, W Hudson Bay Mtn, Belle Mtn (W of McBride), Mt Washington ski area, saddle btwn Mt Cokely & Mt Arrowsmith, Mt Cain, Manning Prov Pk, Coquihalla Lks, "Darkwoods" NE of Salmo (lower Laib Rd), Gray Ck Pass (Crawford Bay), Yellowjacket Ck (nr Valemount)

***Incestophantes washingtoni* (Zorsch, 1937)**

Global Distribution: AK to LB south to CO & NY

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Kinaskan Lk, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), along Alaska Hwy (17.5 mi S of Sikanni R, Pink Mtn), N of Motase Peak, Hudson Bay Mtn, W Hudson Bay Mtn, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Cathedral Lks Prov Pk (Glacier Lk Tr), Apex Mtn, Sale Mtn, Mt Revelstoke, Mt Mackenzie, Yoho Nat Pk (Odaray Grandview Tr)

***Islandiana cristata* Eskov, 1987**

Global Distribution: Holarctic; in Nearctic - YT & BC

BC Records: Lakit Peak (nr Ft Steele), Mt Mackenzie, Mt Revelstoke, Glacier Nat Pk (Balu Pass, Rogers Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Takakkaw Falls, Yoho Valley Rd, Odaray Grandview Tr, Opabin Plateau), Kootenay Nat Pk (Stanley Glacier Tr)

***Islandiana falsifica* (Keyserling, 1886)**

Global Distribution: Holarctic; in Nearctic - AK to NT south to BC

BC Records: Summit Lk (Alaska Hwy), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), N of Motase Peak, nr The Thumb (Sustut Prov Pk), Hudson Bay Mtn, W Hudson Bay Mtn, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, SW of Wallop Mtn (McGregor Range), Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Whistler Peak, Mission Ridge (nr Seton Portage), Yoho Nat Pk (Odaray Grandview Tr)

***Islandiana flaveola* (Banks, 1892)**

Global Distribution: BC to QC south to AZ & AR

BC Records: Alaska Hwy (Swan Lk), Terrace, Hwy 29 NW of Ft St John, Ft St John, Arras, nr Valemount (Packsaddle Ck), Kinbasket Reservoir (Big Bend, nr Bush Arm causeway), Kootenay Pass (Cornice Ridge), Burton, "Darkwoods" NE of Salmo (Porcupine FSR), Deadmans Pass FSR (E of Sparwood)

***Islandiana holmi* Ivie, 1965**

Global Distribution: BC to QC and south to CO and NY

BC Records: Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Pink Mtn, N of Motase Peak, nr The Thumb (Sustut Prov Pk), W Hudson Bay Mtn, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Whitford, peak 7.5 km SW of Bone Mtn, 5 km SE of Mt Reynolds, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Whistler Peak, Cathedral Lks Prov Pk (talus Ladyslipper Lk to Stone City), Yoho Nat Pk (Opabin Plateau)

***Islandiana lasalana* (Chamberlin & Ivie, 1935)**

Global Distribution: Northern BC & UT

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), SW of Wallop Mtn (McGregor Range)

***Islandiana longisetosa* (Emerton, 1882)**

Global Distribution: AK to NS south to MO & MA

BC Records: S bank Peace R nr Bear Flat

***Islandiana princeps* Braendegaard, 1932**

Global Distribution: AK to NL south to WA & NY plus Greenland, Iceland,

BC Records: Pink Mtn, Ospika Cones Eco Res, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, Whistler Peak, Cathedral Lks Prov Pk (talus above Glacier Lk)

***Kaestneria pullata* (O. P.-Cambridge, 1863)**

Global Distribution: Holarctic; in Nearctic - AK to NT south to BC & CO

BC Records: Redfern-Keily Prov Pk (Redfern Mtn), Babine Lk (Johnson Bay), Puntzi Lk, nr Valemount (peatland), Clearwater Valley, Beaton, Mosquito Ck (nr Nakusp)

***Kaestneria rufula* (Hackman, 1954)**

Global Distribution: YT to NF south to northern BC, PA & NJ

BC Records: Babine Lk (Johnson Bay), Hwy 29 NW of Ft St John

****Lepthyphantes aldersoni* Levi & Levi, 1955**

Global Distribution: BC & AB

BC Records: Ospika Cones Eco Res, Poutang Ck headwaters, alpine pass 4.5 km NW of Mt Laurier

***Lepthyphantes alpinus* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CO & NH

BC Records: Atlin area (Mt McCallum, Grotto Ck, Idaho Peak), ridge ~9km E of Simpson Peak, Alaska Hwy (Swan Lk), Boya Lk, Hwy 37 @ Needlepoint Mtn, Cottonwood R @ Old Hwy 37, Tanglechain Lk, Hazleton, Copper R valley (nr Terrace), Smithers, Babine Lk (Johnson Bay), Moosehorn Lk (57.34N, 127.12W), Poutang Ck headwaters, Hwy 29 NW of Ft St John, Hwy 29 @ Halfway Ck, nr Hudson's Hope, S bank Peace R @ Bear Flat, Pink Mtn, Tumbler Ridge, nr Valemount (peatland, Dave Henry Ck, Packsaddle Ck, Yellow Jacket Ck), Kinbasket Reservoir (Goodfellow Ck), 40 km S of Quesnel, 13 km E of Golden, Yoho Nat Pk (Boulder Ck, Paget Peak)

***Lepthyphantes chamberlini* Schenkel, 1950**

Global Distribution: BC & AB

BC Records: Johnson Bay (Babine Lk), Pink Mtn (Alaska Hwy)

***Lepthyphantes furcillifer* Chamberlin & Ivie, 1933**

Global Distribution: BC to MT south to UT & WY

BC Records: Blowdown FSR (nr Duffey Lk), Bridge/Yalakom R area, Marble Canyon, Mt Kobau, "Darkwoods" NE of Salmo (km 30 Tye Rd, km 31.5 Porcupine FSR), Kootenay Pass (Waldie Lk), St Mary Lk (nr Kimberley), Sunken Ck Tr (nr Cranbrook), nr Canal Flats (Marion Ck benchlands, Graves Lookout Tr), Fernie, Graves FSR pass S of Sheep Mtn, Phillips Pass, Crowsnest Ridge, Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR, Mt Hefty), Glacier Nat Pk (Beaver Valley), Yoho Nat Pk (jct Yoho & Kicking Horse Rivers), Kootenay Nat Pk (Stanley Glacier Tr)

***Lepthyphantes intricatus* (Emerton, 1911)**

Global Distribution: AK to NS south to NM & NY

BC Records: Babine Lk (Johnson Bay, Pinkut Ck), Smithers, Burns Lk, Halfway Ck @ Peace R, Hwy 29 NW of Ft St John, S bank Peace River @ Bear Flat, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), Calvert Is area, Gulf Islands Nat Pk (Acland Is, Cabbage Is), Kamloops, Vernon, Lumby, Mt Kobau, Cherryville, Mosquito Ck (nr Nakusp), Beaton, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Tye Camp, Elmo Rd, Swamp Basin Rd), Kootenay Pass (Ripple Ridge), Gray Ck Pass (Crawford Bay), nr Canal Flats (Marion Ck benchlands, Graves Lookout Tr), Cranbrook area (Rampart grassland, Sunken Ck Tr), White R (nr junct of N and E White R FSRs), Mt Griffin Eco Res, Revelstoke, Mt Revelstoke, Glacier Nat Pk (nr east entrance, Beaver Valley), Yoho Nat Pk (nr Wapta Falls, Boulder Ck, Yoho Valley Rd, Paget Pk), Alexander Ck FSR (nr Sparwood), Flathead R drainage (Mt Hefty)

***Lepthyphantes leprosus* (Ohlert, 1865)**

Global Distribution: Holarctic; introduced in Nearctic - southern BC to NS south to WA & TN

BC Records: nr Shirley, Sooke, Victoria area (William Head, Albert Head, Munn's Rd, Napier Lane, Thetis Lk, Saanich, Martindale Flats), Summerland, "Darkwoods" NE of Salmo (railway tunnel nr Tye Camp)

***Lepthyphantes rainieri* Emerton, 1926**

Global Distribution: Southern BC & AB south to WA & CO

BC Records: Pink Mtn, alpine pass 4.5 km NW of Mt Laurier, Babine Lk, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Cathedral Lks Prov Pk (Scout Lk, Glacier Lk Tr), Granite Mtn (Rosslund), Graves Lookout Tr (E of Whiteswan Lk), Flathead townsite (southeast of Mt Corrigan), Yoho Nat Pk (McArthur Lk Tr, Opabin Plateau)

***Lepthyphantes turbatrix* (O. P.-Cambridge, 1877)**

Global Distribution: BC to NF south to NM & NY

BC Records: ridge ~9km E of Simpson Peak, Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Pink Mtn, Summit Lk (Alaska Hwy), alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, The Thumb (Sustut Prov Pk), W Hudson Bay Mtn, Babine Lk (Johnson Bay), Hwy 29 @ Halfway R, Hwy 29 @ Watson Slough, Hwy 29 NW of Ft St John, Hwy 29 NE of Hudson's Hope, Ft St James, nr Itcha Lk, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Yoho Nat Pk (Odaray Grandview Tr, Takakkaw Falls)

***Lessertia dentichelis* (Simon, 1884)**

Global Distribution: Palaearctic; introduced in Nearctic - southwestern BC

BC Records: Victoria

***Linyphantes aeronauticus* (Petrunkevitch, 1929)**

Global Distribution: Southern BC south to CA & UT

BC Records: Carmanah Valley, Victoria, Metchosin, Gulf Islands Nat Pk (Acland Is, Portland Is), Vancouver, Richmond (Boundary Bay), Summerland

***Linyphantes anacortes* Chamberlin & Ivie, 1942**

Global Distribution: Southwestern BC south to CA

BC Records: Gosling Is (Goose Is group), Victoria area (Rocky Point, nr Prospect Lk, Beaver Lk Reg Pk, 10 km W of Sooke), Gulf Is Nat Pk (D'Arcy Is, Hawkins Is)

***Linyphantes eureka* Chamberlin & Ivie, 1942**

Global Distribution: Southwestern BC to northwestern CA

BC Records: Winter Cove (Saturna Is), Lk Cowichan (?)

****Linyphantes natches* Chamberlin & Ivie, 1942**

Global Distribution: BC & WA

BC Records: Victoria area (Mary Hill)

***Linyphantes nehalem* Chamberlin & Ivie, 1942**

Global Distribution: Southwestern BC south to OR

BC Records: Gosling Is (Goose Is group), Penrose Is group, Sansum Narrows Reg Pk, Victoria area (Rocky Point, Witty's Lagoon, Goward Rd, James Is), Gulf Islands Nat Pk (Forrest Is, Narvaez Bay, Portland Is, Tumbo Is, Warburton Pike), Saturna Is (Money Lk), Vancouver area (Burnaby Mtn, Derby Reach, Sumas, Surrey Bend Reg Pk, Westham Is, Reifel Bird Sanctuary, Langley)

***Linyphantes nigrescens* Chamberlin & Ivie, 1942**

Global Distribution: Southwestern BC south to CA

BC Records: Cowichan Lk, Tent Is (nr Chemainus), Victoria area (Witty's Lagoon, Goward Rd, 10 Mile Pt, nr McDonald campground), Saturna Is (Lyall Ck)

***Linyphantes orcinus* (Emerton, 1917)**

Global Distribution: Southwestern BC south to CA

BC Records: Inverness, Gosling Is (Goose Is group), Calvert Is area, Pacific Rim Nat Pk (nr Ucluelet, Grice Bay bridge, Rainforest Tr, Schooner Cove), Carmanah Valley, Victoria area (Rocky Pt, Sooke, E Sooke Point, Saanich)

***Linyphantes pacificus* (Banks, 1906)**

Global Distribution: WA & coastal BC

BC Records: Massett, McMullin Is group, Hoeya Sound (Knight Inlet), Brooks Peninsula, Kyuquot, Walbran Valley), Sansum Narrows Reg Pk, Victoria area (Mystic Vale, Little Saanich Mtn, Impala Rd, Witty's Lagoon), Saltspring Is

***Linyphantes pualla* Chamberlin & Ivie, 1942**

Global Distribution: AK south to OR

BC Records: Davis Bay (Drury Inlet), Thompson Inlet, Hoeya Sound (Knight Inlet), Carmanah Valley, Port Renfrew, Victoria area (Ayum Ck, East Sooke Pk, Rocky Point, Camas Hill, Pearson College, Goldstream Prov Pk, "Hydro Lands" (Haultain/Kings Rd area), Durrance Lk, Mystic Vale, Island View Beach, Forrest Is, Sidney, nr Prospect Lk, Little Saanich Mtn, Beaver Lk, Haliburton Farm), Saltspring Is (Mt Maxwell), Gulf Islands Nat Pk (Acland Is, Channel Is, Glenthorne Is, Hawkins Is, Portland Is, Red Is), Saturna Is (Money Lk), Roberts Ck, Mosquito Ck (nr Nakusp), Burton, "Darkwoods" NE of Salmo (Mt Wurttemberg, km 30 Tye Rd), Kootenay Pass (Ripple Ridge)

***Linyphantes victoria* Chamberlin & Ivie, 1942**

Global Distribution: AK south to WA

BC Records: Victoria area (E Sooke Point, Pearson College, Metchosin, Goward Rd, Beaver Lk Reg Pk, Island View Beach, nr McDonald campground), Gulf Islands Nat Pk (Hawkins Is), jct E & N White R FSR (E of Whiteswan Lk)

***Linyphia triangularis* (Clerck, 1757)**

Global Distribution: Palaearctic; introduced in Nearctic -- ME & BC

BC Records: Langley (Ft Langley, Forslund Watson Wildlife Area)

***Macrargus multesimus* (O. P.-Cambridge, 1875)**

Global Distribution: Holarctic; in Nearctic - AK to central BC east to NS

BC Records: Packsaddle Ck (nr Valemount)

****Maro "1gab"* O. P.-Cambridge, 1906**

Global Distribution: BC (& AK?)

BC Records: Idaho Peak (Atlin)

***Maso sundevalli* (Westring, 1851)**

Global Distribution: Holarctic; in Nearctic - YT to NF south to MT & TN

BC Records: Babine Lk (Pinkut Ck, Johnson Bay), Liard R Hotsprings, Kinbasket Reservoir (Big Bend), Hwy 29 @ Lynx Ck, Hwy 29 NE of Hudsons Hope, Hwy 29 @ Watson Slough, S bank Peace R nr Bear Flat, nr Lemoray, nr Chetwynd, nr Valemount (Yellowjacket Ck), Kootenay Nat Pk (Daer-Pitts)

***Mecynargus borealis* (Jackson, 1930)**

Global Distribution: Holarctic; in Nearctic - YT & BC to NL

BC Records: Copper R valley (nr Terrace), nr Itcha Lk, Cathedral Lks Prov Pk (talus Ladyslipper Lk to Stone City)

***Mecynargus monticola* (Holm, 1943)**

Global Distribution: Holarctic; in Nearctic - YT to NT south to northern BC

BC Records: Summit Lk (Alaska Hwy), N of Motase Peak, Mt Irish (nr Ft Ware)

***Mecynargus paetulus* (O. P.-Cambridge, 1875)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to BC & QC

BC Records: Summit Lk (Alaska Hwy), Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters

***Mecynargus tungusicus* (Eskov, 1981)**

Global Distribution: Holarctic; in Nearctic - YT & BC

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), N of Motase Peak, Saanich (Prospect Lk)

***Megalephyphantes nebulosus* (Sundevall, 1830)**

Global Distribution: Holarctic; introduced in Nearctic - BC to NS south to CO & SC

BC Records: Kamloops, Victoria

***Mermessus holdus* (Chamberlin & Ivie, 1939)**

Global Distribution: BC south to WY

BC Records: Victoria

****Mermessus maculatus* (Banks, 1892)**

Global Distribution: Kamchatka; in Nearctic - southwestern BC, ON to NS south to Guatemala.

BC Records: Victoria

***Mermessus paludosus* (Millidge, 1987)**

Global Distribution: BC

BC Records: Goldstream Prov Pk

***Mermessus taibo* (Chamberlin & Ivie, 1933)**

Global Distribution: Southwestern BC to AZ & NM

BC Records: "Vancouver Is"

***Mermessus tridentatus* (Emerton, 1882)**

Global Distribution: BC, MB to QC south to TX & FL, Puerto Rico

BC Records: Victoria

***Mermessus trilobatus* (Emerton, 1882)**

Global Distribution: NT to NF south to Mexico & FL; introduced in Palearctic

BC Records: Pink Mtn, Haida Gwaii (Bonanza Ck, 7.9 km NW of Queen Charlotte City), Terrace, Smithers, Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Big Bend, nr Bush Arm causeway), Bute Inlet, Carmanah Valley, Comox, Nanaimo, Tree Is (nr Chemainus), Victoria area (Rocky Point, Barrow Rd, Langford Lk, Goldstream Prov Pk, Napier Lane, Munn's Rd, Saanichton, Island View Beach, Beaver Lk, Forrest Is), Gulf Islands Nat Pk (Portland Is, Tumbo Is), Vancouver area (Delta, Reifel Bird Sanctuary, Vancouver Convention Centre, Burnaby, Coquitlam), Roberts Ck, Campbell Brown Eco Res, Osoyoos, East Arrow (S of Nakusp), Edgewood, Burton, Grave's Prairie (east of Sparwood airport), Yoho Nat Pk (Field)

***Metopobactrus pacificus* Emerton, 1923**

Global Distribution: AK south to WA

BC Records: Copper R valley (nr Terrace), McDonnell FSR (nr Smithers), Pink Mtn, Mt Cain (Vancouver Is), Victoria area (Rocky Pt, Victoria), Gulf Is Nat Pk (Big D'Arcy Is)

***Micrargus herbigradus* (Blackwall, 1854)**

Global Distribution: Southwestern BC and WA

BC Records: Gulf Islands Nat Pk (Portland Is), Langley (Forslund Watson Wildlife Area), Vancouver (Derby Reach)

***Microlinyphia dana* (Chamberlin & Ivie, 1943)**

Global Distribution: AK south to CA

BC Records: Haida Gwaii (Anthony Is), Gosling Is (Goose Is group), Calvert Is area, Penrose Is group, Tsitika Valley, Brooks Peninsula, Kyuquot, Hotsprings Is, Strathcona Prov Pk (Cream Lk), Errington, Wellington, Pacific Rim Nat Pk (Schooner Cove, Combers Beach, Willowbrae Tr, Rainforest Tr, Wickaninnish Beach, Radar Hill, Kennedy Lk), Carmanah Valley, Ladysmith, Sooke, Victoria area (Rocky Point, Camas Hill, Matheson Lk, Devonian Reg Pk, Albert Head, Goldstream Prov Pk, McKenzie Bight, Saxe Point), Vancouver area (Ft Langley), Squamish, Osoyoos

***Microlinyphia impigra* (O. P.-Cambridge, 1871)**

Global Distribution: Holarctic; in Nearctic - AK to ON south to WA & NY

BC Records: Babine Lk (Johnson Bay)

***Microlinyphia mandibulata* (Emerton, 1882)**

Global Distribution: AK to NF south to UT & GA

BC Records: Jackfish Ck, Liard R Hotsprings, nr Dawson Ck, Hudson's Hope, Hwy 29 @ Watson Slough), Pouce Coupe, Haida Gwaii (Rose Spit), Babine Lk (Donald Landing), Stoner, nr Valemount (peatland, Packsaddle Ck), Sansum Narrows Reg Pk, Victoria area (Rocky Point, Pearson College, Witty's Lagoon, Albert Head, Millstream Lk Rd, Saxe Point), Saturna Is (Lyall Ck), Gulf Islands Nat Pk (Portland Is, D'Arcy Is, Tumbo Is), Mosquito Ck (nr Nakusp), Burton, Jaffray, Cranbrook

***Microlinyphia mandibulata punctata* (Chamberlin & Ivie, 1882)**

Global Distribution: BC south to CA & AZ

BC Records: "Vancouver Island"

***Microlinyphia pusilla* (Sundevall, 1830)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to ID & CO

BC Records: Babine Lk (Johnson Bay, Donald Landing), Yoho Nat Pk (Emerald Lk)

***Microneta viaria* (Blackwall, 1841)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to NM & PA

BC Records: Cottonwood R @ Hwy 37, Boya Lk, Grotto Ck (Atlin), nr The Thumb (Sustut Prov Pk), E of Smithers, Babine Lk (Johnson Bay, Smithers Landing), S bank Peace R @ Halfway Ck & Bear Flat, Hwy 29 @ Szoo Rd, Hwy 29 @ Watson Slough, nr Hudson's Hope, Valemount (Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), Bute Inlet (Homathko Camp), Mt Cain, Carmanah Valley, Tent Is (nr Chemainus), Koksilah R, Victoria (Mary Hill, Government House & other localities), Big Red Is, Gulf Islands Nat Pk (Big Red Is, Brackman Is, Channel Is, Portland Is), Vancouver area (Reifel Bird Sanctuary, Surrey Bend Reg Pk, Westham Is, Belcarra Reg Pk, Ft Langley), Pemberton, Mosquito Ck (nr Nakusp), Yoho Nat Pk (nr Wapta Falls), Graves Prairie (E of Sparwood airport)

Mughiphantes "Igab" Saaristo & Tanasevitch, 1999

Global Distribution: BC to NF

BC Records: Dease Lk, Kinaskin Lk Prov Pk, Glacier Nat Pk (Rogers Pass)

***Mythoplastoides erectus* (Emerton, 1915)**

Global Distribution: AK south to WA & WY

BC Records: Tanglechain Lk, Stewart, Copper R valley (nr Terrace), Hudson Bay Mtn, Smithers, Babine Lk (Johnson Bay), 35 km E of Prince George, Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), Courtenay, Carmanah Valley, Whistler (Village, Rainbow Lk Tr, Beverley Lk, Blackcomb Mtn), 45 km NE of Hope (Coquihalla Hwy), Manning Prov Pk, Beaton, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (km 30 Tye Rd, Elmo Lk Rd, lower Laib Rd, nr Devil's Hole Lk), Kootenay Pass (Waldie Lk), Heather Mtn, Revelstoke Nat Pk (Giant Cedars), Glacier Nat Pk (nr east entrance, Rogers Pass), Kootenay Nat Pk (Stanley Glacier Tr), Yoho Nat Pk (Paget Pk, Takakkaw Falls, Yoho Valley Rd, Lk O'Hara access rd, Emerald Lk, Wapta Lk)

***Neriere digna* (Keyserling, 1886)**

Global Distribution: AK south to CA

BC Records: aida Gwaii (SE slope Mt Raymond, nr Tlell), 10 km W of Kitwanga, Babine Lk (Johnson Bay, Smithers Landing), Hwy 29 @ Halfway Ck, Lemoray, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Hope Ck), 40 km S of Quesnel, Atnarko, Tsitika R, Kyuquot, Union Is, Carrington Lagoon (Cortes Is), Texada Is (Gillies Bay), Strathcona Prov Pk (Cream Lk), Carmanah Valley, Sutton Pass, Jordan R, Nanaimo, Chemainus R, Tent Is (nr Chemainus), Cowichan R, Sansum Narrows Reg Pk (nr Genoa Bay), Victoria area (Sooke R valley, Rocky Point, Mary Hill, Matheson Lk, Pearson College, Veitch Ck, Witty's Lagoon, Albert Head, Langford, Fort Rodd Hill, Goldstream Prov Pk, Durrance Lk, Munn's Rd, Saanich, 10 Mile Point, Island View Beach), Carrington Lagoon (Cortes Is), Long Harbour, Montague Harbour, Saturna Is (Lyll Ck, Warburton Pike), Gulf Islands Nat Pk (Acland Is, Big Red Is, Brackman Is, Cabbage Is, Tumbo Is), Vancouver, Ft Langley, Whistler area (Village, Rainbow Lk trail, Brandywine Prov Pk), Roberts Ck, Princeton, Beaton, Edgewood, Creston, Yoho Nat Pk (Boulder Ck)

***Neriere litigiosa* (Keyserling, 1886)**

Global Distribution: Holarctic; in Nearctic - BC to MT south to Mexico

BC Records: Ft Fraser, Hwy 29 nr Hudson's Hope, Kinbasket Reservoir (Goodfellow Ck), Hagensborg, Texada Is, Cowichan Lk, Departure Bay, Sombrio Beach, Sooke, Victoria area (Goldstream Prov Pk, Munn's Rd, 10 Mile Point, Saanich), Carrington Lagoon (Cortes Is), Hawkins Is (nr Saltspring Is) Gulf Islands Nat Pk (Acland Is, Big Red Is, Bright Is, Cabbage Is, Channel Is, Portland Is, Tumbo Is), Vancouver (Stanley Pk), Whistler area (Brandywine Prov Pk), Pemberton, Lillooet, Kamloops, Vernon, "Darkwoods" NE of Salmo, 13 km E of Golden, Sunken Ck Tr (nr Cranbrook), nr Sparwood (Alexander Ck, Deadmans Pass FSR)

***Neriere radiata* (Walckenaer, 1842)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to AZ & FL

BC Records: Tetsa R, Williston Reservoir (~40 km N Raspberry Harbour), Poutang Ck headwaters, Hudson's Hope, Hwy 29 @ Bear Flat, Hwy 29 @ Watson Slough, Peace R @ Cache Ck, Puntzi Lk, Victoria area (Island View Beach), Whistler (Brandywine Falls Prov Pk), Echo Lk (Harrison Mills), Lillooet, Hwy 99 @ Hat Ck Rd, Paul Lk, Trinity Valley, Salmon Arm, Vernon, Summerland, Creston, St Mary Lk (nr Kimberly), Glacier Nat Pk (Beaver Valley), Yoho Nat Pk (jct Yoho & Kicking Horse Rivers, Paget Peak), Cranbrook area (Ramparts Grassland, Sunken Ck Tr), Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR)

***Oaphantes* sp. Chamberlin & Ivie, 1943**

Global Distribution: Southwestern BC to southern OR

BC Records: Mt Cain, Victoria (Rocky Point) Gulf Islands Nat Pk (Acland Is, Big D'Arcy Is, Brackman Is, Portland Is)

***Oedothorax alascensis* (Banks, 1900)**

Global Distribution: AK to NF south to CA & NE

BC Records: Tats Lk, Kitsault Pass, Copper R valley (nr Terrace), Smithers, Babine Lk (Donald Landing, Johnson Bay), nr Vanderhoof, SW of Wallop Mtn (McGregor Range), nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Big Bend), Gosling Is (Goose Is group), Little Qualicum R, Carnation Ck, Port Renfrew, Jordan R, Victoria area (Sooke, Roche Cove, Tod Inlet, Island View Beach, James Is), Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Cabbage Is, Forrest Is, Portland Is, Tumbo Is), Vancouver, Black Tusk microwave, Clinton, New Afton Mine Wetland Protected Area (nr Kamloops), Vance Ck Eco Res, Kootenay Pass, Burton, Beaton, Edgewood, Mosquito Ck (nr Nakusp), Glacier Nat Pk (Loop Tr), Yoho Nat Pk (Takakkaw Falls, Emerald Lk)

***Oedothorax trilobatus* (Banks, 1896)**

Global Distribution: AK to NL

BC Records: Liard R Hot Springs, nr Valemount (Yellowjacket Ck), Mara Meadows Eco Res, Revelstoke, Jordan R bog (NW of Jordan R)

***Oreoneta banffkluae* Saaristo & Marusik, 2004**

Global Distribution: Southwestern YT to southwestern AB

BC Records: Atlin area (Grotto Ck), Kinaskan Lk, Mt Irish (nr Ft Ware), Hudson Bay Mtn, W Hudson Bay Mtn, Mt Whitford, Cathedral Lks Prov Pk (talus above Glacier Lk, Glacier Lk Tr), Grave's Lookout (E of Canal Flats)

***Oreoneta brunnea* (Emerton, 1882)**

Global Distribution: YT to NL south to northern BC & NH

BC Records: ridge ~9 km E of Simpson Peak, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Gataga Range (~75 km N of Ft Ware), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysedale, alpine north of Limestone Lakes, peak 7.5 km SW of Bone Mtn, 5 km SE of Mt Reynolds

****Oreoneta garrina* (Chamberlin, 1949)**

Global Distribution: YT & BC south to CO

BC Records: Atlin area (Mt McCallum, Idaho Peak), "Darkwoods" NE of Salmo (lower Laib Rd)

***Oreoneta leviceps* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - AK & BC to NT & QC

BC Records: Pink Mtn, Mt Irish (nr Ft Ware), Redfern Mtn (Redfern-Keily Prov Pk), peak 7.5 km SW of Bone Mtn, Cathedral Lks Prov Pk (Glacier Lk Tr)

***Oreonetides filicatus* (Crosby, 1937)**

Global Distribution: AK south to CA

BC Records: Haida Gwaii (nr Tow Hill), Copper R valley (nr Terrace), Smithers, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Big Bend, Goodfellow Ck), McMullin Is group, Maquinna Prov Pk, Carmanah Valley, Victoria area (Ayum Ck, Veitch Ck, Monument Ridge), Gulf Is Nat Pk (Acland Is, D'Arcy Is), Ft Langley, Roberts Ck, Whistler (Rainbow Lk Tr), Cathedral Lks Prov Pk (upper access rd), Wap Lk, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Elmo Rd, Mt Wurttemberg, Swamp Basin Rd), Kootenay Pass (Waldie Lk, Cornice Ridge, Ripple Ridge), Beaton, Revelstoke, Mt Revelstoke, Sale Mtn, Glacier Nat Pk (Mt Fidelity, Rogers Pass), Golden, Yoho Nat Pk (nr Wapta Falls, Paget Peak)

***Oreonetides flavus* (Emerton, 1915)**

Global Distribution: Southwestern AB & southeastern BC to northern WA

BC Records: Copper R valley (nr Terrace), McDonnell FSR (nr Smithers), nr Valemount (Packsaddle Ck), Yoho Nat Pk (Yoho Valley Rd, Lk O'Hara access rd), Graves FSR pass S of Sheep Mtn, Alexander Ck FSR (SE of Sparwood)

***Oreonetides rectangulatus* (Emerton, 1913)**

Global Distribution: AK & BC to QC & NY

BC Records: Wilson Lk (~7 km W Tsitsutl Peak), Burnaby, nr Valemount (Yellowjacket Ck)

***Oreonetides rotundus* (Emerton, 1913)**

Global Distribution: AK to NF south to BC & NY

BC Records: Babine Lk (Johnson Bay), McDonnell FSR (W of Smithers), Tumbler Ridge, Yellowjacket Ck (nr Valemount), Gosling Is (Goose Is group), Stueie, Enderby

***Oreonetides vaginatus* (Thorell, 1872)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to AZ & NY

BC Records: Mt McCallum, Grotto Ck (Atlin), Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Dease Lk, Summit Lk, Ospika Cones Eco Res, Sikanni Chief R Eco Res, Sikanni R, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Pink Mtn, Liard R Hotsprings, Mt Whitford, Tumbler Ridge, Mt Crysedale, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Copper R valley (nr Terrace), Smithers, Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, Paksumo Mtn, SW of Wallop Mtn (McGregor Range), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Black Tusk microwave, Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk (upper access rd, Glacier Lk Tr, Rim Tr, Scout Lk), Idaho Pk (nr New Denver), "Darkwoods" NE of Salmo (nr Devil's Hole Lk, Wurttemberg Mtn), Kootenay Pass (Ripple Ridge), Lakit Peak (Ft Steele), Graves FSR pass S of Sheep Mtn, Glacier Nat Pk (Rogers Pass), Yoho Nat Pk (Yoho Valley Rd, jct Yoho & Kicking Horse Rivers, Paget Peak, Lk O'Hara access rd, Odaray Grandview Tr), Kootenay Nat Pk (Stanley Glacier Tr)

Oreonetides "2gab" Strand, 1901

Global Distribution: BC & AB

BC Records: Mt Whitford, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, Belle Mtn (W of McBride), SW of Wallop Mtn (McGregor Range), Paksumo Mtn, Strathcona Prov Pk (Crown Mtn), Whistler (Black Tusk microwave, Beverley Lk), Blowdown Pass (SW of Lillooet), Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Wurttemberg Mtn, km 30 Tye Rd), Gray Ck Pass, Sale Mtn (N of Revelstoke), Mt Revelstoke, Mt Mackenzie (Revelstoke), Mt Fidelity (Glacier Nat Pk), Paget Pk (nr Field), Lk O'Hara area (Odaray/Grandview Tr, Opabin Plateau), nr jct of E & N White FSRs, Mt Hefty (Flathead drainage)

Oreophantes recurvatus (Emerton, 1913)

Global Distribution: Northeastern BC to QC south to NY

BC Records: Ft Nelson, Hope Ck (Kinbasket Reservoir)

Ostearius melanopygius (O. P.-Cambridge, 1879)

Global Distribution: Palaearctic; introduced in Nearctic - BC, CA, WA, QC, CT

BC Records: Fraser Valley greenhouses (Delta, Abbotsford, Langley, Agassiz, Sumas)

Paciphantes magnificus (Chamberlin & Ivie, 1943)

Global Distribution: AK south to OR

BC Records: Terrace, Inverness (Pt Edward), Cameron Lk

Pelecopsis mengei (Simon, 1884)

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC and NY

BC Records: Grotto Ck (Atlin), Dease Lk, nr Valemount (peatland, Yellowjacket Ck), Beaton, Yoho Nat Pk (nr Wapta Falls)

Pelecopsis moesta (Banks, 1892)

Global Distribution: Eastern BC to QC south to MS & NC

BC Records: nr Valemount (peatland), Kinbasket Reservoir (Goodfellow Ck, Hope Ck, nr Bush Arm causeway)

Pelecopsis sculpta (Emerton, 1917)

Global Distribution: AK south to OR & WY

BC Records: junction Tatshenshini & O'Connor Rivers, Ft Fraser, nr Hazleton, nr Kitwanga, Terrace, Copper R valley (nr Terrace), McDonnell FSR (nr Smithers), Johnson Bay (Babine Lk), Hwy 29 @ Szoo Rd, Tumbler Ridge, Metlakatla, Prince George, 35 km E of Prince George, nr Valemount (peatland), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), 40 km S of Quesnel, Calvert Is area, Bella Coola, Davis Bay (Drury Inlet), Wakeman Sound, Greig Ridge (Strathcona Prov Pk), Errington, Carmanah Valley, Skutz Falls, Mill Bay, Victoria area (Sooke R valley, Mt Manuel Quimper, nr Prospect Lk, Munn's Rd, Observatory Hill, Goldstream Prov Pk, Jocelyn Hill, Tod Inlet, Monument Ridge, Impala Rd, Witty's Lagoon, Rocky Pt), Saturna Is (nr Money Lk, Lyall Ck), Whistler area (Whistler Peak, Brandywine Prov Pk), Pemberton, Blowdown FSR (SW of Lillooet), Roberts Ck, Highline Rd nr D'Arcy, Revelstoke, St Mary Lk (nr Kimberly), Eager Hills (Cranbrook), Lk Koochanusa, Graves FSR pass S of Sheep Mtn, Flathead R drainage (Cabin Ck FSR, Flathead townsite (southeast of Mt Corrigan)), Yoho Nat Pk (nr Wapta Falls, Paget Pk, Lk McArthur Tr), Kootenay Nat Pk (Daer-Pitts, Stanley Glacier Tr)

Perro "1gab" Tanasevitch, 1992

Global Distribution: YT & northern BC

BC Records: Atlin area (Mt McCallum, Idaho Peak), ridge ~9km E of Simpson Peak, Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Redfern Mtn), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters

Phlathothrata flagellata (Emerton, 1911)

Global Distribution: Southern BC to NF south to ME

BC Records: Pink Mtn, Mt Cain, Upper Carmanah Valley, Kootenay Nat Pk (Daer-Pitts)

***Phlattothrata parva* (Kulczynski, 1926)**

Global Distribution: Holarctic; in Nearctic - AK to MB south to WA

BC Records: Tagish Lk, Kinaskan Lk, Liard R Hotsprings, Sikanni Chief R, Johnson Bay (Babine Lk), Secret Peak (~10 km W Perkins Peak), Burnaby

***Pityohyphantes alticeps* Chamberlin & Ivie, 1943**

Global Distribution: South central BC to WA & WY

BC Records: Kinaskan Lk, nr Smithers, nr Valemount (Yellowjacket Ck), Pacific Rim Nat Pk (Willowbrae Tr, Kennedy Lk), Victoria area (Mt Braden, Witty's Lagoon), Saturna Is (Campbell Farm), Whistler area (Madely Lk, Rainbow Lk Tr), Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk (Rim Tr), Sovereign Lk (Vernon), Beaconsfield Mtn, Mt Baldy, Idaho Peak (nr New Denver), Bull R valley (NE of Cranbrook), Mt Revelstoke, Glacier Nat Pk (Mt Fidelity, Balu Tr), Yoho Nat Pk (Emerald Lk, Field, Natural Bridge, Takakkaw Falls), Kootenay Nat Pk (Cobb Lk Tr, Redstreak Campground)

***Pityohyphantes brachygynus* Chamberlin & Ivie, 1942**

Global Distribution: Southern interior BC to CA

BC Records: Grotto Ck (Atlin), Idaho Peak (Atlin), Fountain Valley (Lillooet)

***Pityohyphantes costatus* (Hentz, 1850)**

Global Distribution: AK & BC to NF and CT

BC Records: uncertain localities, specimens presumably in CNC; Ospika Cones Eco Res, Hwy 29 @ Watson Slough, Copper R valley (nr Terrace), nr Valemount (peatland, Yellowjacket Ck), Victoria (Rocky Point), Ft Langley, Salmon Arm

***Pityohyphantes cristatus* Chamberlin & Ivie, 1942**

Global Distribution: BC to SK south to WY

BC Records: Kinaskan Lk, Cottonwood R, km 197 Raspberry Hbr (Williston Reservoir), Ospika Cones Eco Res, nr Smithers (McDonell FSR), Babine Lk (Johnson Bay), Prince George, Stoner, Ilgachuz Range, Strathcona Prov Pk (Crown Mtn), Koksilah R, Echo Lk (Harrison Mills), Coquihalla Lks, Blowdown Pass (nr Duffey Lk), Mt McLean (nr Lillooet), Summerland, Rock Ck, Idaho Pk (nr New Denver), Kootenay Pass (Ripple Ridge), Mt Revelstoke, Glacier Nat Pk (Mt Fidelity, Balu Pass), Yoho Nat Pk (Odaray Grandview Tr, Yoho Valley Rd)

***Pityohyphantes kamela* Chamberlin & Ivie, 1943**

Global Distribution: Southern interior BC south to OR

BC Records: Seton Ck (Lillooet)

***Pityohyphantes limitaneus* (Emerton, 1915)**

Global Distribution: YT to NS south to BC & ME

BC Records: Atlin, Alaska Hwy (Swan Lk), Babine Lk (Johnson Bay), Victoria (Rocky Point)

***Pityohyphantes minidoka* Chamberlin & Ivie, 1943**

Global Distribution: Southern interior BC south to OR & ID

BC Records: Fountain Valley (Lillooet)

***Pityohyphantes rubrofasciatus* (Keyserling, 1886)**

Global Distribution: Southwestern BC south to CA

BC Records: Cameron Lk, Victoria (Albert Head, Ft Rodd Hill, Island View Beach)

***Pityohyphantes subarcticus* Chamberlin & Ivie, 1943**

Global Distribution: AK & BC to NF

BC Records: Hudson's Hope boat launch, S of Taylor, nr Salmon Valley, Prince George, St Mary Lk (nr Kimberley), Glacier Nat Pk (Illecillewaet area trails), Yoho Nat Pk (Emerald Lk), Kootenay Nat Pk (Cobb Lk Tr, Redstreak Campground)

***Pocadicnemis americana* Millidge, 1976**

Global Distribution: AK to NF south to UT & NY

BC Records: Tats Lk, Babine Lk (Johnson Bay), Hudson's Hope, Hwy 29 @ Szoo Rd, nr Valemount (peatland, Packsaddle Ck), Goldstream Prov Pk, Saturna Is (Lyll Ck), Gulf Islands Nat Pk (Tumbo Is), Mara Meadows Eco Res

***Pocadicnemis pumila* (Blackwall, 1841)**

Global Distribution: Holarctic, in Nearctic - AK to NH south to NM & MA

BC Records: Frederick Is, Tanglechain Lk, 32 km W of Terrace, Copper R valley (nr Terrace), W Hudson Bay Mtn, Smithers, 35 km E of Prince George, Valemount area (peatland, Packsaddle Ck), Taseko Mtn, McMullin Is group, Gosling Is (Goose Is group), Calvert Is area, Kyuquot, Carmanah Valley, Sutton Pass, Carnation Ck, Jordan R, Cowichan Lk, Honeymoon Bay, Sansum Narrows Reg Pk (nr Genoa Bay), Jordan R bog, Jordan R, Victoria area (Rocky Point, Pearson College, Witty's Lagoon, Munn's Rd, Government House, Island View Beach, James Is), Fulford Harbour, Long Harbour, Gulf Islands Nat Pk (Red Is, D'Arcy Is, Dock Is, Hawkins Is, Portland Is, Sallas Is, Tumbo Is), Saturna Is, Roberts Ck, Echo Lk (Harrison Mills), Mt Cheam (nr Chilliwack), Manning Prov Pk, Summerland, Burton, Mosquito Ck (nr Nakusp)

***Poecilonea bihamata* (Emerton, 1882)**

Global Distribution: BC, QC to NL south to NH

BC Records: Hwy 97 S of Taylor, Yoho Nat Pk (Field), Kootenay Nat Pk (Cobb Lk Tr)

***Poecilonea calcaratus* (Emerton, 1909)**

Global Distribution: YT to NF south to CO & MI

BC Records: 49 km S of Cassiar Jct, Babine Lk (Johnson Bay), Liard Hotsprings, 37 km W of Ft Nelson, Yoho Nat Pk (Boulder Ck, Wapta Lk)

***Poecilonea canionis* Chamberlin & Ivie, 1943**

Global Distribution: BC south to UT

BC Records: ridge ~9km E of Simpson Peak, Pine Pass (nr Dawson Ck), Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), nr The Thumb (Sustut Prov Pk), Pinkut Ck (Babine Lk), Hwy 16 100 km E of Prince George, Wilson Lk (~7 km W Tsitsutl Peak), Itcha Lk, Whistler area (Black Tusk), Cathedral Lks Prov Pk (upper access rd, Rim Trail), Idaho Peak (nr New Denver), "Darkwoods" NE of Salmo (Mt Wurttemberg), Sale Mtn, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (jct Yoho & Kicking Horse Rivers, Odayay Grandview Tr)

***Poecilonea fructuosa* (Keyserling, 1886)**

Global Distribution: AK south to WA

BC Records: Boya Lk, Salmon Glacier summit, Mt Irish (nr Ft Ware), Poutang Ck headwaters, N of Motase Peak, Sustut Prov Pk (The Thumb & vicinity), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), SW of Wallop Mtn (McGregor Range), McBride Peak, Wilson Lk (~7 km W Tsitsutl Peak), Secret Peak (~10 km W Perkins Peak), Mt Cain, Strathcona Prov Pk (Crown Mtn), Victoria area (Rocky Point), Blowdown Pass (nr Duffey Lk), Sale Mtn, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (Boulder Ck, Field, Odayay Grandview Tr, Lk McArthur Tr, Wapta Lk)

***Poecilonea lyrica* (Zorsch, 1937)**

Global Distribution: AK south to OR

BC Records: Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, The Thumb (Sustut Prov Pk), Terrace, SW of Wallop Mtn (McGregor Range), Wilson Lk (~7 km W Tsitsutl Peak), Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Cain, nr Campbell R, Strathcona Prov Pk (Greig Ridge), Walbran Valley, Mesachie Lk, Cowichan Lk, Ucluelet, Sansum Narrows Reg Pk, Victoria area (Devonian Reg Pk, Albert Head, Saanich, Barrow Rd), Gulf Islands Nat Pk (Cabbage Is), Whistler area (Whistler Peak, Blackcomb Mtn, Black Tusk microwave), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk (talus above Glacier Lk, Rim Tr), Beaconsfield Mtn, Mt Baldy, Idaho Pk (nr New Denver), Granite Mtn (Rosland), "Darkwoods" NE of Salmo (Swamp Basin Rd, Wurttemberg Mtn), Kootenay Pass (Cornice Ridge, Stagleap Prov Pk, Ripple Ridge), Thompson Mtn lookout, Mt Revelstoke Nat Pk, Sale Mtn, Mt Mackenzie, Glacier Nat Pk (Balu Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Paget Peak, Odayay Grandview Tr, Lk McArthur Tr, Opabin Plateau), Kootenay Nat Pk (Stanley Glacier Tr), Flathead townsite (southeast of Mt Corrigan), Graves Lookout Tr (E of Canal Flats)

***Poeciloneta petrophila* Tanasevitch, 1989**

Global Distribution: Holarctic; in Nearctic - YT & BC

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Redfern Mtn), Ospika Cones Eco Res, Mt Crysdale, alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, Hudson Bay Mtn, W Hudson Bay Mtn, Mt Whitford, Wilson Lk (~7 km W Tsitsutl Peak), Itcha Lk, Taseko Mtn, Whitetooth Ridge (nr Golden), Kootenay Nat Pk (Stanley Glacier Tr)

***Poeciloneta theridiformis* (Emerton, 1911)**

Global Distribution: Holarctic; in Nearctic - BC, SK, QC, NB, & NH

BC Records: Calvert Is area, Pacific Rim Nat Pk (Kennedy Lk)

***Poeciloneta variegata* (Blackwall, 1841)**

Global Distribution: Holarctic; in Nearctic, YT south to WA & SK

BC Records: Summit Lk, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Pink Mtn, alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, "Darkwoods" NE of Salmo (Elmo Lk Rd), Graves Lookout Tr (E of Canal Flats)

****Poeciloneta "Igab"* Kulczynski, 1894**

Global Distribution: northern BC

BC Records: Idaho Peak (Atlin), nr Itcha Lk

***Porrhomma convexum* (Westring, 1851)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to WA

BC Records: Liard R Hot Springs, alpine pass 4.5 km NW of Mt Laurier, S bank Peace R nr Bear Flat, Pine Pass, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (Big Bend, Chatter Ck), nr Itcha Lk, Carmanah Valley, North Vancouver, Pitt Meadows, Whistler (Madeley Lk), Hope, Beaconsfield Mtn, Revelstoke, Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (Emerald Lk, Takakkaw Falls)

***Porrhomma nekolai* Ruzicka, 2018**

Global Distribution: Holarctic; in Nearctic - southwestern YT, northeastern BC, & IA

BC Records: Summit Lk (mi 392 AK Hwy), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk

***Porrhomma terrestre* (Emerton, 1882)**

Global Distribution: AK to QC south to BC, WY, & NY

BC Records: Glenora (nr Telegraph Ck), Mission City, Surrey (Surrey Bend Reg Pk)

***Praestigia kulczynskii* Eskov, 1979**

Global Distribution: Holarctic; in Nearctic - YT to QC south to northern BC & ME

BC Records: alpine north of Limestone Lakes, Babine Lk (Johnson Bay), nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway, Big Bend), Itcha Lk, Beaton, Burton, Edgewood

***Saaristoa sammamish* (Levi & Levi, 1955)**

Global Distribution: AK south to WA & MT

BC Records: Haida Gwaii (unknown specific locale), Pt Edward, nr Valemount (peatland, Yellowjacket Ck), Carmanah Valley, Harris Ck spruce (nr Port Renfrew), Vancouver area (Colony Farm, Burnaby Marshlands), Revelstoke

***Satilatlas marxi* Keyserling, 1886**

Global Distribution: Holarctic; in Nearctic - southwestern BC to NS south to MO & NY

BC Records: Wells Gray Prov Pk (Alice Lk), Carmanah Valley, North Vancouver, Osoyoos

***Sciastes mentasta* (Chamberlin & Ivie, 1947)**

Global Distribution: AK & BC to NF

BC Records: unknown BC localities, specimens presumably in CNC

***Sciastes truncatus* (Emerton, 1882)**

Global Distribution: AK to NF south to WY & NY

BC Records: Hwy 37 @ Needlepoint Mtn, Cottonwood R @ Old Hwy 37, Tanglechain Lk, Stewart, Sikanni Chief R, Summit Lk (Alaska Hwy), alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Dease Lk, S bank Peace R nr Bear Flat, Hwy 29 @ Szoo Rd, Hwy 29 @ Watson Slough, S of Taylor, Copper R valley (nr Terrace), Smithers, Johnson Bay (Babine Lk), Ft St James, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), nr jct of E & N White FSRs, 16 km E of Golden, Yoho Nat Pk (Odaray/Grandview Tr, Lk O'Hara access rd), Cathedral Lks Prov Pk (Glacier Lk Tr), Mt Kobau

***Scirites finitimus* Dupérré & Paquin, 2007**

Global Distribution: Southern BC & northern WA, NY & southern ON

BC Records: Brandywine Falls Prov Pk

***Scironis sima* Chamberlin, 1948**

Global Distribution: Western BC south to OR

BC Records: Haida Gwaii (Tow Hill), Terrace, Smithers, McMullin Is group, Gosling Is (Goose Is group), Tsitika R, Hoeya Sound (Knight Inlet), Barkley Sd, Nanaimo, Carnation Ck, Cowichan Lk, Koksilah R, Mesachie Lk, Tent Is (nr Chemainus), Victoria area (Mary Hill, Veitch Ck, Impala Rd, Pearson College, Mt Wells, Goldstream Prov Pk, Durrance Lk, nr Prospect Lk, Observatory Hill, Haliburton Farm, Cattle Point), Long Harbour, Gulf Is Nat Pk (D'Arcy Is, Dock Is, Hawkins Is, Portland Is), Saturna Is (nr Money Lk), Yellow Point, Roberts Ck, Manning Prov Pk (Rhododendron Flats), Echo Lk (Harrison Mills)

***Scironis tarsalis* (Emerton, 1911)**

Global Distribution: AK to NF south to WA & NY

BC Records: Liard R Hotsprings

***Scotinotylus alienus* (Kulczynski, 1885)**

Global Distribution: Holarctic; in Nearctic - YT, northern BC & AB

BC Records: Atlin area (Mt McCallum, Idaho Peak), ridge ~9km E of Simpson Peak, Mt Irish (nr Ft Ware), Pink Mtn, Gataga Range (~75 km N of Ft Ware), N of Motase Peak, Sustut Prov Pk (The Thumb & vicinity)

***Scotinotylus allocotus* Crawford & Edwards, 1989**

Global Distribution: Southwestern BC to northwestern WA

BC Records: Strathcona Prov Pk (Crown Mtn)

***Scotinotylus alpinus* (Banks, 1896)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to CO & NH

BC Records: Chilkat Pass, Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Alaska Hwy (Swan Lk, Summit Lk), Mt Irish (nr Ft Ware), Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Pink Mtn, N of Motase Peak, nr The Thumb (Sustut Prov Pk) Copper R valley (nr Terrace), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Mt Whitford, alpine north of Limestone Lakes, SW of Wallop Mtn (McGregor Range), McBride Peak, Wilson Lk (~7 km W Tsitsutl Peak), Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Whistler area (Whistler Peak, Blackcomb, Black Tusk microwave), Mission Ridge (Seton Portage), Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk (Glacier Lk Tr, Rim Tr, talus Ladyslipper Lk to Stone City), Mt Baldy, Mt Mackenzie, Whitetooth Ridge, Yoho Nat Pk (Paget Peak, Takakkaw Falls, Lk McArthur Tr, Odaray Grandview Tr, Opabin Plateau), Stanley Glacier Tr (Kootenay Nat Pk), Graves FSR pass S of Sheep Mtn

***Scotinotylus ambiguus* Millidge, 1981**

Global Distribution: Southern interior BC south to WA & WY

BC Records: "Southern Okanagan Valley", 12 km SW ov Vernon

***Scotinotylus bicavatus* Millidge, 1981**

Global Distribution: Southwestern BC south to OR

BC Records: Mt Cain, Manning Prov Pk, Deadman Valley FSR (nr Cache Ck), Kootenay Nat Pk (Stanley Glacier Tr)

***Scotinotylus columbia* (Chamberlin, 1948)**

Global Distribution: Southwestern BC

BC Records: Cameron Lk, Carmanah Valley, Victoria area (Saanich Inlet, Goldstream Prov Pk), Roberts Ck

***Scotinotylus eutypus* (Chamberlin, 1948)**

Global Distribution: BC south to OR

BC Records: Parksville, Sidney, Black Tusk microwave

***Scotinotylus exsectoides* Millidge, 1981**

Global Distribution: BC to ON

BC Records: nr Valemount (peatland), Kinbasket Reservoir (Hope Ck)

***Scotinotylus formicarius* (Dondale & Redner, 1972)**

Global Distribution: Southwestern BC, WA, & WY

BC Records: Island View Beach (Victoria)

***Scotinotylus gracilis* Millidge, 1981**

Global Distribution: Southwestern BC south to CA

BC Records: Rocky Point (Victoria)

***Scotinotylus kenus* (Chamberlin, 1949)**

Global Distribution: BC & MT south to AZ & UT

BC Records: "Darkwoods" NE of Salmo (Herzog Rd), Gray Ck Pass, Mt Revelstoke, Yoho Nat Pk (Paget Peak), Kootenay Nat Pk (Stanley Glacier)

***Scotinotylus majesticus* (Chamberlin & Ivie, 1947)**

Global Distribution: AK and YT south to CO and WY

BC Records: Gray Ck Pass (Crawford Bay), Graves Lookout Tr (E of Canal Flats), Yoho Nat Pk (Paget Peak), Kootenay Nat Pk (Stanley Glacier Tr)

***Scotinotylus pallidus* (Emerton, 1882)**

Global Distribution: BC to NF south to NM & NY

BC Records: Hudson's Hope, Hwy 29 @ Halfway Ck, nr Valemount (Packsaddle Ck)

***Scotinotylus patellatus* (Emerton, 1917)**

Global Distribution: AK south to CA

BC Records: Stewart, Haida Gwaii (Alliford Bay, Bonanza Ck), nr Valemount (peatland), Bella Coola, Calvert Is, Wakeman Sound, Tsitika R, Carrington Lagoon (Cortes Is), Walbran Valley, Carmanah Valley, Kennedy Lk, Honeymoon Bay, Vargas Is, nr Port Renfrew (Avatar Grove, Harris Ck), Tent Is (nr Chemainus, Victoria area (Grassie Lk (Sooke Hills), Rocky Point, Pearson College, Matheson Lk, Veitch Ck, Goldstream Prov Pk, Thetis Lk, Durrance Lk, Mystic Vale, Beaver Lk Reg Pk), Long Harbour, Galiano Is (Galiano Bluffs), Whistler (Blackcomb Mtn, Rainbow Lk Tr), Helliwell Prov Pk, Garibaldi Prov Pk, Echo Lk (Harrison Mills), Coquihalla Hwy 45 km NE of Hope, Manning Prov Pk, Cathedral Lks Prov Pk (Glacier Lk Tr), Beaton, "Darkwoods" NE of Salmo (lower Laib Rd), E of east entrance to Glacier Nat Pk

***Scotinotylus protervus* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - AK to YT south to northern BC

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Summit Lk (Alaska Hwy), Pink Mtn, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Redfern Mtn), Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysdale, N of Motase Peak, nr The Thumb (Sustut Prov Pk)

***Scotinotylus regalis* Millidge, 1981**

Global Distribution: Southeastern BC & western MT

BC Records: "Darkwoods" NE of Salmo (lower Laib Rd), Graves Lookout Tr (E of Whiteswan Lk), Crowsnest Ridge

***Scotinotylus sacer* (Crosby, 1929)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to OR & WY

BC Records: Atlin area (Grotto Ck, Mt McCallum), Idaho Peak (Atlin), Hwy 37 @ Needlepoint Mtn, Cottonwood R @ Old Hwy 37, Kinaskin Lk, Summit Lk (Alaska Hwy), Dease Lk, Gataga Range (~75 km N of Ft Ware), Sikanni Chief R, Sikanni Chief R Eco Res, Pink Mtn, Copper R valley (nr Terrace), Taseko Mtn, 35 km E of Prince George, Victoria area (Rocky Point), Manning Prov Pk, nr Canal Flats (Marion Ck Benchlands), Yoho Nat Pk (Lk O'Hara access rd, Takakkaw Falls, jct Yoho & Kicking Horse Rivers)

***Scotinotylus sacratus* Millidge, 1981**

Global Distribution: BC & AB

BC Records: Copper R valley (nr Terrace)

***Scotinotylus sanctus* (Crosby, 1929)**

Global Distribution: Southern & central BC to AB south to AZ

BC Records: SW of Wallop Mtn (McGregor Range), Secret Peak (~10 km W Perkins Peak), nr Valemount (peatland, Yellowjacket Ck), Mt Arrowsmith, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Baynes Sound, Victoria area (Camas Hill, Island View Beach), Mission Ridge (Seton Portage), Blowdown Pass (nr Duffey Lk), Bridge/Yalakom R area, Gang Ranch Bridge, Kamloops, Mt Cheam (nr Chilliwack), Manning Prov Pk (Paintbrush Tr), Cathedral Lks Prov Pk (talus along Scout Lk Tr, talus above Glacier Lk, Rim Tr), Beaconsfield Mtn, Old Hedley Rd, Kilpoola Lk, Mt Baldy, Granite Mtn (Rossland), Idaho Pk (nr New Denver), "Darkwoods" NE of Salmo (Swamp Basin Rd, Wurttemberg Mtn), Kootenay Pass (Cornice Ridge, Ripple Ridge, Stagleap Prov Pk), Gray Ck Pass (Crawford Bay), Evening Ridge Mtn (nr Nelson), nr Canal Flats (Marion Ck Benchlands), nr Cranbrook (Rampart grassland, Lakit Peak, lower Bull R valley, Bummers Flats, Sale Mtn, Mt Revelstoke, Mt Mackenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Paget Peak, Lk McArthur Tr, Odaray Grandview Tr), Kootenay Nat Pk (Stanley Glacier Tr), Flathead R drainage (Mt Hefty)

***Scyletria inflata* Bishop & Crosby, 1938**

Global Distribution: AK to NL south to BC & NC

BC Records: nr Valemount (peatland)

***Semljicola obtusus* (Emerton, 1915)**

Global Distribution: AK to Greenland south to CO

BC Records: St Elias Mtns (59 44 N, 137 18 W), Cathedral Prov Pk, Mt Irish (nr Ft Ware)

***Semljicola "1gab"* Strand, 1906**

Global Distribution: BC

BC Records: Pacific Rim Nat Pk (Rainforest Trail), San Juan Ridge (nr Jordan R), Gulf Islands Nat Pk (North Pender Is), Cornice Ridge (Kootenay Pass), Glacier Nat Pk (Hemlock Grove)

***Silometopoides pampia* (Chamberlin, 1948)**

Global Distribution: Holarctic; in Nearctic - AK to NT south to northern BC

BC Records: Sikanni Chief R

***Silometopus reussi* (Thorell, 1871)**

Global Distribution: Holarctic; in Nearctic - BC

BC Records: New Afton Mine Wetland Protected Area (nr Kamloops), Highland Valley Copper (nr Spences Bridge)

***Sisicottus crossoclavis* Miller, 1999**

Global Distribution: South central BC & southwestern AB south to NW, WA and northern ID

BC Records: Itcha Lk, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Mt Wurttemberg, 30 km Tye Rd, lower Laib Rd, nr Devil's Hole Lk, nr Porcupine Lk), Kootenay Pass (Waldie Lk, Ripple Ridge), Yoho Nat Pk (Paget Peak, Takakkaw Falls, Yoho Valley Rd)

***Sisicottus montanus* (Emerton, 1882)**

Global Distribution: AK to NF south to AZ & NY

BC Records: Mt McCallum, Grotto Ck (Atlin), Cottonwood R @ Old Hwy, Tanglechain Lk, Dease Lk, Mt Irish (nr Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Summit Lk (Alaska Hwy), Heart Lk (nr Dease Lk), Dease Lk, Liard R Hotsprings, Sikanni Chief R, Hwy 29 @ Halfway Ck, Hwy 29 @ Watson Slough, peak 7.5 km SW of Bone Mtn, Tumbler Ridge, S of Taylor, nr Lemoray, Copper R valley (nr Terrace), Johnson Bay (Babine Lk), Whiskers Point Prov Pk, nr Valemount (Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), 40 km S of Quesnel, Goldstream Prov Pk, Gray Ck Pass (nr Crawford Bay), Bull R valley (NW of Elkford), Graves Lookout Tr (E of Whiteswan Lk), Graves FSR pass S of Sheep Mtn, Mt Revelstoke, E of east entrance Glacier Nat Pk, Yoho Nat Pk (Boulder Ck, Paget Peak, Lk O'Hara access rd, Odaray Grandview Tr, jct Yoho & Kicking Horse Rivers, Emerald Lk), Flathead R drainage (Flathead townsite nr Mt Corrigan)

***Sisicottus nesides* (Chamberlin, 1921)**

Global Distribution: AK to YT south to OR

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9 km E of Simpson Peak, Tanglechain Lk, Dease Lk, S bank Peace R @ Bear Flat, Haida Gwaii (Bonanza Ck), Prince Rupert, Grassy Bay (nr Prince Rupert), nr Hazelton, Copper R valley (nr Terrace), Smithers, N of Motase Peak, nr The Thumb (Sustut Prov Pk), W Hudson Bay Mtn, Babine Lk (Johnson Bay, Pinkut Ck), Prince George, 35 km E of Prince George, alpine north of Limestone Lakes, nr Valemount (peatland), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Mt Cain, Strathcona Prov Pk (Price Ck), Maquinna Prov Pk, Carmanah Valley, Victoria area (Rocky Point, Goldstream Prov Pk, Island View Beach), Gulf Islands Nat Pk (D'Arcy Is, Dock Is, Portland Is, Tumbo Is), Saturna Is (Lyall Ck), Roberts Ck, Whistler area (Blackcomb), Ft Langley, Vance Ck Eco Res, Griffin Mtn Eco Res, Granite Mtn (nr Rossland), Sale Mtn, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity, Balu Pass, Beaver Valley, E of east entrance), Yoho Nat Pk (nr Wapta Falls, Emerald Lk, Paget Peak)

***Sisicottus orites* (Chamberlin, 1919)**

Global Distribution: Southeastern BC to AB south to CA & NM

BC Records: Grotto Ck (Atlin), Hazelton, Mt Irish (nr Ft Ware), Mt Crystdale, Prince George, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck), Yoho Nat Pk (Boulder Ck, Emerald Lk), Banff Nat Pk, Waterton Lks Nat Pk

***Sisicottus panopeus* Miller, 1999**

Global Distribution: Eastern Palearctic & western Nearctic; in Nearctic - AK south to WA & WY

BC Records: Mt McCallum, ridge ~9 km E of Simpson Peak, Tanglechain Lk, Moosehorn Lk (57.34N, 127.12W), Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crystdale, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Copper R valley (nr Terrace), Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, Paksumo Mtn, Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Arrowsmith, Strathcona Prov Pk (Crown Mtn), Nitinat (Heather Mtn), Whistler (Blackcomb Mtn, Whistler Peak, Black Tusk microwave, Beverley Lk), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Manning Prov Pk, Cathedral Lks Prov Pk (upper access rd, Glacier Lk Tr), Beaconsfield Mtn, Evening Ridge Mtn (nr Nelson), Idaho Pk (nr New Denver), Kootenay Pass (Ripple Ridge), nr Canal Flats (Graves Lookout Tr), Lakit Peak (nr Ft Steele), Sale Mtn, Mt Revelstoke, Mt Mackenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Lk O'Hara access rd, Odaray Grandview Tr, Lk McArthur Tr, Opabin Plateau), Flathead Valley

***Sisicus apertus* (Holm, 1939)**

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to OR & WY

BC Records: junction Tatshenshini R & O'Connor R, Cottonwood R @ Old Hwy 37, Kinaskan Lk, Dease Lk, Sikanni Chief R, Summit Lk (Alaska Hwy), Copper R valley (nr Terrace), Babine Lk (Johnson Bay), 35 km E of Prince George, Victoria area (Rocky Point), Manning Prov Pk, 16 km E of Golden, Bull R Valley (nr Cranbrook), Yoho Nat Pk (Lk O'Hara access rd, Yoho Valley Rd, jct Yoho & Kicking Horse Rivers), Graves FSR pass S of Sheep Mtn

***Sisicus penifusifer* Bishop & Crosby, 1938**

Global Distribution: Southern BC to NB south to WI & NY

BC Records: Prince George, Kinbasket Reservoir (Goodfellow Ck), Burton, Glacier Nat Pk, Goldstream Prov Pk

***Sisis rotundus* (Emerton, 1925)**

Global Distribution: AK to NF south to WA

BC Records: Cottonwood R @ Old Hwy 37, Simpson Lk, Summit Lk (Alaska Hwy), Pink Mtn, Sikanni Chief R, Hwy 29 @ Watson Slough, S bank Peace R @ Halfway Ck, Copper R valley (nr Terrace), W Hudson Bay Mtn, nr Itcha Lk, Mill Bay, Victoria area (Ayum Ck, Monument Ridge, Grassie Lk, Babbington Hill, Sugarloaf Mtn, Barrow Rd, Impala Rd, Mt Braden, Mt Wells, Veitch Ck, Witty's Lagoon, Jocelyn Hill, Durrance Lk), Whistler (N of Daisy Lk, Brandywine Prov Pk, Rainbow Lk Tr, Alpha Lk Pk), Yoho Nat Pk (Yoho Valley Rd), Graves FSR pass S of Sheep Mtn

***Soucron arenarium* (Emerton, 1925)**

Global Distribution: YT & BC to NS

BC Records: Springhouse, Hwy 29 @ Watson Slough, New Afton Mine wetland (nr Kamloops)

***Souessa spinifera* (O. P.-Cambridge, 1874)**

Global Distribution: YT to NL south to northern BC & NJ

BC Records: Smith Ck (Ft Fraser)

***Sougambus bostoniensis* (Emerton, 1882)**

Global Distribution: BC to NF south to WI & NY

BC Records: Penticton

***Spirembolus abnormis* Millidge, 1980**

Global Distribution: Southwestern BC south to CA

BC Records: Wellington

***Spirembolus chilkatensis* (Chamberlin & Ivie, 1947)**

Global Distribution: AK south to OR

BC Records: Chemainus, Victoria area (Portland Is, Jocelyn Hill, Island View Beach, Pearson College)

***Spirembolus demonologicus* (Crosby, 1925)**

Global Distribution: Southwestern BC south to CA

BC Records: Victoria area (Mt Manuel Quimper, Rocky Point, Camas Hill, Saanich, Island View Beach, Jocelyn Hill, Mt Braden), Mt Maxwell (Saltspring Is), Gulf Islands Nat Pk (Bright Is, Cabbage Is, Hawkins Is, Portland Is, Sallas Is, D'Arcy Is), Roberts Ck

****Spirembolus hibernus* "cf." Millidge, 1980**

Global Distribution: BC & CA

BC Records: Whistler (Beverley Lk),

***Spirembolus monticolens* (Chamberlin, 1919)**

Global Distribution: BC south to CA & UT

BC Records: Babine Lk (Johnson Bay), nr Valemount (peatland, Yellowjacket Ck), 16 km E of Golden, Victoria, Summerland, "Darkwoods" NE of Salmo, Flathead R drainage (Flathead townsite southeast of Mt Corrigan)

***Spirembolus mundus* Chamberlin & Ivie, 1933**

Global Distribution: Northwestern BC south to OR & UT

BC Records: Haida Gwaii (Rose Spit), Nanoose Bay, Victoria area (Island View Beach, Saanich), Galiano Is (Montague Harbour), Saturna Island (west side beach)

***Spirembolus prominens* Millidge, 1980**

Global Distribution: Southern BC to AB south to WA

BC Records: Victoria, Manning Prov Pk, Summerland

****Spirembolus "1gab"* Chamberlin, 1920**

Global Distribution: BC

BC Records: Whistler (Black Tusk)

***Styloctetor compar* (Westring, 1861)**

Global Distribution: Holarctic; in Nearctic - YT & northern BC to QC

BC Records: Tetsa R (Alaska Hwy), nr The Thumb (Sustut Prov Pk), Hwy 29 @ Cache Ck, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck, Dave Henry Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), Yoho Nat Pk (Lk O'Hara access rd)

***Symmigma minimum* (Emerton, 1923)**

Global Distribution: AK south to WA

BC Records: Meziadin Jct, Stewart, nr Prince Rupert (Newcombe Harbour, McMicking Is, Grassy Bay), Terrace, Copper R valley (nr Terrace), Smithers, Johnson Bay (Babine Lk), Prince George, 35 km E of Prince George, Valemount (Packsaddle Ck, Yellowjacket Ck), nr Bush Arm causeway (Kinbasket Reservoir), Gosling Is (Goose Is group), Calvert Is area, Bella Coola area (Snootli Ck, Nusatsum Mtn, Stuiie), Tsitika R, Port Alice, Thompson Inlet, Brooks Peninsula, Maquinna Prov Pk, Barkley Sd, Carmanah Valley, Walbran Valley, Nanaimo, Port Renfrew (Avatar Grove, Ayum Ck (nr Sooke), Roberts Ck, Whistler area (Alpha Lk Reg Pk, Rainbow Lk Tr), Echo Lk (Harrison Mills), Manning Prov Pk, Cougar Canyon Ec Res, Mt Kobau, Silverton, Beaton, Burton, "Darkwoods" NE of Salmo (30 km Tye Rd, lower Laib Rd), Golden, 16 km E of Golden, Glacier Nat Pk (Beaver Valley, others), Yoho Nat Pk (jct Yoho & Kicking Horse Rivers, Boulder Ck), Flathead Valley

***Tachygyna coosi* Millidge, 1984**

Global Distribution: Southwestern BC, WA, & OR

BC Records: Calvert Is area, Victoria area (E Sooke Point, Sidney Is, Beaver Lk Reg Pk)

***Tachygyna exilis* Millidge, 1984**

Global Distribution: Southern BC & WA

BC Records: Brandywine Prov Pk, 20 mi W of Princeton, Manning Prov Pk (11 mi W of Allison Pass, Blackwall Peak), Glacier Nat Pk (E of east entrance)

***Tachygyna haydeni* Chamberlin & Ivie, 1939**

Global Distribution: BC to AB south to AZ & NM

BC Records: Grotto Ck (Atlin), Summit Lk (Alaska Hwy), Copper R valley (nr Terrace), Manning Prov Pk, Yoho Nat Pk (Paget Peak)

***Tachygyna pallida* Chamberlin & Ivie, 1939**

Global Distribution: BC & southwestern AB to UT & CO

BC Records: Copper R valley (nr Terrace), Marble Canyon, Lakit Peak (nr Ft Steele), Graves FSR, pass S of Sheep Mtn, 16 km E of Golden, Glacier Nat Pk (Beaver Valley), Kootenay Nat Pk (Redstreak Campground)

***Tachygyna proba* Millidge, 1984**

Global Distribution: Southwestern BC & WA

BC Records: Zopkios Rest Area (Coquihalla Hwy), 11 mi W of Allison Pass (Manning Prov Pk)

***Tachygyna ursina* (Bishop & Crosby, 1938)**

Global Distribution: AK to AB south to OR

BC Records: 32 km W of Terrace, Copper R valley (nr Terrace), McDonell FSR (nr Smithers), nr Salmon Valley, Port Harvey, Bute Inlet, Carmanah Valley, Nanaimo, Victoria area (Goldstream Prov Pk, Durrance Lk, Goward Rd, Beaver Lk Reg Pk), Saturna Is (Lyllal Ck, Money Lk), Ft Langley, Whistler (Alpha Lk Pk), Echo Lk (Harrison Mills), Manning Prov Pk, Yoho Nat Pk (Boulder Ck, Wapta Lk)

***Tachygyna vancouverana* Chamberlin & Ivie, 1939**

Global Distribution: BC south to CA & ID

BC Records: Copper R valley (nr Terrace), Smithers, 35 km E of Prince George, Gosling Is (Goose Is group), Stuie, Port Alice, Bute Inlet, Brooks Peninsula, Helliwell Prov Pk, Carmanah Valley, Yellow Point, Mesachie Lk, Skutz Falls, Tent Is (nr Chemainus), Sansum Narrows Reg Pk (nr Genoa Bay), Victoria area (Goldstream Prov Pk, Humpback Rd, Veitch Ck, Camas Hill, Pearson College, Mary Hill, Matheson Lk, Goward Rd, Observatory Hill, Beaver Lk Reg Pk, Jocelyn Hill, Tod Inlet, Mystic Vale, Haliburton Farm, Island View Beach), Long Harbour, Gulf Islands Nat Pk (Hawkins Is), Saturna Is (Lyllal Ck, nr Money Lk), Vancouver (Stanley Pk), Roberts Ck, Whistler (Brandywine Prov Pk, Rainbow Lk Tr, Alpha Lk Pk), Echo Lk (Harrison Mills), Manning Prov Pk, Princeton, Trinity Valley, Beaton, East Arrow, Granite Mtn (Rossland), "Darkwoods" NE of Salmo (Elmo Lk Rd, km 30 Tye Rd), Flathead Valley

***Tapinocyba cameroni* Dupérré & Paquin, 2007**

Global Distribution: BC to NL

BC Records: Grotto Ck (Atlin), Attachie (SW of Ft St John), Yoho Nat Pk (Paget Peak)

***Tapinocyba dietrichi* Crosby & Bishop, 1933**

Global Distribution: AK south to CA

BC Records: Stewart, Tanglechain Lk, Haida Gwaii (Alliford Bay), Copper R valley (nr Terrace), Smithers, Pinkut Ck (Babine Lk), Hwy 29 NW of Ft St John, Gosling Is (Goose Is group), Carrington Lagoon (Cortes Is), Carmanah Valley, Koksilah, Mt Maxwell (Saltspring Is), Victoria area (Babbington Hill, Pearson College, Mary Hill, Rocky Point, Sugarloaf Mtn, Mt Wells, Impala Rd, Veitch Ck, Goldstream Prov Pk, Haliburton Farm, Island View Beach, Saxe Pt, Forrest Is), Saturna Is (Narvaez Bay), Gulf Islands Nat Pk (Acland Is, Brackman Is, D'Arcy Is, Forrest Is, Hawkins Is, Portland Is, Tumbo Is), Vancouver area (Belcarra, Colony Farm, Ft Langley, Mt Seymour Prov Pk, Stanley Pk), Brandywine Prov Pk, Roberts Ck, Silverhope Ck, Coquihalla Hwy (Zopkios rest area), Manning Prov Pk, Echo Lk (Harrison Mills), Cathedral Lks Prov Pk (Glacier Lk Tr), Idaho Pk (nr New Denver), Burton, "Darkwoods" NE of Salmo (Elmo Lk Rd), Kootenay Pass (Waldie Lk), Yoho Nat Pk (Boulder Ck)

***Tapinocyba minuta* (Emerton, 1909)**

Global Distribution: YT to NB south to WI & NY

BC Records: Hwy 29 @ Watson Slough, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), Goldstream Prov Pk

***Tapinocyba prima* Dupérré & Paquin, 2005**

Global Distribution: YT to NF south to southwestern AB and NY

BC Records: Sikanni Chief R Eco Res, Pink Mtn, along Alaska Hwy (Summit Lk, Tetsa R, Sikanni R), Ft St John

***Tapinocyba simplex* (Emerton, 1882)**

Global Distribution: BC to NF south to WY & NY

BC Records: Burnt Cabin Bog Eco Res, Prince George ("Meadow Park"), Whistler

****Tapinocyba "1gab"* Simon, 1884**

Global Distribution: BC & AB

BC Records: Alaska Hwy (Swan Lk)

***Tarsiphantes latithorax* Strand, 1905**

Global Distribution: Holarctic; in Nearctic - AK and northern BC to QC

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk)

***Tennesseelum formica* (Emerton, 1882)**

Global Distribution: AK to QC south to AZ and GA

BC Records: nr Tumbler Ridge, Arras, Hwy 29 @ Bear Flat, Peace R @ Cache Ck, 35 km E of Prince George, Kinbasket Reservoir (Big Bend), New Afton Mine wetland (nr Kamloops), Evening Ridge Mtn (nr Nelson)

***Tenuiphantes tenuis* (Blackwall, 1852)**

Global Distribution: Holarctic; introduced in Nearctic - BC south to OR; NL, MA

BC Records: Haida Gwaii (Alliford Bay, Moresby Camp, Tlell), 10 km E of Prince Rupert, Brooks Peninsula, Comox, Nanaimo, Victoria area (Sooke R, E Sooke Point, Rocky Point, Ayum Ck, Devonian Reg Pk, Witty's Lagoon, Metchosin, Napier Lane, Munn's Rd, Holland Point, Beacon Hill, 10 Mile Point, Island View Beach, Haliburton Farm, Sidney), Gulf Islands Nat Pk (D'Arcy Is, Forrest Is, Hawkins Is, Portland Is, Tumbo Is), Vancouver, Surrey Bend Reg Pk, Sumas, Vernon, Summerland, Vaseux Lk, Osoyoos, Burton

***Tenuiphantes zebra* (Emerton, 1882)**

Global Distribution: AK to NS south to OR & TN

BC Records: Aleza Lk, Terrace, Babine Lk (Johnson Bay), Hwy 29 @ Szoo Rd, Carnation Ck, Cougar Canyon Eco Res

***Tenuiphantes zelatus* (Zorsch, 1937)**

Global Distribution: AK to YT south to OR

BC Records: Tanglechain Lk, Hazelton, Sustut Prov Pk (The Thumb & vicinity), Copper R valley (nr Terrace), W Hudson Bay Mtn, Smithers, Driftwood Canyon Prov Pk, Babine Lk (Johnson Bay, Smithers Landing), nr Chetwynd, nr Cinema, nr Lemoray, Mt Whitford, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, 5 km SE Mt Reynolds, Prince George, Valemount (Packsaddle Ck), McMullin Is group, Gosling Is (Goose Is group), Calvert Is area, Tsitika R, Port Alice, Brooks Peninsula, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Carmanah Valley, Yellow Point, Port Renfrew, Sansum Narrows Reg Pk, Victoria area (Sooke R valley, Roche Cove, Rocky Point, Devonian Reg Pk, Witty's Lagoon, Matheson Lk, Ft Rodd Hill, Beacon Hill, "Hydro Lands" (Haultain/Kings Rd area), Elk/Beaver Lk Reg Pk, Little Saanich Mtn, Island View Beach), Long Harbour, Galiano Is (Retreat Cove), Saturna Is (Lyll Ck, Warburton Pike), Gulf Islands Nat Pk (Acland Is, Brackman Is, Bright Is, Channel Is, D'Arcy Is, Dock Is, Forrest Is, Tumbo Is), Roberts Ck, Whistler area (Beverly Lk, Brandywine Prov Pk, Rainbow Lk Tr, Whistler village, Whistler Peak), Vancouver area (Ft Langley, Stanley Pk), Echo Lk (Harrison Mills), Manning Prov Pk (Sumallo Grove), Cathedral Lks Prov Pk (Glacier Lk Tr, Rim Tr), Beaconsfield Mtn, Vance Ck Eco Res, Granite Mtn (Rossland), Mosquito Ck (nr Nakusp), Beaton, Burton, Edgewood, Idaho Pk (nr New Denver), "Darkwoods" NE of Salmo (30 km Tye Rd, Elmo Rd, lower Laib Rd, km 31.5 Porcupine Rd), Bull R valley (E of Cranbrook), Sale Mtn, Mt Revelstoke, Mt Mackenzie, Glacier Nat Pk (Mt Fidelity, Rogers Pass, Beaver Valley), Yoho Nat Pk (Boulder Ck, Paget Peak, Yoho Valley Rd, jct Yoho & Kicking Horse Rivers, Lk O'Hara access rd, Lk McArthur Tr, Emerald Lk), Graves Prairie (E of Sparwood), Flathead R drainage (Flathead townsite nr Mt Corrigan, Mt Hefty)

***Tenuiphantes zibus* (Zorsch, 1937)**

Global Distribution: AK south to OR

BC Records: alpine pass 4.5 km NW of Mt Laurier, Haida Gwaii (Bonanza Ck, Frederick Is, nr Tow Hill, NW of Queen Charlotte City), Calvert Is area, Tsitika R, Brooks Peninsula, Maquinna Prov Pk, Comox, Cowichan Lk, Koksilah, Walbran Valley, Carmanah Valley, nr Port Renfrew (Harris Ck), Sombrio Beach, Victoria area (Rocky Point, Pearson College, Veitch Ck, Witty's Lagoon, Matheson Lk, Metchosin, Goldstream Prov Pk, Munn's Rd, Beaver Lk Reg Pk), Carrington Lagoon (Cortes Is), Saturna Is (Winter Cove), Gulf Islands Nat Pk (Acland Is, Brackman Is, Bright Is, Cabbage Is, D'Arcy Is, Forrest Is, Glenholme Is, Hawkins Is, Portland Is, Red Is, Tumbo Is), Roberts Ck, Ft Langley, Edgewood, Sale Mtn, Yoho Nat Pk (nr Wapta Falls)

***Thaleria leechi* Eskov & Marusik, 1992**

Global Distribution: Holarctic; in Nearctic - AK & BC

BC Records: Salmon Glacier Summit (57.1694N 130.0497W), nr The Thumb (Sustut Prov Pk), Sikanni Chief R Eco Res

****Thaleria "1gab" Tanasevitch, 1984***

Global Distribution: BC

BC Records: N of Motase Peak, Hudson Bay Mtn, Whistler (Black Tusk)

Tiso aestivus (L. Koch, 1872)

Global Distribution: Holarctic; in Nearctic - YT, BC, and Greenland

BC Records: alpine pass 4.5 km NW of Mt Laurier, Whistler Peak

Tiso vagans (Blackwall, 1834)

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC, WA, & NF

BC Records: Vancouver area (Burnaby, Colony Farm, Derby Reach, Westham Is, Boundary Bay)

Tmeticus affinis (Blackwall, 1855)

Global Distribution: Holarctic; in Nearctic - northern BC & northern AB

BC Records: Turnagain R

Tmeticus ornatus (Emerton, 1914)

Global Distribution: BC to QC south to WI & NY

BC Records: Babine Lk (Johnson Bay), Mt St. Paul (Alaska Hwy)

Tunagyna debilis (Banks, 1892)

Global Distribution: Holarctic; in Nearctic - AK to NF south to WA & NY

BC Records: Alsek R nr junction with Tatshenshini R, Idaho Peak (Atlin), along Alaska Hwy (Summit Lk, Sikanni Chief R, Liard R Hotsprings), Babine Lk (Johnson Bay), 35 km E of Prince George, nr Valemount (peatland), Yoho Nat Pk (Opabin Plateau)

Typhochrestus pygmaeus (Sorensen, 1898)

Global Distribution: YT & BC to Greenland

BC Records: Idaho Peak (Atlin), ridge 9 km E of Simpson Peak, Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (Redfern Mtn), Sikanni Chief R Eco Res, Ospika Cones Eco Res, Tatshenshini R (59.44N 137.18W -- "nr pygmaeus"), Cathedral Lks Prov Pk (Rim Tr)

****Typhochrestus "1gab" Simon, 1884***

Global Distribution: YT & northern BC

BC Records: St Elias Mtns, Idaho Peak (Atlin)

Vermontia thoracica (Emerton, 1913)

Global Distribution: Holarctic; in Nearctic - AK to NB south to northern BC & NY

BC Records: Liard R Hotsprings, Copper R valley (nr Terrace)

Wabasso cacuminatus Millidge, 1984

Global Distribution: Holarctic; in Nearctic - YT to QC south to WA & NH

BC Records: Sikanni Chief R (Alaska Hwy), Copper R valley (nr Terrace), Pinkut Ck (Babine Lk)

Walckenaeria arctica Millidge, 1983

Global Distribution: NT to NL south to BC & NH

BC Records: Blowdown Pass (nr Duffey Lk), Mt MacKenzie, Glacier Nat Pk (Mt Fidelity), Whitetooth Ridge (nr Golden)

***Walckenaeria atrotibialis* (O. P.-Cambridge, 1878)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to WA & NY

BC Records: Liard R Hotsprings, Hwy 29 @ Watson Slough, Terrace, Prince George, 35 km E of Prince George, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), Penrose Islands group, Mesachie Lk, Honeymoon Bay, Burnaby, Clinton, Burton, Mosquito Ck (nr Nakusp), Griffin Mt Eco Res

***Walckenaeria auranticeps* (Emerton, 1882)**

Global Distribution: Holarctic; in Nearctic - YT to NB south to OR & VA

BC Records: Burns Lk, "Vancouver Island", Gordon R 5 km N Pt Renfrew, nr Valemount (peatland)

***Walckenaeria castanea* (Emerton, 1882)**

Global Distribution: AK to Greenland south to UT & NJ

BC Records: Atlin area (Grotto Ck, Mt McCallum), Dease Lk, Liard R Hotsprings, Pink Mtn, S bank Peace R @ Halfway Ck, W Hudson Bay Mtn, Babine Lk (Johnson Bay, Pinkut Ck), Mt Whitford, peak 7.5 km SW of Bone Mtn, 100 km E Prince George, nr Itcha Lk, Taseko Mtn, Yellowjacket Ck (nr Valemount), nr Bush Arm causeway (Kinbasket Reservoir), Kootenay Nat Pk (Daer-Pitts), Yoho Nat Pk (Boulder Ck, jct Yoho & Kicking Horse Rivers, Emerald Lk), Graves FSR pass south of Sheep Mtn

***Walckenaeria columbia* Millidge, 1983**

Global Distribution: Southern & western BC to WA

BC Records: Meziadin Jct, Copper R valley (nr Terrace), Smithers, Tent Is (nr Chemainus), Jordan R, Victoria area (Sooke R valley, Ayum Ck, Rocky Point, Sugarloaf Mtn, Barrow Rd, Impala Rd, Durrance Lk, Island View Beach, Sidney), Gulf Islands Nat Pk (Brackman Is, D'Arcy Is, Forrest Is, Hawkins Is, Portland Is, Tumbo Is), Glenthorne Is (nr Prevost Is), Saturna Is, Whistler (Madeley Lk), Roberts Ck, Manning Prov Pk, Evening Ridge Mtn (nr Nelson), "Darkwoods" NE of Salmo (Wurttemberg Mtn, nr Porcupine Lk), Kootenay Pass (Waldie Lk, Ripple Ridge), 14.8 mi W Creston, Glacier Nat Pk (Beaver Valley), Whitetooth Ridge (nr Golden)

***Walckenaeria communis* (Emerton, 1882)**

Global Distribution: AK to QC south to CA & NC

BC Records: Alsek R @ Tweedsmuir Glacier, Tats Lk, Idaho Peak (Atlin), Grotto Ck (Atlin), Cirque Mine base camp (nr Ft Ware), along Alaska Hwy (Sikanni Chief R, Tetsa R, Summit Lk), Smithers, Tanglechain Lk, Johnson Bay (Babine Lk), 35 km E of Prince George, Cathedral Lks Prov Pk (Rim Tr), Mara Meadow Eco Res, Yoho Nat Pk

***Walckenaeria cornuella* (Chamberlin & Ivie, 1939)**

Global Distribution: AK south to OR

BC Records: Haida Gwaii (Queen Charlotte City), Copper R valley (nr Terrace), Smithers, Johnson Bay (Babine Lk), Pine Pass, Gosling Is (Goose Is group), Hoeya Sound (Knight Inlet), Brooks Peninsula, Carrington Lagoon (Cortes Is), Carmanah Valley, nr Port Renfrew (Avatar Grove), Nanaimo, Yellow Point, Tent Is (nr Chemainus), Mill Bay, Victoria area (Ayum Ck, Rocky Point, Sugarloaf Mtn, Barrow Rd, Witty's Lagoon, Goldstream Prov Pk, Durrance Lk, Little Saanich Mtn), Long Harbour, Gulf Islands Nat Pk (D'Arcy Is, Acland Is, Brackman Is, Cabbage Is, Channel Is, Forrest Is, Hawkins Is, Portland Is, Tumbo Is), Saturna Is, Vancouver area (Belcarra Pk, Stanley Pk, Ft Langley, Haney), Roberts Ck, Whistler area (Rainbow Lk Tr, Madeley Lk, Beverly Lk), Cherryville, Upper Shuswap Eco Res, Revelstoke, Beaton, Mosquito Ck (nr Nakusp), E of east entrance to Glacier Nat Pk, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Emerald Lk)

***Walckenaeria cuspidata brevicula* (Crosby & Bishop, 1833)**

Global Distribution: AK to NF south to CO & VT

BC Records: Idaho Peak (Atlin), 49 km S of Cassiar Jct on Cassiar Hwy, Ospika Cones Eco Res

***Walckenaeria digitata* (Emerton, 1913)**

Global Distribution: BC to NL south to NY

BC Records: Hwy 29 NW of Ft St John

***Walckenaeria directa* (O. P.-Cambridge, 1874)**

Global Distribution: AK to NS south to WA & GA

BC Records: Gataga Range (~75 Km N of Ft Ware), Mt Irish (nr Ft Ware), Sikanni Chief R Eco Res, Peace R nr Halfway Ck, S bank Peace R nr Bear Flat, Hwy 29 @ Szoo Rd, Copper R valley (nr Terrace), W Hudson Bay Mtn, Smithers, 35 km E of Prince George, Taseko Mtn, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck), Gosling Is (Goose Is group), Davis Bay (Drury Inlet), Carrington Lagoon (Cortes Is), San Juan Ridge (Jordan River), Tent Is (nr Chemainus), Victoria area (Ayum Ck, Rocky Point), Long Harbour, Ft Langley, Brandywine Prov Pk, Whistler, Roberts Ck, Manning Prov Pk, Griffin Mtn Eco Res, Edgewood, Burton, Beaton, Graves Lookout Tr (E of Whiteswan Lk), Yoho Nat Pk (Boulder Ck), Flathead Valley

***Walckenaeria exigua* Millidge, 1983**

Global Distribution: YT to NS south to WA & TN

BC Records: Mt St Paul, Hwy 29 @ Szoo Rd, Copper R valley (nr Terrace), Smithers, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck, nr Bush Arm causeway), Sansum Narrows Reg Pk, Gulf Islands Nat Pk (Channel Is), Roberts Ck, Whistler (Alpha Lk Pk, Brandywine basalt ponds), Manning Prov Pk, Vance Ck Eco Res, Burton, Mosquito Ck (nr Nakusp), Graves Lookout Tr (E of Whiteswan Lk), Kootenay Nat Pk (Daer-Pitts)

***Walckenaeria fraudatrix* Millidge**

Global Distribution: Holarctic; in Nearctic - AK & YT to northern BC

BC Records: Redfern Mtn (Redfern-Keily Prov Pk)

***Walckenaeria karpinskii* (O. P.-Cambridge, 1873)**

Global Distribution: Holarctic, in Nearctic - AK to Greenland south to WA & NY

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge 9 km E of Simpson Peak, along Alaska Hwy (Sikanni Chief R, Tetsa R, Summit Lk, Pink Mtn), Mt Irish (nr Ft Ware), Gataga Range (~75 Km N of Ft Ware), Gathto Ck drainage (~11.5 km SW Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Mt Redfern), Sikanni Chief R Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysdale, N of Motase Peak, W Hudson Bay Mtn, Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, 5 km SE of Mt Reynolds, Paksumo Mtn, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Taseko Mtn, Cathedral Lks Prov Pk (Glacier Lk Tr), Yoho Nat Pk (Boulder Ck, jct Yoho & Kicking Horse Rivers, Lk McArthur Tr, Odayar Grandview Tr, Lk O'Hara access rd)

***Walckenaeria kochi* (O. P.-Cambridge, 1872)**

Global Distribution: Holarctic; in Nearctic - BC to QC south to ON

BC Records: Fletcher Lk, S bank Peace R @ Halfway Ck

***Walckenaeria lepida* (Kulczynski, 1885)**

Global Distribution: Holarctic, in Nearctic - AK to NS south to MT & ME

BC Records: McDonnell FSR (Smithers), Liard R Hotsprings, Kootenay Nat Pk (Daer-Pitts)

***Walckenaeria monoceras* (Chamberlin & Ivie, 1947)**

Global Distribution: BC to OR

BC Records: Stewart, Copper R valley (nr Terrace), nr Cherryville

***Walckenaeria occidentalis* Millidge, 1983**

Global Distribution: CA, AK, & BC

BC Records: Victoria Area (Witty's Lagoon, East Sooke Reg Pk (Endurance Tr), Sugarloaf Mtn), Carrington Lagoon (Cortes Is)

***Walckenaeria pellax* Millidge, 1983**

Global Distribution: AK south to WA

BC Records: Manning Prov Pk

****Walckenaeria redneri* Millidge, 1983**

Global Distribution: BC, SK to QC & NL south to WI

BC Records: Masset

***Walckenaeria subspiralis* Millidge, 1983**

Global Distribution: AK to NS south to CA & NY

BC Records: Mt McCallum, nr Prince Rupert, Kinbasket Reservoir (Goodfellow Ck), nr Tete Jaune Cache, Gosling Is (Goose Is group), southern Vancouver Is, Gulf Islands Nat Pk (Forrest Is, Tumbo Is), Osoyoos, Burton

***Walckenaeria tricornis* (Emerton, 1882)**

Global Distribution: AK to QC south to BC & NY

BC Records: along Alaska Hwy (Sikanni Chief R, Tetsa R, Liard R Hotsprings, Summit Lk, Pink Mtn), Copper R valley (nr Terrace), McDonell FSR (nr Smithers), Johnson Bay (Babine Lk), 35 km E of Prince George, Sooke, Gulf Island Nat Pk (Tumbo Is), Manning Prov Pk (Blackwall Peak), Beaconsfield Mtn, Mt Kobau, Yoho Nat Pk (Boulder Ck, Jct Yoho R & Kicking Horse R)

***Walckenaeria vigilax* (Blackwall, 1853)**

Global Distribution: Holarctic; in Nearctic - AK south to WA

BC Records: Gataga Range (~75 km N of Ft Ware), Sikanni Chief Eco Res, Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysedale, N of Motase Peak, Sustut Prov Pk (The Thumb & vicinity), Hudson Bay Mtn, Mt Whitford, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, S of Taylor, 5 km SE of Mt Reynolds, Paksumo Mtn, SW of Wallop Mtn (McGregor Range), McBride Peak, nr Valemount (peatland), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Hapush Mtn (N of Mt Cain), Strathcona Prov Pk (Greig Ridge), Walbran Valley, Whistler area (Beverly Lk, Whistler Peak, Black Tusk microwave), Beaconsfield Mtn, Meadow Mtn (Kaslo), Edgewood, Sale Mtn, Mt Mackenzie, Yoho Nat Pk (Odaray GrandviewTr, Opabin Plateau, Lk McArthur Tr)

***Wubana atypica* Chamberlin & Ivie, 1936**

Global Distribution: AK south to WA

BC Records: 9 km S of Cassiar Jct, Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Farrell Ck (nr Hudson's Hope), Naikoon Prov Pk, Cameron Lk, Victoria area (Rocky Point, Durrance Lk, Mystic Vale), Gulf Islands Nat Pk (Forrest Is), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Lk McArthur Tr, nr Wapta Falls, Odaray/Grandview Tr, Yoho Valley Rd), Flathead Valley (Kishinena Ck / Rose Canyon), Graves FSR pass S of Sheep Mtn

***Wubana drassoides* (Emerton, 1882)**

Global Distribution: Southwestern BC to QC south to CA and NC

BC Records: Copper R valley (nr Terrace), Victoria area (Camas Hill, 10 Mile Point), Saltspring Is (Long Hbr), Roberts Ck, Beaton, Flathead R drainage (Kishinena FSR)

***Wubana ornata* Chamberlin & Ivie, 1936**

Global Distribution: Southern BC south to CA

BC Records: Taseko Mtn, Goldstream Prov Pk, Vernon

***Wubana pacifica* (Banks, 1896)**

Global Distribution: Southwestern BC to QC south to WA & NY

BC Records: Pink Mtn, 32 km W of Terrace, Copper R valley (nr Terrace), Smithers, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Mt Whitford, Belle Mtn, Wilson Lk (~7 km W Tsitsutl Peak), Taseko Mtn, Gosling Is (Goose Is group), Penrose Is group, Hoeya Sound (Knight Inlet), Strathcona Prov Pk (Crown Mtn), Carrington Lagoon (Cortes Is), Comox, Nanaimo, Cameron Lk, nr Port Renfrew (Harris Ck), Koksilah R, Sansum Narrow Reg Pk, Victoria area (Ayum Ck, Humpback Rd, Mt Braden, Impala Rd, Rocky Point, Matheson Lk, Goldstream Prov Pk, Tod Inlet, Durrance Lk, nr Prospect Lk, Beaver Lk Reg Pk, 10 Mile Point, Haliburton Farm, Island View Beach), Mt Maxwell (Saltspring Is), Glenthorne Is (nr Prevost Is), Gulf Islands Nat Pk (Acland Is, D'Arcy Is, Big Red Is, Brackman Is, Bright Is, Cabbage Is, Channel Is, Forrest Is, Hawkins Is, Portland Is), Galiano Is (Galiano Bluffs), Saturna Is (nr Money Lk), Roberts Ck, Vancouver area (Stanley Pk, Mountain View Cons Area), Whistler (Blackcomb, Black Tusk microwave, Beverley Lk), Blowdown Pass (nr

Duffey Lk), Griffin Mtn Eco Res, Beaton, "Darkwoods" ne of Salmo (lower Laib Rd), Thompson Mtn lookout, Sale Mtn, Mt Revelstoke, Mt Mackenzie, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Boulder Ck, Odaray/Grandview Tr)

***Wubana suprema* Chamberlin & Ivie, 1936**

Global Distribution: Southern AK & southwestern BC to CA

BC Records: Carmanah Valley, Port Renfrew (Harris Ck spruce), Mt Cain, Rocky Point, N Acland Is (nr Ganges)

***Zornella armata* (Banks, 1906)**

Global Distribution: AK to NF south to MT & NY

BC Records: Mt McCallum, along Alaska Hwy (mi 378, mi 392, Ft Fraser, Liard R, Sikanni Chief R, Tetsa R, Summit Lk), Mt Irish (nr Ft Ware), Dease Lk, N of Motase Peak, Smithers, Hwy 97 @ Lavitah Mtn, nr Cinema, nr Chetwynd, Prince George, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), nr Valemount (Yellowjacket Ck), Glacier Nat Pk (E of east entrance), Lily Pad Lk (nr Lumby), Yoho Nat Pk (nr Wapta Falls, jct Yoho & Kicking Horse Rivers, Boulder Ck), Kootenay Nat Pk (Daer-Pitts)

***Zornella cryptodon* (Chamberlin, 1920)**

Global Distribution: BC to AB south to WA, UT, & CO

BC Records: Copper R valley (nr Terrace), McDonell FSR (nr Smithers), Mt Kobau, Blackcomb Mtn (Whistler)

***Zygotus corvallis* Chamberlin, 1949**

Global Distribution: Western BC south to OR

BC Records: Gosling Is (Goose Is group), Bella Coola (Hagensborg, Nusatsum Mtn), Bute Inlet, Cape Cook Lagoon, Mesachie Lk, Koksilah R, Victoria area (Matheson Lk, Humpback Rd, Veitch Ck, Rocky Point, Devonian Reg Pk, Goldstream Prov Pk, Haliburton Farm, Island View Beach), Gulf Islands Nat Pk (D'Arcy Is, Cabbage Is, Portland Is), Mt Maxwell (Saltspring Is), Vancouver area (Burnaby, Belcarra Park, Ft Langley), Garibaldi Prov Pk (Diamond Head), Echo Lk (Harrison Mills), Hope

LIOCRANIDAE

***Agroeca ornata* Banks, 1892**

Global Distribution: AK to NS south to CA and NJ

BC Records: S bank Peace R @ Bear Flat, Hwy 29 NW of Ft St John, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck, nr Bush Arm causeway), Moberly (nr Donald), Carrington Lagoon (Cortes Is), Salmon Arm, Vance Ck Eco Res, Burton, Mosquito Ck (nr Nakusp), Edgewood

***Agroeca pratensis* Emerton, 1890**

Global Distribution: Southern BC to NS south to UT & GA

BC Records: 35 km E of Prince George, Summerland

***Apostenus ducati* Bennett, Copley, & Copley, 2013**

Global Distribution: Southwestern BC & southeastern AB to north central WA & northwestern Montana

BC Records: Black Tusk microwave, Manning Prov Pk (~8 km SW of Eastgate), Vernon (Campbell Brown Eco Res), Mt Kobau, Kootenay Pass (Cornice Ridge), Evening Ridge Mtn (S of Nelson), "Darkwoods" NE of Salmo (Swamp Basin Rd), Thompson Mtn lookout, east of Sparwood (Alexander Ck FSR, Phillips Pass, Deadmans Pass FSR), pass S of Sheep Mtn on Graves FSR, Flathead R Valley (Cabin Ck FSR, Mt Hefty, Kishinena Ck, Flathead townsite), Idaho Pk (nr New Denver), Gray Ck Pass (nr Crawford Bay)

LYCOSIDAE

Acantholycosa solituda (Levi & Levi, 1951)

Global Distribution: Southern BC and AB south to UT and CO

BC Records: Cathedral Lks Prov Pk (Rim Tr, Glacier Lk), Kootenay Pass (Ripple Ridge), Flathead Sage FSR

Alopecosa aculeata (Clerck, 1757)

Global Distribution: Holarctic; in Nearctic - AK to NF south to AZ & CT

BC Records: Tats Lk, Chilkat Pass, Tutshi R, Turnagain R, Alaska Hwy (Lower Post, Summit Lk, Sikanni Chief R, Tetsa R), Ft Nelson, Peace R @ Halfway Ck, Hwy 29 NW of Ft St John, nr Ft St John, nr Tumbler Ridge, Smithers, Prince George, 35 km E of Prince George, McBride, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Hope Ck, nr Bush Arm causeway, nr Itcha Lk, Springhouse, Mt Kobau, Evening Ridge (nr Nelson), Lk Kooanus (Grasmere-Dorr FSR), Sparwood, Flathead R drainage (Flathead townsite nr Mt Corrigan, mtn N of Shepp Ck)

Alopecosa kochi (Keyserling, 1877)

Global Distribution: Southern BC to MA south to northwestern Mexico & TX

BC Records: Carrington Lagoon (Cortes Is), Errington, Comox, Hornby Is, Nanoose Bay, Nanaimo, Tent Is (nr Chemainus), Valdes Is, Victoria area (Rocky Point, Pearson College, William Head, Weir's Beach, Metchosin, Camas Hill, Goldstream Prov Pk, Langford, Munn's Rd, Prospect Lk, Beacon Hill, Government House, Uplands Reg Pk, Christmas Hill, 10 Mile Point, Saanichton, Island View Beach, Mandarte Is), S Pender Is, Galiano Is, Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Brackman Is, Bright Is, D'Arcy Is, Portland Is, Sallas Is, Tumbo Is), Roberts Ck, Hope, Vernon, Mt Kobau, Osoyoos, Oliver, Mt Baldy, Grand Forks, Golden, Edgewood, Mosquito Ck (nr Nakusp), "Darkwoods" NE of Salmo (Mt Wurttemberg, Swamp Basin Rd), Kootenay Pass (Cornice Ridge, Ripple Ridge, Stag Leap Prov Pk), Lakit Peak (nr Ft Steele), Flathead R drainage (Mt Hefty)

Alopecosa pictilis (Emerton, 1885)

Global Distribution: Holarctic; in Nearctic - AK to LB south to northern BC & NH

BC Records: Summit Lk (Alaska Hwy)

Arctosa alpigena (Doleschall, 1852)

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to AZ & NH

BC Records: Chilkat Pass, Alaska Hwy (Tetsa R, Lower Post, Summit Lk, Sikanni Chief R), Mt Irish (nr Ft Ware), nr The Thumb (Sustut Prov Pk), Smithers, Eagle Peak (SW of Telkwa), 35 km E of Prince George, alpine north of Limestone Lakes, SW of Wallop Mtn (McGregor Range), Belle Mtn, Wilson Lk (~7 km W Tsitsutl Peak), Ilgachuz Range, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Forbidden Plateau, Strathcona Prov Pk (Crown Mtn), Whistler area (Beverly Lk, Blackcomb, Madeley Lk, Whistler Peak), Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk, Idaho Peak (nr New Denver), Mara Meadow Eco Res, Sale Mtn, Mt MacKenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Whitetooth Ridge (nr Golden), Yoho Nat Pk (Yoho Valley Rd, Paget Peak, Odaray Grandview Tr, Opabin Plateau), Granite Mtn (nr Rosslund), "Darkwoods" NE of Salmo (nr Devil's Hole Lk)

Arctosa emertoni Gertsch, 1934

Global Distribution: Southern interior BC to NS south to UT & NC

BC Records: Kamloops, southern Okanagan Valley

Arctosa insignita (Thorell)

Global Distribution: AK to NU south to CO and NL

BC Records: Redfern-Keily Prov Pk (plateau N of Redfern Lk), Mt Irish (nr Ft Ware), Ospika Cones Eco Res, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysdale, N of Motase Peak, peak 7.5 km SW of Bone Mtn, Sale Mtn, Mt Revelstoke, Glacier Nat Pk (Beaver Valley)

Arctosa littoralis (Hentz, 1844)

Global Distribution: Southern interior BC to NS south to Panama

BC Records: Southern Okanagan Valley

***Arctosa perita* (Latreille, 1799)**

Global Distribution: Palaearctic; introduced in Nearctic - southwestern BC

BC Records: Savary Is, Nanaimo (Richard Lk), Kludahk Trail (~13km NW Jordan R), Victoria area (Island View Beach), Vancouver area (Burnaby, Coquitlam, Iona Beach, Deas Is, Boundary Bay)

***Arctosa raptor* (Kulczynski, 1885)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC & ME

BC Records: nr Valemount (peatland), Jordan R bog (Vancouver Is), Burnaby Marshlands, Mara Meadows Eco Res

***Arctosa rubicunda* (Keyserling, 1877)**

Global Distribution: NU to NS south to CO & PA

BC Records: nr Valemount (peatland), Mara Meadows Eco Res, Glacier Nat Pk (Beaver Valley), Yoho Nat Pk

***Hogna frondicola* (Emerton, 1885)**

Global Distribution: YT to NS south to CA & AL

BC Records: Hwy 29 @ Halfway R, Prince George, Williams Lk, nr Valemount (Packsaddle Ck), Otter Lk (nr Armstrong), Vernon, Mt Kobau, Osoyoos, Christina Lk, Edgewood, Burton, Creston, Yoho Nat Pk (nr Wapta Falls), Marion Ck benchlands (nr Canal Flats), Invermere, Flathead R drainage (Flathead R @ border crossing)

***Melocosa fumosa* (Emerton, 1894)**

Global Distribution: Southeastern AK south to MT

BC Records: Nadahini Mtn, Mt Parton, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Yoho Camp, Odaray Grandview Tr, Opabin Plateau), Kootenay Nat Pk (nr Wolverine Pass, Stanley Glacier Tr), Paradise Mine (nr Invermere)

***Pardosa albomaculata* Emerton, 1885**

Global Distribution: AK to Greenland south to northern BC & NH

BC Records: Mt St Paul, Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Summit Lk (Alaska Hwy), N of Motase Peak, Copper R valley (nr Terrace), Paksumo Mtn, Edgewood, Yoho Nat Pk (Emerald Lk, Natural Bridge)

***Pardosa altamontis* Chamberlin & Ivie, 1946**

Global Distribution: Southern BC & AB south to CA & UT

BC Records: Rath Trevor Beach (Parksville), Vancouver, Mt Kobau, Okanagan Falls, Oliver, Kilpoola Lk, East Arrow, Edgewood, Beaton, Burton, Kootenay Pass (Waldie Lk)

***Pardosa anomala* Gertsch, 1933**

Global Distribution: Southern BC & AB south to UT

BC Records: Vancouver, "Okanagan Valley", nr Cherryville, Beaconsfield Mtn, Mt Scaia, Sale Mtn, Mt Revelstoke, Mt Mackenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Golden, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Lk McArthur Tr, Odaray Grandview Tr)

***Pardosa bucklei* Kronstedt, 1975**

Global Distribution: Southern BC to SK south to CA & NM

BC Records: Clinton, Hendrix Lk (nr 100 Mile House), southern Okanagan Valley (Mahoney Lk, White Lk), Edgewood, Burton, Yoho Nat Pk (Field), Flathead R drainage (N of Shepp Ck, Kishinena FSR)

***Pardosa coloradensis* Banks, 1894**

Global Distribution: Southern interior BC south to CA & NM

BC Records: Vernon, Kelowna, Summerland, Osoyoos, Mt Kobau, Orofino Mtn, Anarchist Mtn

***Pardosa concinna* (Thorell, 1877)**

Global Distribution: AK to NF south to NM & ME

BC Records: Alsek R @ Tatshenshini R, O'Connor R @ Tatshenshini R, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Summit Lk (Alaska Hwy), Pink Mtn, Wilson Lk (~7 km W Tsitsutl Peak), Ilgachuz Range, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Dog Ck airfield, Puntzi Lk, Mission Ridge (nr Seton Portage), Mt McLean, Hat Ck (W of Ashcroft), Beaconsfield Mtn, Cathedral Lks Prov Pk (Glacier Lk), Graves Prairie (E of Sparwood)

***Pardosa distincta* (Blackwall, 1846)**

Global Distribution: BC to NS south to AZ & CT

BC Records: Hwy 29 @ Lynx Ck, Hudson's Hope, Victoria area (Rocky Point, Camas Hill, Goldstream Prov Pk, Munn's Rd, Christmas Hill, Uplands Pk, Elk/Beaver Lk Reg Pk, Island View Beach, Christmas Hill, Uplands Pk), Gulf Islands Nat Pk (Acland Is, D'Arcy Is, Sallas Is, Tumbo Is), Vancouver area (Boundary Bay), nr Cranbrook (lower Bull R valley, Rampart grassland), Sparwood, Grave's Prairie (E of Sparwood airport), Fernie, Flathead R drainage (Flathead R @ border crossing)

***Pardosa diuturna* Fox, 1937**

Global Distribution: Southern panhandle AK to southwestern BC

BC Records: Mt Irish (nr Ft Ware), alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, nr The Thumb (Sustut Prov Pk), Terrace, Hudson Bay Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), Jutland Mtn, Mt Cain, Strathcona Prov Pk (Cream Lk, Crown Mtn, Greig Ridge), Mt Alava, Mt Arrowsmith, Whistler (Whistler Peak, Black Tusk microwave, Beverley Lk, Garibaldi Prov Pk)

***Pardosa dorsalis* Banks, 1894**

Global Distribution: Southern BC & AB south to AZ

BC Records: Victoria area (Camas Hill), Cathedral Lks Prov Pk, Buck Hills Eco Res, Mt Kobau, "Darkwoods" NE of Salmo (nr Porcupine Lk, Mt Wurttemberg), Mt Thompson lookout, Whitetooth Ridge (nr Golden), Kootenay Pass (Ripple Ridge, Bridal Lk), Gray Ck Pass, Invermere, Marion Ck benchlands (nr Canal Flats), nr Cranbrook (Bull R valley), Flathead R drainage (Butts Rec Area, Flathead-Sage FSR, Kishinena FSR, Flathead R @ border crossing)

***Pardosa dorsuncata* Lowrie & Dondale, 1981**

Global Distribution: Southern AK to AB south to CA & AZ

BC Records: Tats Lk, O'Connor R @ Tatshenshini R, Alsek R @ Turnback Glacier, Kinaskan Lk, Salmon Glacier summit, Mt Irish (nr Ft Ware), Williston Reservoir S of Tsay Keh, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Pine Pass, Hudson's Hope, Dawson Ck, Haida Gwaii (Bonanza Ck, Port Clements, Tlell, Mt Needham), Metlakatla, Terrace, nr Smithers (McDonell FSR), Hudson Bay Mtn, W Hudson Bay Mtn, Smithers, Tanglechain Lk, Johnson Bay (Babine Lk), Prince George, SW of Wallop Mtn (McGregor Range), Belle Mtn, nr Valemount (peatland), nr Itcha Lk, Gosling Is (Goose Is group), Calvert Is area, Nigei Is, Mt Cain, Brooks Peninsula, Kyuquot, Strathcona Prov Pk (Cream Lk, Crown Mtn, Greig Ridge), Mt Washington, Carmanah Valley, Walbran Valley, nr Port Renfrew (Avatar Grove), Cowichan Lk, Mesachie Lk, Kludahk Trail (~12km NW Jordan R), Jordan R bog, Victoria area (Rocky Point, Island View Beach), Saturna Is (Campbell Farm), Gulf Islands Nat Pk (Cabbage Is, D'Arcy Is, Dock Is, Glenthorne Is, Hawkins Is, Portland Is), Vancouver area (Blaney Lk, Burnaby Marshlands, Burns Bog, Richmond Nat Centre), Squamish, Roberts Ck, Whistler area (Beverly Lk, Blackcomb, Black Tusk, Brandywine Falls Prov Pk, Cheakamus Lk Rd, Rainbow Lk Tr, Whistler Peak), Blowdown Pass (nr Duffey Lk), Mt Cheam, Cathedral Lks Prov Park (Ranger Cabin), Salmon Arm, Mt Griffin Eco Res, Mosquito Ck (nr Nakusp), Burton, Beaton, "Darkwoods" NE of Salmo (nr Devil's Hole Lk, Mt Wurttemberg, Swamp Basin Rd), Kootenay Pass (Bridal Lk, Cornice Ridge), Creston, Sale Mtn, Mt Revelstoke, Glacier Nat Pk (Mt Fidelity, Rogers Pass), Bald Ridge (nr Golden), Paradise Mine, Yoho Nat Pk (McArthur Lk Tr, Yoho Valley Rd, Odaray Grandview Tr), Kootenay Nat Pk (Daer-Pitts, Stanley Glacier Tr), Mt Nelson (nr Invermere), Fernie

***Pardosa furcifera* (Thorell, 1875)**

Global Distribution: AK to Greenland south to northern BC & QC

BC Records: along Alaska Hwy (Atlin, Sikanni Chief R, Summit Lk)

***Pardosa fuscata* (Thorell, 1875)**

Global Distribution: AK to NF south to NM & ME

BC Records: nr Chilkat Pass, Tetsa R, Ft Nelson, Pink Mtn, Hwy 29 @ Watson Slough, Ft St John, Copper R valley (nr Terrace), Ft Fraser, Babine Lk (Johnson Bay), 35 km E of Prince George, nr Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), nr Itcha Lk, Springhouse, Ruth Lk Prov Pk, Goose Lk (Vernon), Osoyoos, Burton, Beaton, Mosquito Ck (nr Nakusp), Edgewood

***Pardosa groenlandica* (Thorell, 1872)**

Global Distribution: Holarctic: in Nearctic - AK to Greenland south to CA & NM

BC Records: Carmine Mtn, Alsek R (Netland Glacier, Vern Ritchie Glacier, Turnback Canyon), Mt McCallum, Kiskatinaw Ck (NW of Dawson Ck), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Pink Mtn, alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Mt Crysdale, Hudson's Hope, Peace R @ Halfway Ck, 10 km E of Ft St John, Dawson Ck, N of Motase Peak, W Hudson Bay Mtn, Babine Lk (Johnson Bay, Donald Landing), Mt Whitford, alpine north of Limestone Lakes, 35 km E of Prince George, Wilson Lk (~7 km W Tsitsutl Peak), Ilgachuz Range, nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Kinbasket Reservoir (Chatter Ck, nr Bush Arm causeway), "Vancouver Is", Whistler area (Blackcomb), Clinton, Aberdeen, Otter Lk (nr Armstrong), Cougar Canyon Eco Res, Mt Kobau, East Arrow, Edgewood, Burton, Beaton, Paradise Mine, Creston, Elk Lks Prov Pk, Fernie, E of Sparwood (Sheep Mtn), Flathead R drainage (mtn N of Shepp Ck, Flathead townsite nr Mt Corrigan)

***Pardosa hyperborea* (Thorell, 1872)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to BC & NH

BC Records: Survey Lk, Tachilta Lk, along Alaska Hwy (Atlin, Sikanni Chief R, Summit Lk, Mi 150, Pink Mtn), Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), Tumbler Ridge, Ilgachuz Range, Mt Whitford, Prince George, 35 km E of Prince George, northern Vancouver Is, Yoho Nat Pk (Emerald Lk)

***Pardosa lapponica* (Thorell, 1872)**

Global Distribution: Holarctic; in Nearctic - AK to northern ON south to northern BC

BC Records: Mt McCallum, Idaho Peak (Atlin), Summit Lk (Alaska Hwy)

***Pardosa lowriei* Kronstedt, 1975**

Global Distribution: Southeastern AK to WA

BC Records: Ospika Cones Eco Res, Haida Gwaii (Tlell), Hazelton, Pine Pass, nr Valemount (Packsaddle Ck, Yellowjacket Ck), Kyuquot, Fair Harbour, Pacific Rim Nat Pk (Combers Beach), Nanoose Bay, Gillies Bay, Cowichan R, San Juan R, Sooke, Victoria area (Ft Rodd Hill, Patricia Bay, Willows Beach, Chatham Is, Island View Beach, Sidney), Vancouver area (Coquitlam), Whistler area (Blackcomb), Blowdown Pass (nr Duffey Lk), Manning Prov Pk, White Lk (nr Okanagan Falls), Apex Mtn, Revelstoke, Glacier Nat Pk (Loop Tr), Yoho Nat Pk (Field, Emerald Lk, Takakkaw Falls)

***Pardosa mackenziana* (Keyserling, 1877)**

Global Distribution: AK to NF south to CA & CO

BC Records: Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Williston Reservoir (S of Tsay Keh), Hwy 29 @ Watson Slough, Peace R @ Halfway Ck, S bank Peace R @ Bear Flat, Ft St John, Pine Pass, Ft Fraser, Babine Lk (Johnson Bay), Ft St James, 35 km E of Prince George, Secret Peak (~10 km W Perkins Peak), Puntzi Lk, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, nr Bush Arm causeway), Fletcher Lk, Williams Lk, Quesnel, Finney Lk, Kyuquot, Pemberton, Mission Ridge (nr Seton Portage), Clinton, Salmon Arm, Vernon, Trinity Valley, Mosquito Ck (nr Nakusp), Burton, Idaho Peak (nr New Denver), Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo, Kootenay Pass (Waldie Lk, Cornice Ridge), Creston, Gray Ck Pass, St Mary Lk (nr Kimberley), Columbia Lk Prov Pk, nr Whiteswan Lk Prov Pk, Graves Lookout Tr, Mt MacKenzie, Glacier Nat Pk (Beaver Valley), Whitetooth Ridge (nr Golden), Yoho Nat Pk (nr Wapta Falls), Invermere, Paradise Mine, nr Cranbrook (Sunken Ck), E of Sparwood (Sheep Mtn, Alexander Ck FSR), Flathead R drainage (Cabin Ck FSR, Kishinena FSR, Mt Hefty)

***Pardosa metlakatla* Emerton, 1917**

Global Distribution: Southeastern AK to northwestern AB south to OR.

BC Records: Sustut Prov Pk (The Thumb & vicinity), Metlakatla, Copper R valley (nr Terrace), W Hudson Bay Mtn, Mt Whitford, alpine north of Limestone Lakes, Wilson Lk (~7 km W Tsitsutl Peak), W of Anahim Lk, Secret Peak (~10 km W Perkins Peak), Brooks Peninsula, Kyuquot, Tofino, Victoria area (Witty's Lagoon, Metchosin, Island View Beach), Vancouver area (Reifel Bird Sanctuary, Boundary Bay, Burns Bog, Burnaby Marshlands, Colony Farm), Whistler area (Beverly Lk, Blackcomb, Black Tusk, Madeley Lk, Rainbow Lk Tr), Agassiz

***Pardosa moesta* Banks, 1892**

Global Distribution: AK to NF south to UT & TN

BC Records: Pink Mtn, Sikanni Chief R, alpine pass 4.5 km NW of Mt Laurier, Pouce Coupe, Hudson's Hope, Hwy 29 @ Watson Slough, Hwy 29 @ Bear Flat, Ft St John, Haida Gwaii (Tlell), Hazelton, Ft Fraser, Smithers, Hudson Bay Mtn, Babine Lk (Johnson Bay), Mt Whitford, Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck), nr Bush Arm causeway (Kinbasket Reservoir), Gosling Is (Goose Is group), Jordan R bog, Victoria area (Haliburton Farm, Island View Beach), Saturna Is (Narvaez Bay), Gulf Islands Nat Pk (Forrest Is, Portland Is, Tumbo Is), Vancouver area (Burns Bog, Burnaby, Burnaby Marshlands), Roberts Ck, Mara Meadows Eco Res, Mt Kobau, East Arrow, Mosquito Ck (nr Nakusp), Burton, Edgewood, Creston, Bummers Flats (nr Ft Steele), E of Sparwood (Graves Prairie)

***Pardosa ontariensis* Gertsch, 1933**

Global Distribution: BC to MB south to OR & CO

BC Records: Kelowna (UBC campus)

***Pardosa palustris* (Linnaeus, 1758)**

Global Distribution: Holarctic; in Nearctic - AK & YT south to northern BC

BC Records: Tkope R, Chilkat Pass, Mt McCallum, alpine pass 4.5 km NW of Mt Laurier

***Pardosa podhorskii* (Kulczynski, 1907)**

Global Distribution: Holarctic; in Nearctic - AK to northern ON south to northern BC

BC Records: ridge ~9km E of Simpson Peak, Pink Mtn, Sikanni Chief R Eco Res, Ospika Cones Eco Res

***Pardosa rainieriana* Lowrie & Dondale, 1981**

Global Distribution: Southwestern BC south to OR

BC Records: Taseko Mtn, Whistler area (Whistler Peak, Blackcomb, Black Tusk microwave), Mission Ridge (nr Seton Portage), Blowdown Pass (nr Duffey Lk), Big Dog Mtn, Lillooet, Cathedral Lks Prov Pk (above Glacier Lk, talus along Scout Lk Tr, Rim Tr)

***Pardosa sinistra* (Thorell, 1877)**

Global Distribution: Southern BC & AB south to CO

BC Records: peak 7.5 km SW of Bone Mtn, McBride Peak, Manning Prov Pk, Mt Mackenzie, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Odaray Grandview Tr)

***Pardosa tesquorum* (Odenwall, 1901)**

Global Distribution: Holarctic; in Nearctic - AK to northern QC south to UT & northern NM

BC Records: Alaska Hwy (Lower Post, Swan Lk, Tetsa R, Pink Mtn), Hudson's Hope, Hwy 29 @ Bear Flat, Peace R @ Halfway Ck, Ft St John, Arras, nr Salmon Valley, Prince George, Puntzi Lk, Kinbasket Reservoir (Chatter Ck, nr Bush Arm causeway), Williams Lk, Kamloops, Yoho Nat Pk (Field), nr Whiteswan Lk Prov Pk, Windermere

***Pardosa uintana* Gertsch, 1933**

Global Distribution: AK to NF south to UT & ME

BC Records: Tutshi R, Tagish Lk, Idaho Peak (Atlin), Alaska Hwy (Swan Lk, Lower Post, Summit Lk, Tetsi R, Sikanni Chief R), Cirque Mine base camp (nr Ft Ware), The Thumb (Sustut Prov Pk), McBride, Cathedral Lks Prov Pk (Rim Tr, upper access rd), Yoho Nat Pk (Odaray Grandview Tr, McArthur Lk Tr), Kootenay Nat Pk (Stanley Glacier Tr), Invermere

***Pardosa vancouveri* Emerton, 1917**

Global Distribution: Southwestern BC to OR

BC Records: Comox, Parksville, Nanaimo, Valdes Is, Mesachie Lk, Victoria area (Rocky Point, Witty's Lagoon, Langford, Munn's Rd, Saxe Point, Beacon Hill, Government House, Walbran Pk, Uplands Pk, Cattle Point, Christmas Hill, 10 Mile Point, Quick's Bottom, Elk/Beaver Lk Pk, Haliburton Farm, Island View Beach), Galiano Is, S Pender Is, Saturna Is (Campbell Farm), Gulf Islands Nat Pk (Cabbage Is, D'Arcy Is, Forrest Is, Hawkins Is, Portland Is, Sallas Is, Tumbo Is), Vancouver area (Burnaby Marshlands, Ft Langley, Richmond), Gibsons Landing, Sumas, Hope, Lytton

***Pardosa wyuta* Gertsch, 1934**

Global Distribution: BC south to CA & CO

BC Records: Haida Gwaii (Tlell), Terrace, Copper R valley (nr Terrace), 35 km E of Prince George, Prince George, nr Valemount (Packsaddle Ck, Yellowjacket Ck), Strathcona Prov Pk (Greig Ridge), nr Sproat Lk, nr Shirley, Victoria area (Camas Hill, Goldstream Prov Pk, Munn's Rd, Willows Beach), Saturna Is (Tayler Point, Warburton Pike), Vancouver area (Burns Bog, Surrey Bend, Haney), Whistler area (Whistler Peak, Blackcomb), Pemberton, Lillooet, Hope, nr Ashcroft, Goose Lk (nr Vernon), Kelowna, Summerland, Mt Kobau, Osoyoos, Anarchist Mtn, East Arrow, Edgewood, Burton, Beaton, Idaho Pk (nr New Denver), Granite Mtn (Rosland), Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo (Swamp Basin Rd), Kootenay Pass (Bridal Lk), Gray Ck Pass, Creston, nr Canal Flats (Grave's Lookout Tr), Yoho Nat Pk (Rogers Pass)

***Pardosa xerampelina* (Keyserling, 1877)**

Global Distribution: AK to NF south to NM & WV

BC Records: Boya Lk, Alaska Hwy (Lower Post, Tetsa R, Racing R, Pink Mtn, Sikanni Chief R), Ft Nelson, Ft St John, Peace R @ Halfway Ck, Hudson's Hope, Pine Pass, Smithers, Ft Fraser, Babine Lk (Johnson Bay), Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Chatter Ck, nr Bush Arm causeway), Cottonwood R @ Hwy 97, Bella Coola, Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Sproat Lk, Cowichan R, Sumas, Hope, Lillooet, Kamloops, Summerland, Beaton, Burton, Edgewood, East Arrow, Mosquito Ck (nr Nakusp), Creston, Revelstoke, Golden, Yoho Nat Pk

***Pirata bryantae* Kurata, 1944**

Global Distribution: AK to NF south to northern BC & QC

BC Records: Tetsa R, Sikanni Chief R, Copper R valley (nr Terrace), Johnson Bay (Babine Lk), Prince George

***Pirata piraticus* (Clerck, 1757)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & WV

BC Records: Atlin Lk, Liard R Hotsprings, Haida Gwaii (Awun Lk, Masset, Port Clements), Dundas Is, Kispiox, Ft Fraser, Stoner, nr Valemount (peatland, Yellowjacket Ck), nr Bush Arm causeway (Kinbasket Reservoir), Brooks Peninsula, Kyuquot, Comox, Little Qualicum R, Jordan R bog, Victoria area (Goldstream Prov Pk, Island View Beach), Saturna Is (Narvaez Bay), Gulf Islands Nat Pk (Cabbage Is, Forrest Is, Tumbo Is), Vancouver area (Burnaby Marshlands, Blaney Lk, Burns Bog), Whistler area (Whistler, Nairn Falls Prov Pk, Rainbow Lk Tr), Oliver, Mosquito Ck (nr Nakusp), Edgewood, Burton, Beaton, Creston, Ram Ck Eco Res, Ft Steele

***Piratula canadensis* (Dondale & Redner, 1981)**

Global Distribution: Holarctic; in Nearctic - BC to NS

BC Records: Vancouver, Mara Meadows Eco Res

***Piratula insularis* (Emerton, 1885)**

Global Distribution: Southeastern AK to NF south to AZ & FL

BC Records: Liard R Hotsprings, nr Valemount (peatland), Kinbasket Reservoir (nr Bush Arm causeway), Vancouver area (Burnaby Marshlands, Burns Bog), Mara Meadows Eco Res, Ram Ck Hot Springs

***Schizocosa mccooki* (Montgomery, 1904)**

Global Distribution: BC to ON south to Mexico

BC Records: S of Dog Ck airfield, Saltspring Is (Mt Maxwell), Saturna Is (Warburton Pike), Vancouver, Whistler (Mosquito Lk), Lillooet, Kamloops, Vernon, Summerland, Oliver, Apex Mtn, Keremeos, Chopaka, Mt Kobau, Osoyoos, Hayne's Lease Eco Res, Eager Hills (Cranbrook), Findlay Ck (W of Canal Flats), Bummars Flats WA (nr Ft Steele), Lk Kooconusa (Grasmere-Dorr FSR)

***Schizocosa minnesotensis* (Gertsch, 1934)**

Global Distribution: YT to SK south to NM & MI

BC Records: Hat Ck, Cache Ck, Summerland, Oliver, Osoyoos, Mt Kobau, Chopaka

***Trochosa ruricola* (De Geer, 1778)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC, ON, QC, and other parts of North America

BC Records: Vancouver area (Coquitlam, Burnaby Marshlands, Burns Bog, Boundary Bay, Iona Beach, Surrey Bend, Blaney Lk, Campbell Valley), Burton, Grave's Prairie (E of Sparwood airport), Flathead townsite (SE of Mt Corrigan)

***Trochosa terricola* Thorell, 1856**

Global Distribution: AK to NF south to CA & TX

BC Records: Ft St John, Pine Pass, Haida Gwaii (Tlell), Terrace, Copper R valley (nr Terrace), Smithers, Ft Fraser, Ft St James, Telkwa, Prince George, 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), Kinbasket Reservoir (Chatter Ck, Goodfellow Ck, Hope Ck, nr Bush Arm causeway), Brooks Peninsula, Carrington Lagoon (Cortes Is), Comox, Little Qualicum R, Port Alberni, Jordan R bog, Victoria area (Christmas Hill, Government House, Uplands Reg Pk, Island View Beach), Savary Is, Bowen Is, Vancouver area (Burnaby Marshlands, Burns Bog), Brandywine Prov Pk, Pemberton, Chilliwack, Kamloops, Celista, Vernon, Cougar Canyon Eco Res, Summerland, Penticton, Oliver, Mosquito Ck (nr Nakusp), Nakusp, Beaton, Burton, Edgewood, Creston, Glacier Nat Pk (Beaver Valley), Golden, Yoho Nat Pk (nr Wapta Falls, Boulder Ck, Field, Paget Peak, Yoho Valley Rd), nr Canal Flats (Marion Ck Benchlands), nr Cranbrook (Bull R valley), Fernie

MIMETIDAE

***Ero canionis* Chamberlin & Ivie, 1935**

Global Distribution: Southern BC to NF south to UT and NC

BC Records: Carrington Lagoon (Cortes Is), Victoria, Burnaby, Roberts Ck, Pend d'Oreille Valley, Yoho Nat Pk (nr Wapta Falls)

***Ero tuberculata* (De Geer, 1778)**

Global Distribution: Palaearctic; introduced in Nearctic - southwestern BC

BC Records: Victoria area (Tillicum, Beaver Lk), Vancouver area (Stanley Pk, Ft Langley)

***Mimetus epeiroides* Emerton, 1882**

Global Distribution: BC to QC south to ? & MA

BC Records: New Afton Mine Wetland Protected Area (nr Kamloops)

***Mimetus hesperus* Chamberlin, 1923**

Global Distribution: Southern BC south to CA & TX

BC Records: Drynoch (SW of Spence's Bridge), Walhachin, Bromley Rock (nr Princeton), Campbell-Brown Eco Res, East Chopaka Protected Area

MITURGIDAE

***Zora hespera* Corey & Mott, 1991**

Global Distribution: Southern BC to CA & NM

BC Records: Koksilah R, Mesachie Lk, Victoria area (Mary Hill, Caleb Pike, Mt Work, Mt Wells, Ft Rodd Hill, Goldstream Prov Pk, Martindale Flats), Mt Maxwell (Saltspring Is), Sansum Narrows Reg Pk (nr Genoa Bay), Ft Langley (Forslund Watson Wildlife Area), Osoyoos

MYSMENIDAE

***Trogloneta paradoxa* Gertsch, 1960**

Global Distribution: Mid-coast BC south to CA & UT

BC Records: Calvert Is area, Victoria area (Roche Cove, Mary Hill, Pearson College, Barrow Rd, Goldstream Prov Pk, Durrance Lk, Beaver Lk Reg Pk), Brandywine Prov Pk

NESTICIDAE

***Nesticus silvestrii* Fage, 1929**

Global Distribution: Coastal BC south to CA

BC Records: Haida Gwaii (Deanna/Nina Rivers karst, Bonanza Ck), Calvert Is area, Pacific Rim Nat Pk (Ucluelet), Carmanah Valley, Carrington Lagoon (Cortes Is), Saltery Bay Prov Pk, Victoria area (Veitch Ck, Matheson Lk, 10 Mile Point, Sidney), Gulf Islands Nat Pk (Acland Is, Red Is, Hawkins Is, D'Arcy Is, Dock Is), Roberts Ck, Ft Langley (Forslund Watson Wildlife Area, Mountain View Cons Area), Echo Lk (Harrison Mills)

OECOBIIDAE

***Oecobius* sp. Lucas, 1846**

Global Distribution: Widespread

BC Records: Victoria, Burnaby

OONOPIDAE

***Tapinesthis inermis* (Simon, 1882)**

Global Distribution: Palaearctic; introduced in Nearctic - BC & MA

BC Records: Victoria (Haultain/King area 'hydro lands')

OXYOPIIDAE

***Oxyopes scalaris* Hentz, 1845**

Global Distribution: Southern BC to NS south to northern Mexico

BC Records: Hat Ck, Monte Ck, Lantzville, Victoria area (Mt Braden, Munns Rd), Pemberton, Vernon, Oyama, Summerland, Penticton, White Lk (nr Okanagan Falls), Mt Kobau, Haynes Lease Eco Res, Creston

PHILODROMIDAE

***Apollophanes margareta* Lowrie & Gertsch, 1955**

Global Distribution: Southern YT south to CA & NM

BC Records: Terrace, Farwell Canyon, Quesnel, Wellington, Carmanah Valley, nr Shirley, Sidney, Whistler, Roberts Ck, Fountain Valley, nr Lillooet, Ashcroft, Cathedral Lks Prov Pk (Rim Tr), Summerland, Vernon, Creston

***Ebo bucklei* Platnick, 1972**

Global Distribution: YT & south central BC to MB

BC Records: White Lk

***Ebo evansae* Sauer & Platnick, 1972**

Global Distribution: Southern BC south to CA, OK, & Mexico

BC Records: Fraser R (across from Fountain Valley), White Lk (nr Okanagan Falls), Grand Forks

***Ebo pepinensis* Gertsch, 1933**

Global Distribution: Southern BC to NS south to CA & TX

BC Records: Taseko Mtn, Wellington

***Philodromus californicus* Keyserling, 1884**

Global Distribution: Southern BC to CO south to northern Mexico

BC Records: Summerland, Vaseux Ck, Oliver, Osoyoos

***Philodromus cespitum* (Walckenaer, 1802)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to CA & NJ

BC Records: Ft St John, Hudson's Hope, Hwy 29 @ Halfway R, Hwy 29 @ Watson Slough, Babine Lk (Johnson Bay), Mons Lk, Canim Lk, nr Valemount (peatland), Whistler area (Beverly Lk, Creekside), Yalakom R, Fountain Valley, Petit Ck (Nicola R), Cougar Canyon Eco Res, Kelowna, Vernon, Okanagan Falls, Fairview, Osoyoos, Mt Kobau, Creston, Yoho Nat Pk (Paget Peak), Windermere, Sparwood

***Philodromus dispar* Walckenaer, 1826**

Global Distribution: Holarctic, introduced in Nearctic - BC & adjacent WA

BC Records: Wonowon, Wellington, Cowichan Lk, Sansum Narrows Reg Pk (nr Genoa Bay), Victoria area (Pearson College, Mary Hill, Devonian Reg Pk, Langford, Ft Rodd Hill, Oak Bay, Harling Point, Swan Lk, 10 Mile Point, Goward Rd, Saanich, Brentwood Bay, Martindale Flats), Saturna Is (Warburton Pike), Vancouver, Ft Langley, Burton

***Philodromus infuscatus* Keyserling, 1880**

Global Distribution: South central BC to CA east to VT & FL

BC Records: Osoyoos (West Bench)

***Philodromus insperatus* Schick, 1965**

Global Distribution: Southern BC south to CA & UT

BC Records: Pemberton, Lytton, Vernon, Summerland, Okanagan Falls, Keremeos

***Philodromus josemitensis* Gertsch, 1934**

Global Distribution: Southwestern BC south to CA

BC Records: Comox, Cowichan Lk, Victoria, Gulf Islands Nat Pk (Cabbage Is)

***Philodromus oneida* Levi, 1951**

Global Distribution: Southern BC to NS south to OR & IL

BC Records: Hwy 29 @ Halfway R, nr Valemount (peatland), Vanderhoof, nr Bush Arm causeway (Kinbasket Reservoir), Duncan, Brandywine Falls Prov Pk, Whistler, Lillooet, Manning Prov Pk, Vernon, Beaton

***Philodromus peninsulanus* Gertsch, 1934**

Global Distribution: BC to PE south to WA & FL

BC Records: Kootenay Nat Pk (Cobb Lk Tr, Redstreak Campground, Dog Lk Tr)

***Philodromus pernix* Blackwall, 1846**

Global Distribution: Southern BC to NS south to AZ & PA

BC Records: Hwy 29 @ Halfway R, Vanderhoof, nr Valemount (Packsaddle Ck), Bush Arm Kinbasket Lk (causeway), Kamloops, Vernon, Cawston

***Philodromus placidus* Banks, 1892**

Global Distribution: AK to NF south to Mexico & FL

BC Records: Glenora (Stikine R), Liard Hotsprings, Ft Nelson, Valemount (Yellowjacket Ck), Fountain Valley, Cache Ck, Rock Ck, "Darkwoods" NE of Salmo

***Philodromus praelustris* Keyserling, 1880**

Global Distribution: Southern BC to NS south to NV & VA

BC Records: Lillooet, Penticton, Elko

***Philodromus rodecki* Gertsch & Jellison, 1939**

Global Distribution: Southern BC to MT south to CA & NM

BC Records: Whistler, Brandywine Prov Pk, Lytton, Cache Ck, Summerland, Creston

***Philodromus rufus pacificus* Banks, 1826**

Global Distribution: Holarctic species; Nearctic subspecies - BC south to CA

BC Records: Haida Gwaii (Yakoun R, Skidegate), Banks Is, Lemoray, Canim Lk, Brooks Peninsula, Kyuquot, Mt Alava, Carmanah Valley, Walbran Valley, Victoria area (Rocky Point, Pearson College, Albert Head, Goldstream Prov Pk), Gulf Islands Prov Pk (Hawkins Is, Red Is, Tumbo Is), Vancouver area (Hollyburn Ridge), Pemberton, Lillooet, Spuzzum, Salmon Arm, Vernon, Osoyoos, Haynes Lease Eco Res, Mt Kobau, Christina Lk, Evening Ridge (nr Nelson), Creston

***Philodromus rufus quartus* Dondale & Redner, 1826**

Global Distribution: Holarctic species; Nearctic subspecies - AK to NF south to Mexico and ON

BC Records: Mt McCallum, Liard R Hotsprings, Prophet R, Pink Mtn, Hwy 29 NW of Ft St John, Hwy 29 @ Halfway R, Babine Lk (Johnson Bay), Ft Fraser

***Philodromus rufus vibrans* Dondale, 1964**

Global Distribution: Southeastern BC to NS south to NE & NC

BC Records: Sale Mtn

***Philodromus speciosus* Gertsch, 1934**

Global Distribution: Southern BC to WY south to CA & CO

BC Records: Okanagan Falls

***Philodromus spectabilis* Keyserling, 1880**

Global Distribution: BC to MT south to CA & NM

BC Records: Masset, Bute Inlet, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Errington, Wellington, Mt Benson, Cathedral Grove, Cowichan Lk, Victoria area (Munns Rd), Whistler area (Whistler, Alpha Lk Ref Pk, Miller Ck, Blackcomb), Bridge R (nr Trehorne Dam), Lillooet, Lytton, Deadman FSR (nr Cache Ck), Beaconsfield, Idaho Peak (nr New Denver), Creston

***Philodromus vulgaris* (Hentz, 1847)**

Global Distribution: BC to PE south to TX & FL

BC Records: New Afton Mine wetland (nr Kamloops)

***Rhysodromus alascensis* (Keyserling, 1884)**

Global Distribution: Holarctic; widespread in Nearctic, AK to NF south to AZ & NW

BC Records: Alaska Hwy (Mt St Paul, Swan Lk, Summit Lk), Copper R valley (nr Terrace), N of Motase Peak, peak 7.5 km SW of Bone Mtn, alpine north of Limestone Lakes, Johnson Bay (Babine Lk), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Forbidden Plateau, Whistler area (Beverly Lk, Blackcomb, Black Tusk, Whistler Peak), Blowdown Pass (nr Duffey Lk), Cathedral Lks Prov Pk, Salmon Arm, Mt English, Sale Mtn, Mt Revelstoke, Mt MacKenzie, Glacier Nat Pk (Mt Fidelity, Balu Pass), Whitetooth Ridge (nr Golden), Beaconsfield Mtn, Mt Baldy, Idaho Peak (nr New Denver), Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo (Mt Wurttemberg, Swamp Basin Rd), Kootenay Pass (Waldie Lk, Stagleap Prov Pk, Bridal Lk, Summit Ck), Gray Ck Pass, nr Canal Flats (Graves Lookout Tr), Lakit Peak (nr Ft Steele), Yoho Nat Pk (Emerald Lk, Opabin Plateau), Flathead townsite nr Mt Corrigan

***Rhysodromus histrio* (Latreille, 1819)**

Global Distribution: Holarctic; in Nearctic - southern BC to NS south to Mexico

BC Records: Mt Tzuhalem Eco Res, Spences Bridge, Cache Ck, Lytton, Walhachin, Vernon, Kelowna, White Lk (nr Okanagan Falls), Vaseux Lk, Osoyoos, Haynes Lease Eco Res

***Rhysodromus mysticus* (Dondale & Redner, 1975)**

Global Distribution: NU to NS south to CO & UT

BC Records: Copper R valley (nr Terrace), Johnson Bay (Babine Lk), Vanderhoof, Whistler area (Rainbow Lk Tr), Mt Mackenzie, Yoho Nat Pk (Takakkaw Falls)

***Thanatus altimontis* Gertsch, 1933**

Global Distribution: Southern BC to NE south to CA & OK

BC Records: Osoyoos, Mt Kobau, Old Hedley Rd

***Thanatus arcticus* Thorell, 1872**

Global Distribution: AK to Greenland south to northern BC

BC Records: Summit Lk (Alaska Hwy), Pink Mtn

***Thanatus bungei* (Kulczynski, 1908)**

Global Distribution: Holarctic; in Nearctic - southwestern BC to MT south to CO

BC Records: alpine pass 4.5 km NW of Mt Laurier, Gulf Islands Nat Pk (Tumbo Is), Manning Prov Pk, Cathedral Lks Prov Pk (Rim Tr), Mt Revelstoke, Yoho Nat Pk (Paget Peak), Lakit Peak (nr Ft. Steele)

***Thanatus coloradensis* Keyserling, 1880**

Global Distribution: Holarctic; in Nearctic, AK to MB south to CA & OK

BC Records: Terrace, 35 km E of Prince George, nr Valemount (peatland), Taseko Mtn, Puntzi Lk, S of Dog Ck airfield, Ashcroft, Kamloops, Pritchard, Osoyoos, Mission Ridge (Seton Portage), Blowdown Ck (nr Duffey Lk), Creston, Wilmer

***Thanatus formicinus* (Clerck, 1757)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to CA & VA

BC Records: Mt McCallum, Idaho Peak (Atlin), Pink Mtn, Valemount (peatland, Packsaddle Ck), nr Itcha Lk, Wellington, Victoria area (Rocky Point), Kamloops, Salmon Arm, Mara Meadows Eco Res, Penticton, Oliver, Apex Mtn, Keremeos, Mt Kobau, Granite Mtn (Rossland), Creston, Flathead R drainage (Commerce Ck)

***Thanatus striatus* C. L. Koch, 1845**

Global Distribution: Holarctic; in Nearctic - AK to NS south to CA & CT

BC Records: Comox, Burnaby Marshlands, Okanagan Falls, Oliver, Creston

***Thanatus vulgaris* Simon, 1870**

Global Distribution: Holarctic; introduced in Nearctic - southern BC to MA south to Mexico & GA

BC Records: Victoria, nr Dawson Ck

***Tibellus asiaticus* Kulczynski, 1908**

Global Distribution: Holarctic; in Nearctic - AK to ON south to UT

BC Records: Hwy 29 @ Lynx Ck, Yale, Princeton, Cawston

***Tibellus chamberlini* Gertsch, 1933**

Global Distribution: Southern BC south to CA & AZ

BC Records: Summerland, Oliver

***Tibellus maritimus* (Menge, 1875)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to UT & NH

BC Records: Alaska Hwy (Jackfish Ck, Ft Nelson, Pink Mtn), Pouce Coupe, Hwy 29 @ Watson Slough, Hwy 29 @ Cache Ck, Prince George, Mara Meadows Eco Res, Oliver, Osoyoos

***Tibellus oblongus* (Walckenaer, 1802)**

Global Distribution: Holarctic; in Nearctic - AK to NS south to Mexico

BC Records: Alaska Hwy (Summit Lk), Hudsons Hope, Hwy 29 @ Halfway R, Arras, Babine Lk (Johnson Bay), Prince George, Salmon Valley, nr Valemount (Yellowjacket Ck), Kinbasket Reservoir (nr Bush Arm causeway), nr Itcha Lk, N of Dog Ck airfield, Gosling Is (Goose Is group), Brooks Peninsula, Kyuquot, Mitlenatch Is, Errington, Mittlenatch Is, Nanoose Bay, Carmanah Valley, Kludahk Trail (~12km NW Jordan R), Victoria area (Rocky Point, Langford, Ft Rodd Hill, Hollydean Reg Pk, Munns Rd), Gulf Islands Nat Pk (Tumbo Is), Vancouver area (Burnaby Marshlands, Ft Langley, Richmond), Roberts Ck, Whistler area (Brandywine Prov Pk, Whistler), Pemberton, Spuzzum, Nicola Lk, Kamloops, Vernon, Trinity Valley, Summerland, Apex Mtn, Edgewood, "Darkwoods" NE of Salmo, Creston, Yahk, Fairmont, Sparwood

***Titanebo dondalei* (Sauer, 1968)**

Global Distribution: Southern BC, AB, & SK south to CA & NM

BC Records: Osoyoos (nr Desert Society property)

***Titanebo parabolis* Schick, 1965**

Global Distribution: Southern BC south to CA & AZ

BC Records: Osoyoos

PHOLCIDAE

***Pholcophora americana* Banks, 1896**

Global Distribution: BC & AB south to CA & NM

BC Records: Victoria (Mt Douglas Reg Pk), Hudsons Hope, Hwy 29 @ Lynx Ck, Riske Ck (Rock Lk), Farwell Canyon, Gang Ranch Bridge, N of Williams Lk, Merritt, Kamloops, Deadman Valley FSR (nr Cache Ck), Ashcroft/Spences Bridge area, Fraser R (across from Fountain Valley), Highline Rd (between D'Arcy & Seton Portage), Lillooet, Yalakom & Bridge Rivers (various localities W of Lillooet), Pavilion Lk, Marble Canyon, Kamloops, Salmon Arm, Sale Mtn, Chopaka, Princeton, lower Ashnola R, Hedley, Kilpoola Lk, Okanagan Falls, nr Oliver (White Lk, Haynes Lease, Inkaneep, Kennedy Flats, McIntyre Ck, Osoyoos Lk, Vaseux Lk), Osoyoos, Penticton, Summerland, Gilpin Grasslands (E of Grand Forks), Trail, Cranbrook area (Rampart grassland, Eager Hills, lower Bull R valley, Sunken Ck Tr), Bummers Flats WA (nr Ft Steele), Marion Ck benchlands (nr Canal Flats), Findlay Ck (W of Canal Flats), Lk Kooacanusa, Grasmere-Dorr FSR (nr Lk Kooacanusa), Flathead-Sage FSR, Sale Mtn

***Pholcus opilionoides* (Schrank, 1781)**

Global Distribution: Palaearctic; introduced in Nearctic - BC & ON

BC Records: Kelowna

***Pholcus phalangioides* (Fuesslin, 1775)**

Global Distribution: Cosmopolitan

BC Records: Tlell, Courtenay, Nanaimo, Yellow Point, Victoria area, Galiano Is, Gibson's Landing, Vancouver area, Summerland, Grand Forks

***Psilochorus hesperus* Gertsch & Ivie, 1936**

Global Distribution: Southern interior BC to northern CA

BC Records: E of Princeton (For Rec sites @ e end of Old Hedley Rd, Bromley Rock, W of Bromley Rock, E of Hayes Ck), Hedley, lower Ashnola R valley, Osoyoos, E side Osoyoos Lk, Kilpoola Lk, E Chopaka Protected Area (2 km S of Kilpoola Lk), Haynes Lease (nr Oliver), Vaseux Lk area (McIntyre Rd bluff, Vaseux Ck, Kennedy Flats), East Side Rd (Skaha Lk), Summerland

PHRUROLITHIDAE

Phrurotimpus borealis (Emerton, 1911)

Global Distribution: BC to NS south to northern Mexico & NC

BC Records: Hudsons Hope, Hwy 29 NE of Hudsons Hope, Hwy 29 @ Lynx Ck, Hwy 29 @ Halfway R, Teapot Mtn, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (nr Bush Arm causeway), Farwell Canyon, Nanaimo, Mesachie Lk, Cowichan R, Sansum Narrows Reg Pk, Kludahk Trail (~13km NW Jordan R), Victoria area (Sooke, Mt Manuel Quimper, Rocky Point, Mary Hill, Camas Hill, Langford, Ft Rodd Hill, Prospect Lk, Beacon Hill, Christmas Hill, Island View Beach), Gulf Islands Nat Pk (Acland Is, Brackman Is, Cabbage Is, Channel Is, Dock Is, Hawkins Is, Portland Is, Tumbo Is), Vancouver area (Burnaby Marshlands, Ft Langley), Roberts Ck, Whistler area (Brandywine Prov Pk), Pemberton, Highline Rd between D'Arcy & Seton Portage), Hope, Fountain Valley, Salmon Arm, Vernon, Summerland, Oliver, Old Hedley Rd, Ashnola R, Mosquito Ck (nr Nakusp), Burton, Beaton, Edgewood, Grohman Narrows (W of Nelson), Pend d'Oreille Valley, Cranbrook area (Eager Hills), Flathead R drainage (Flathead-Sage FSR)

Phrurotimpus certus Gertsch, 1941

Global Distribution: Southeastern BC to NS south to WY and AL

BC Records: Max/Madeline Lk (Penticton), Kilpoola Lk, Rampart grassland (E of Cranbrook)

Phrurotimpus parallelus (Chamberlin, 1921)

Global Distribution: South central BC & WA

BC Records: Osoyoos (West Bench)

Scotinella pugnata (Emerton, 1890)

Global Distribution: BC to NS south to UT & DE

BC Records: Hudsons Hope, Hwy 29 NW of Ft St John, Ft St John, Arras, Hwy 52 SW of Dawson Ck, Williston Lk (~40 km N of Raspberry Harbour), Prince George, nr Valemount (peatland), Parksville, Gulf Islands Nat Pk (D'Arcy Is), Whistler (Brandywine Prov Pk), Manning Prov Pk (Paintbrush Tr), Cathedral Lks Prov Pk (Glacier Lk Tr), Old Hedley Rd, Kilpoola Lk area, Mt Kobau, Vaseux Lk, Idaho Pk (nr New Denver), Pend d'Oreille Valley, Evening Ridge Mtn (nr Nelson), "Darkwoods" NE of Salmo (Swamp Basin Rd.), Kootenay Pass (Cornice Ridge), Gray Ck Pass, Glacier Nat Pk (Beaver Valley), Cranbrook area (Bummers Flats WA, Sunken Ck Tr, Bull R valley), nr Canal Flats (Findlay Ck, Graves Lookout Tr, Marion Ck benchlands, White R), nr Sparwood (Alexander Ck FSR, Deadmans Pass FSR, Phillips Pass), Fernie, Flathead R drainage (Cabin Ck FSR, Flathead-Sage FSR, Flathead R @ border crossing, Mt Hefty)

Scotinella sculleni (Gertsch, 1941)

Global Distribution: Southwestern BC, WA, & OR

BC Records: Cowichan R, Victoria area (Munns Rd, Thetis Lk), Saltspring Is

PIMOIDAE

Pimoa altiocolata (Keyserling, 1886)

Global Distribution: AK south to CA and UT

BC Records: Bonus Lk, Dundas Is, Metlakatla, Port Edward, Hazelton, Terrace, Calvert Is, Tsawitti (head of Knight Inlet), Bute Inlet, Kyuquot, Horne Lk, Carrington Bluff (Cortes Is), Errington, Parksville, Nanoose Bay, Nanaimo, Carmanah Valley, Port Alberni, Duncan, Victoria area (Sooke R valley, E Sooke Pk, Rocky Point, Mary Hill, Langford, Hagars Cove, Ft Rodd Hill, Goldstream Prov Pk, Durrance Lk, Oak Bay, 10 Mile Point, Elk-Beaver Lk Reg Pk), Saturna Is (Lyall Ck), Whistler area (Madeley Lk, Garibaldi Park, Whistler village), Blowdown Pass (nr Duffey Lk), Ft Langley

Pimoa curvata Chamberlin & Ivie, 1943

Global Distribution: South central BC to north central OR

BC Records: Old Hedley Rd

***Pimoides haden* Chamberlin & Ivie, 1943**

Global Distribution: Southern interior BC south to northeastern ID & northwestern MT

BC Records: Merritt, Apex Mtn, Vaseux Lk, Summerland, Vernon, Burton, "Darkwoods" NE of Salmo (railway tunnel S of Tye Camp, nr Porcupine Lk, Wurttemberg Mtn, nr Devil's Hole Lk), Kootenay Pass (Waldie Lk, Cornice Ridge), Kuskanook, Creston, Kimberley, Yoho Nat Pk (Balu Pass)

PISAURIDAE

***Dolomedes triton* (Walckenaer, 1837)**

Global Distribution: Southeastern AK to ME south to Mexico & Cuba

BC Records: Summit Lk (Alaska Hwy), Liard R Hotsprings, Dawson Ck, Kispiox, Tyhee Lk (nr Telkwa), Ft Fraser, McBride, nr Valemount (peatland), Riske Ck, Meldrum Ck, Victoria (Quicks Bottom), Vancouver (Burnaby Marshlands), Nairn Falls Prov Pk, Mara Meadows Eco Res, "Darkwoods" NE of Salmo, Creston

SALTICIDAE

***Attulus ammophilus* (Thorell, 1875)**

Global Distribution: Holarctic; introduced in Nearctic - ON, MB, BC, & UT

BC Records: Kelowna

***Calositticus floricola palustris* (Peckham & Peckham, 1837)**

Global Distribution: BC to New England south to CA

BC Records: Hwy 29 @ Watson Slough, Goldstream Prov Pk, Nicola Lk, Osoyoos, Bonanza Pass, Yoho Nat Pk

***Calositticus striatus* Emerton, 1911**

Global Distribution: Holarctic; in Nearctic - AK to NL south to BC & MA

BC Records: Burnt Cabin Bog Eco Res

***Chalcoscirtus alpicola* (L. Koch, 1876)**

Global Distribution: Holarctic; in Nearctic - AK to NL south to UT & NH

BC Records: Summit Lk (Alaska Hwy)

***Chalcoscirtus carbonarius* Emerton, 1917**

Global Distribution: Holarctic; in Nearctic - AK & YT to MT

BC Records: Mt McCallum, Idaho Peak (Atlin), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), N of Motase Peak, peak 7.5 km SW of Bone Mtn, Taseko Mtn, Lakit Peak (Ft Steele), Yoho Nat Pk (Paget Peak, Odaray-Grandview Tr, Opabin Plateau), Phillips Pass

***Dendryphantès nigromaculatus* (Keyserling, 1885)**

Global Distribution: BC to QC south to UT & KS

BC Records: Atlin, Summit Lk (Alaska Hwy), nr Itcha Lk, Apex Mtn, Mt Kobau, "Darkwoods" NE of Salmo (Wurttemberg Mtn), Kootenay Pass (Bridal Lk), Evening Ridge (Nelson), Thompson Mtn lookout

***Eris militaris* (Hentz, 1845)**

Global Distribution: AK to NS south to CA & FL

BC Records: Pouce Coupe, Hwy 29 @ Halfway R, Ft St John, Taseko Mtn, Bute Inlet, Carmanah Valley, Cowichan, Valdes Is, Sansum Narrows Reg Pk, Mill Bay, Victoria area (Sooke R valley, Langford, Munns Rd, Oak Bay), Galiano Is, Vancouver area (Ft Langley, North Vancouver), Pemberton, Nicola, Kamloops, Salmon Arm, Enderby, Vernon, Lumby, Kinbasket Reservoir (nr Bush Arm causeway), Kelowna, Osoyoos, Creston, Sparwood, Flathead R drainage (Mt Hefty)

***Euophrys monadnock* Emerton, 1891**

Global Distribution: BC to NS south to CA & NH

BC Records: Yalicum R (45 km W of Lillooet), Eager Hills (Cranbrook), Findlay Ck (W of Canal Flats)

****Evarcha hoyi* (Peckham & Peckham, 1883)**

Global Distribution: BC to NL south to Georgia

BC Records: Ft St John, Brooks Peninsula, Ashnola R, Mosquito Ck (nr Nakusp), Edgewood, Fernie, Crowsnest Pass

***Evarcha proszynskii* Marusik & Logunov, 1998**

Global Distribution: Holarctic; in Nearctic - AK to NT south to CA & TX.

BC Records: Pouce Coupe, Sudeten Prov Pk, Hudson's Hope, Tlell, Metlakatla, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (nr Bush Arm Causeway), Kyuquot, Brooks Peninsula, Carmanah Valley, Walbran Valley, Kludahk Trail (~12km NW Jordan R), Qualicum Falls, Nanoose Bay, Cobble Hill, Victoria area (Rocky Point, Camas Hill, Langford, Government House, Elk/Beaver Lk Reg Pk, Island View Beach), Galiano Is, Saturna Is (Warburton Pike), Vancouver area (Surrey Bend), Roberts Ck, Whistler area (Brandywine Prov Pk), Manning Prov Pk, Ashnola R, Mt Kobau, Anarchist Mtn, Vernon, Summerland, "Darkwoods" NE of Salmo, Creston, Sparwood area

***Habronattus americanus* (Keyserling, 1884)**

Global Distribution: Southwestern BC to northern ON south to CA & MN

BC Records: Hwy 29 NE of Halfway R, Parksville, Savary Is, Thormanby Is, Victoria (Island View Beach), Gulf Islands Nat Pk (Portland Is), Vancouver area (Iona Beach, Colony Farm), Clinton, Apex Mtn, Vernon, Bummers Flats WA (nr Ft Steele), Lk Koochanusa

***Habronattus captiosus* (Gertsch, 1934)**

Global Distribution: YT to MN south to southern AB

BC Records: Peace R @ Bear Flat, Trout R (Alaska Hwy)

***Habronattus decorus* (Blackwall, 1846)**

Global Distribution: Central BC to NS south to OR & FL

BC Records: Prince George, Kinbasket Reservoir (nr Bush Arm causeway), Richmond, Hope, Mission, Creston, south Okanagan Valley, Kamloops

***Habronattus festus* (Peckham & Peckham, 1901)**

Global Distribution: South central BC; southern ID to northeastern CA and AZ

BC Records: Hayne's Lease

***Habronattus hirsutus* (Peckham & Peckham, 1888)**

Global Distribution: Southern BC to western MT south to northwestern Mexico & western TX

BC Records: Savary Is, Heriot Bay, Wellington, Carmanah Valley, Gordon R nr Port Renfrew, nr Shirley, Nanoose Bay, Mt Benson, Victoria, Valdes Is, Pemberton, Ashcroft, Lillooet, Vernon, Summerland, Green Mtn, Mt Kobau, Oliver, Osoyoos, Chopaka, Edgewood

***Habronattus jucundus* (Peckham & Peckham, 1909)**

Global Distribution: Southeastern BC south to northern CA & western WY

BC Records: Coquihalla Lks, Clearwater, Edgewood, Lakit Peak (Ft Steele), Glacier Nat Pk

***Habronattus ophrys* Griswold, 1987**

Global Distribution: West coastal NA from southwestern BC to northern CA

BC Records: Port Alberni, nr Shirley, Victoria area (Victoria, Rocky Point, Island View Beach, Sallas Is), Vancouver area (Iona Beach, UBC campus, Haney Research Forest, Surrey)

***Habronattus oregonensis* (Peckham & Peckham, 1888)**

Global Distribution: Southwestern BC to western MT south to CA & AZ

BC Records: Kyuquot, Wellington, Carmanah Valley, Kludahk Trail (~12km NW Jordan R), Brandywine Falls Prov Pk, Pemberton (Miller Ck)

***Habronattus sansoni* (Emerton, 1915)**

Global Distribution: Southern BC south to central CA & CO

BC Records: Lillooet, Merrit, Kelowna, Vernon, White Lk, Vaseux Lk, Skaha Bluffs, Mt Kobau, Kilpoola Lk, Osoyoos, Anarchist Mtn, Mt Baldy

***Metacyrba taeniola similis* Banks, 1904**

Global Distribution: Southern BC to northwestern Mexico east to western OK & TX

BC Records: Haynes Lease Eco Res (Osoyoos)

***Metaphidippus manni* (Peckham & Peckham, 1901)**

Global Distribution: Southwestern BC to ID south to northwestern Mexico & AZ

BC Records: Mt Benson, Wellington, Savary Is, nr Shirley, Mitlenatch Is, Saltspring Is, Vancouver, Surrey, Haynes Lease (Osoyoos)

***Neon nelli* Peckham & Peckham, 1888**

Global Distribution: BC to NF south to TX & GA

BC Records: Hwy 29 @ Bear Flat, Hwy 29 @ Watson Slough, nr Hudson's Hope, Ft St John, Valemount (peatland, Packsaddle Ck, Yellowjacket Ck), N of Williams Lk, Nanaimo, Victoria area (Goldstream Prov Pk, Durrance Lk), Edgewood, Burton, Marion Ck Benchlands (nr Canal Flats), Sunken Ck Tr (nr Cranbrook)

***Neon pixii* Gertsch & Ivie, 1955**

Global Distribution: Southern BC south to CA & UT

BC Records: Mt Maxwell (Saltspring Is), Highline Rd (nr D'Arcy), Hedley, Oliver, "The Throne" @ Haynes Lease Eco Res (Osoyoos)

***Neon reticulatus* (Blackwall, 1853)**

Global Distribution: Holarctic; in Nearctic - AK south to OR & AZ

BC Records: Terrace, 35 km E of Prince George, Bute Inlet, Carrington Lagoon (Cortes Is), Wellington, Lk Cowichan, Tree Is (nr Chemainus), Jordan R, Sansum Narrows Reg Pk, Mill Bay, Victoria area (Mary Hill, Mystic Vale, Matheson Lk, Pearson College, Mary Hill, Witty's Lagoon, Veitch Ck, Barrow Rd, Impala Rd, Sugarloaf Mtn, Mt Wells, Devonian Reg Pk, Albert Head, Goldstream Prov Pk, Ft Rodd Hill, Prospect Lk, Jocelyn Hill, Gowland Tod Prov Pk, Elk/Beaver Lk Reg Pk), Long Hbr, Galiano Is, Saturna Is (Narvaez Bay), Gulf Islands Nat Pk (Acland Is, Bright Is, Cabbage Is, Hawkins Is, Sallas Is), Nanaimo (Yellow Point), Whistler (Brandywine Prov Pk), Echo Lk (Harrison Mills), Vernon, Flathead R drainage (Mt Hefty)

***Pelegrina aeneola* (Curtis, 1892)**

Global Distribution: Northwestern BC to southern AB south to northwestern Mexico & NM

BC Records: Masset, Alice Lk Prov Pk, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Wellington, Qualicum, Carmanah Valley, Jordan R, Victoria area (Mt Braden), Furry Ck, Whistler area (Brandywine Prov Pk, Whistler, Cheakamus Lk Rd), Spences Bridge, Summerland, Osoyoos, Edgewood, Beaton, Kootenay Pass (Waldie Lk), Creston

***Pelegrina balia* Maddison, 1996**

Global Distribution: South central BC south to CA & AZ

BC Records: Field's Lease (Osoyoos), Ross Lk (Okanagan Falls)

***Pelegrina clemata* (Levi & Levi, 1951)**

Global Distribution: Southeastern BC to SK south to CA & NM

BC Records: Carmanah Valley, Mill Bay, Brandywine Prov Pk, Osoyoos (Haynes Lease, Field's Lease), Cranbrook, Bull R valley (nr Cranbrook)

***Pelegrina flaviceps* (Kaston, 1973)**

Global Distribution: BC to NB south to MI & WV

BC Records: Boya Lk

***Pelegrina flavipes* (Peckham & Peckham, 1888)**

Global Distribution: NU to NF south to NM & NC

BC Records: Boya Lk, Pink Mtn, Wells Gray Prov Pk, Taseko Mtn, nr Valemount (peatland, Yellowjacket Ck), Salmon Arm, Kettle R, Arrow Lks, Christina Lk, Columbia Lk, Yoho Nat Pk (Boulder Ck, Field)

***Pelegrina helenae* (Banks, 1921)**

Global Distribution: Southern interior BC to WY south to southern CA & UT

BC Records: Monte Ck, Osoyoos (West Bench)

***Pelegrina montana* (Emerton, 1891)**

Global Distribution: AK to NF south to NM & VA

BC Records: along Alaska Hwy (Tetsa R, Prophet R, Pink Mtn), Little Prairie, Hwy 29 @ Watson Slough, Babine Lk (Johnson Bay), nr Itcha Lk, Summerland, Osoyoos, Kootenay Nat Pk (Daer-Pitts)

***Pelegrina proterva* (Walckenaer, 1837)**

Global Distribution: Southern BC to NS south to eastern TX & FL

BC Records: Salmon Arm, Mara Meadows Eco Res, Vernon, Summerland, Haynes Lease (Osoyoos), Creston, Yoho Nat Pk (Emerald Lk)

***Pellenes canadensis* Maddison, 2017**

Global Distribution: BC to northwestern MT

BC Records: Puntzi Lk, Mt Baldy, nr West Midway

***Pellenes ignifrons* (Grube, 1861)**

Global Distribution: Holarctic; in Nearctic - YT & BC to ON south to MT

BC Records: Copper R valley (nr Terrace), Victoria area (Veitch Ck, Sugarloaf Mtn, Victoria), Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo (nr Porcupine Lk), Kootenay Pass (Waldie Lk), Glacier Nat Pk, Yoho Nat Pk (Paget Peak)

***Pellenes lapponicus* (Sundevall, 1833)**

Global Distribution: Holarctic; in Nearctic - BC to NS south to CO & ME

BC Records: Pink Mtn, 35 km E of Prince George, Taseko Mtn, Apex Mtn, Burton

***Pellenes shoshonensis* Gertsch, 1934**

Global Distribution: Southern BC to ID & WY

BC Records: Osoyoos

***Phanias "1mw"* F. O. P.-Cambridge, 1901**

Global Distribution: BC to CA?

BC Records: Gold Bay (Lk Koocanusa)

***Phanias albeolus* (Chamberlin & Ivie, 1941)**

Global Distribution: Southwestern BC to west central CA

BC Records: Gosling Is (Goose Is group), Comox, Carmanah Valley, Victoria area (East Sooke, Rocky Point, Witty's Lagoon, Barrow Rd, Impala Rd, Albert Head, Beaver Lk, Oak Bay, Sidney, Sidney Is), Saturna Is (Narvaez Bay, Warburton Pike)

***Phanias concoloratus* (Chamberlin & Gertsch, 1930)**

Global Distribution: Southern BC to CA; primarily coastal

BC Records: Summerland, Haynes Lease (Osoyoos)

***Phidippus borealis* Banks, 1895**

Global Distribution: AK to QC south to CO & MA

BC Records: along Alaska Hwy (Tetsa R, Ft Nelson), Hwy 29 @ Watson Slough, Hwy 52 SW of Dawson Ck, Arras, Terrace, NE of Williams Lk, Cathedral Lks Prov Pk (Rim Tr), Mt Kobau, nr Donald, Creston

***Phidippus clarus* Keyserling, 1885**

Global Distribution: BC, SK, ON & QC south to Mexico & FL

BC Records: Edgewood

****Phidippus cryptus* Edwards, 2004**

Global Distribution: BC to ON south to MT & MI

BC Records: New Afton Mine wetland (nr Kamloops)

***Phidippus johnsoni* (Peckham & Peckham, 1883)**

Global Distribution: NU to SK south to northwestern Mexico & CO

BC Records: Tumbler Ridge, Haida Gwaii, Stoner, Mt Cain, Carmanah Valley, Nanaimo, Duncan, Victoria area (William Head, Langford, Mt Work, Mt Douglas, Fairfield, 10 Mile Point, Island View Beach), Galiano Is, Gulf Islands Nat Pk (Tumbo Is), Vancouver, Brandywine Prov Pk, Highline Rd (nr D'Arcy), Clinton, Vernon, Summerland, Mt Kobau, Osoyoos, Grand Forks, Creston, Invermere, Elko, Phillips Pass, Flathead R drainage (Flathead townsite nr Mt Corrigan, Flathead-Sage FSR, Mt Hefty)

***Phidippus octopunctatus* (Peckham & Peckham, 1883)**

Global Distribution: Southern BC south to east TX and central Mexico

BC Records: Osoyoos (West Bench)

****Phidippus princeps* (Peckham & Peckham, 1883)**

Global Distribution: BC, SK to NH south to TX & GA

BC Records: Taseko Mtn

***Phidippus purpuratus* Keyserling, 1885**

Global Distribution: BC to NS south to WY & FL

BC Records: Nation Mtns, Victoria, Vernon, Blue Grouse Mtn (N of West Kelowna), Vaseux Lk, Oliver, Osoyoos, Creston, Cranbrook area (Rampart grassland, Bummers Flats WA), nr Canal Flats (Findlay Ck, Marion Ck benchlands), Grasmere-Dorr FSR (nr Lk Koocanusa)

***Phidippus tyrrelli* (Peckham & Peckham, 1901)**

Global Distribution: High elevation from eastern BC to northern Mexico

BC Records: "Canadian Rocky Mountains"

***Platycryptus californicus* (Peckham & Peckham, 1888)**

Global Distribution: Southern BC & western MT south to Costa Rica & Galapagos

BC Records: Errington, Mitlenatch Is, Mesachie Lk, Victoria area (Wilkinson Rd, 10 Mile Point), Saltspring Is, Saturna Is (Winter Cove), S of Ashcroft, Vernon, Osoyoos, Creston

****Pseudeuophrys lanigera* (Simon, 1871)**

Global Distribution: Holarctic; in Nearctic - southwestern BC and northwestern WA

BC Records: Vancouver airport, Burnaby (Simon Fraser Univ)

***Salticus scenicus* (Clerck, 1757)**

Global Distribution: Holarctic; introduced in Nearctic - widespread

BC Records: Sooke, Victoria area (Camas Hill, William Head, Witty's Lagoon, Albert Head, Langford, Munns Rd, Beacon Hill, Oak Bay, 10 Mile Point, Island View Beach), Vancouver area (New Westminster), Lytton, Kamloops, Vernon, Summerland, Penticton, Kootenay Lk, Creston

***Sassacus papenhoei* Peckham & Peckham, 1895**

Global Distribution: Southern BC south to CA & TN

BC Records: Ashcroft, Spences Bridge, Walhachin, Summerland, Mt Kobau, Osoyoos (Haynes Lease, West Bench)

***Sassacus vitis* (Cockerell, 1894)**

Global Distribution: Southern BC to AB south to Mexico

BC Records: Carmanah Valley, Summerland, Osoyoos, Haynes Lease (Osoyoos)

***Sitticus dorsatus* (Banks, 1895)**

Global Distribution: Southern BC to CA & TX

BC Records: Summerland, Vaseux Lk, Osoyoos

***Sitticus fasciger* (Simon, 1880)**

Global Distribution: Holarctic; introduced in Nearctic - BC to QC south to WI & NJ

BC Records: Babine Lk (Johnson Bay)

***Sitticus finschi* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to WY & MN

BC Records: Babine Lk (Johnson Bay), Terrace, Cathedral Lks Prov Pk (Rim Tr), Salmon Arm, Kootenay Pass (Ripple Ridge, Bridal Lk), Yoho Nat Pk (Boulder Ck Ranger Sta)

****Sittipub pubescens* (Fabricius, 1775)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC, ON, & MA

BC Records: Iona Beach, Vancouver airport

***Sittisax ranieri* (Peckham & Peckham, 1909)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to OR & CO

BC Records: White Pass, Mt McCallum, Idaho Peak (Atlin), Summit Lk (Alaska Hwy), Eagle Peak (SW of Telkwa), alpine north of Limestone Lakes, Secret Peak (~10 km W Perkins Peak), Mt Cain, Strathcona Prov Pk (Crown Mtn, Greig Ridge, Marble Meadows), Mt Whieldon, Whistler area (Whistler Peak, Blackcomb, Beverley Lk), Mission Ridge (nr Seton Portage), Kootenay Pass (Cornice Ridge, Ripple Ridge, Bridal Lk), "Darkwoods" NE of Salmo (Swamp Basin Rd), Evening Ridge Mtn (Nelson), Glacier Nat Pk, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Yoho Valley Rd, McArthur Lk Tr, Odaray-Grandview Tr), Kootenay Nat Pk (Stanley Glacier Tr), Elk Lks Prov Pk (Mt Fox)

***Synageles canadensis* Cutler, 1988**

Global Distribution: BC to NS south to MI

BC Records: Prince George, Williams Lk

***Synageles leechi* Cutler, 1988**

Global Distribution: BC

BC Records: Oliver

***Synageles occidentalis* Cutler, 1988**

Global Distribution: Southern interior BC to MB south to CA & MI

BC Records: Mt Kobau, Christina Lk

****Synageles venator* (Lucas, 1836)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC and southeastern QC

BC Records: Surrey, Tsawwassen, Ladner

***Talavera minuta* (Banks, 1895)**

Global Distribution: Holarctic; in Nearctic - YT to NS south to CA & NY

BC Records: 35 km E of Prince George, Gulf Islands Nat Pk (Cabbage Is, Sallas Is), Vancouver area (Boundary Bay, Iona Beach, Langley), Apex Mtn, Oliver, Osoyoos, Flathead R drainage (Mt Hefty)

***Terralonus californicus* (Peckham & Peckham, 1888)**

Global Distribution: Southwestern BC to southern CA

BC Records: Calvert Is, Kyuquot, Victoria

***Tutelina similis* (Banks, 1895)**

Global Distribution: BC to QC south to CA & FL(?)

BC Records: Hwy 29 @ Bear Flat, Hwy 29 NW of Ft St John, Victoria, Vernon, Mt Kobau, Creston

SEGESTRIIDAE

***Segestria pacifica* Banks, 1891**

Global Distribution: West coastal NA from southwestern BC south at least to southern CA

BC Records: Kyuquot, Nanaimo, Kendrick Is, Victoria area (Munns Rd, Beacon Hill, Harling Point, 10 Mile Point, Martindale Flats, Spences Bridge)

TELEMIDAE

***Usofila pacifica* (Banks, 1894)**

Global Distribution: Southern AK to OR(?)

BC Records: Haida Gwaii (Kiusta, Tow Hill, Sleeping Beauty, Bonanza Ck, Deanna/Nina Cks karst), Prince George, 35 km E of Prince George, Cinema (S of Hixon), Kinbasket Reservoir (nr Bush Arm causeway), Bramham Is, Calvert Is area, Davis Bay (Drury Inlet), Thompson Inlet, Hoeya Sound (Knight Inlet), Bute Inlet, Tsitika R, Mt Cain, Kyuquot, Brooks Peninsula, Maquinna Prov Pk, Strathcona Prov Pk (Crown Mtn, Greig Ridge), Carmanah Valley, Walbran Valley, nr Port Renfrew (Avatar Grove, Harris Ck), Jordan R, Carrington Lagoon (Cortes Is), Tree Is (nr Chemainus), Mt Arrowsmith, Koksilah, Yellow Point, Sansum Narrow Reg Pk, Victoria area (Mt Manuel Quimper, Ayum Ck, Monument Ridge, Veitch Ck, Barrow Rd, Impala Rd, Mt Braden, Mt Wells, Matheson Lk, Pearson College, Devonian Reg Pk, Witty's Lagoon, Albert Head, Ft Rodd Hill, Goldstream Prov Pk, nr Prospect Lk, Observatory Hill, Beaver Lk Reg Pk, Victoria), Long Hbr, Saturna Is (nr Money Lk), Denman Is, Galiano Is, Gulf Islands Nat Pk (D'Arcy Is, Hawkins Is, Tumbo Is), Vancouver (Burnaby, Stanley Pk, Ft Langley), Roberts Ck, Whistler area (Brandywine Prov Pk, Black Tusk microwave), Blowdown Pass (nr Duffey Lk), Echo Lk (Harrison Mills), Manning Prov Pk (~8 km SW Eastgate), Anarchist Mtn, Cathedral Lks Prov Pk (Rim Tr), Summerland, Deadman Valley FSR (nr Cache Ck), Kamloops, Edgewood, Mosquito Ck (nr Nakusp), Idaho Pk (nr New Denver), Evening Ridge Mtn (nr Nelson), Gray Ck Pass (Crawford Bay), "Darkwoods" NE of Salmo (lower Laib Rd, nr Porcupine Lk, Wurttemberg Mtn, nr Devil's Hole Lk, Swamp Basin Rd), Kootenay Pass (W Cornice Ridge), Glacier Nat Pk (Mt Fidelity), Yoho Nat Pk (Yoho Valley Rd, Lk McArthur Tr, Opabin Plateau), Whitetooth Ridge (nr Golden), Graves Lookout Tr (E of Whiteswan Lk), Lakit Peak (Ft Steele), nr Sparwood (Alexander Ck FSR, Deadmans Pass FSR, Graves FSR pass S of Sheep Mtn), White R (nr junct of N & E White R FSRs), Flathead R drainage (Cabin Ck FSR, Mt Hefty)

TETRAGNATHIDAE

Metellina curtisi (McCook, 1894)

Global Distribution: Southeastern AK to CA; isolated records from Great Lks area

BC Records: Haida Gwaii (Alliford Bay), Gosling Is (Goose Is group), Tsitika R, Kyuquot, Brooks Peninsula, Maquinna Prov Pk, Walbran Valley, Carmanah Valley, Nanaimo, Ladysmith, Cowichan R, Mt Tzuhalem, Sansum Narrows Reg Pk, Sooke, Victoria area (Roche Cove, Rocky Point, Mary Hill, Pearson College, Camas Hill, Barrow Rd. Devonian Reg Pk, Witty's Lagoon, Albert Head, Goldstream Prov Pk, Mt Finlayson, Thetis Lk, McKenzie Bight, Brentwood Bay, Island View Beach), Carrington Lagoon (Cortes Is), Galiano Is (Galiano Bluffs), Saturna Is (Lyall Ck), Vancouver area (Ft Langley), Brandywine Falls Prov Pk, Echo Lk (nr Harrison Mills), Squamish, Hope

Metellina mimetoides Chamberlin & Ivie, 1941

Global Distribution: Southeastern AK to MT south to CA & TX

BC Records: Victoria area (Mt Braden, Victoria), Cougar Canyon Eco Res

Metellina segmentata (Clerck, 1757)

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC

BC Records: Victoria area (Sooke R valley, Beacon Hill, Saanich, Island View Beach, Sidney), Port Washington, Vancouver area (Stanley Pk, Ft Langley)

Pachygnatha clercki Sundevall, 1823

Global Distribution: Holarctic; in Nearctic - AK to northern ON south to BC & VA

BC Records: Springhouse, nr Valemount (peatland, Yellowjacket Ck)

Pachygnatha dorothea McCook, 1894

Global Distribution: Southwestern BC to MA south to NM & NY

BC Records: Victoria

Tetragnatha caudata Emerton, 1884

Global Distribution: Southern BC to PE south to Central America & Cuba

BC Records: Port Alberni, Victoria, Vancouver (Iona Beach), Merritt, Chilcotin, Creston, Windermere

Tetragnatha dearmata Thorell, 1873

Global Distribution: NT to PE south to ID & OK

BC Records: Summit Lk (Alaska Hwy), S bank Peace R @ Halfway Ck, Evening Ridge Mtn (nr Nelson)

Tetragnatha elongata Walckenaer, 1842

Global Distribution: Southwestern BC to NF south to Mexico & West Indies

BC Records: Wellington, Salmon Arm, Creston

Tetragnatha extensa (Linnaeus, 1758)

Global Distribution: Holarctic; in Nearctic - AK to Greenland south to CO & PA

BC Records: mi 77 Haines Hwy, King Salmon Lk, along Alaska Hwy (Jackfish Ck, Ft Nelson, Summit Lk), Hudsons Hope, Ft St John, Dundas Is, Babine Lk (Donald Landing, Johnson Bay), Dunster, Hixon, Chilcotin, Tweedsmuir Prov Pk (Atnarko), Brooks Peninsula, Strathcona Prov Pk (Greig Ridge), Merritt, Creston

Tetragnatha laboriosa Hentz, 1850

Global Distribution: AK to NF south to Panama & FL

BC Records: Cottonwood R @ old Hwy 37, Ospika Cones Eco Res, Mt Crysdale, Hudsons Hope, Hwy 29 @ Halfway R, Hwy 29 @ Bear Flat, Lemoray, N of Motase Peak, Babine Lk (Donald Landing, Johnson Bay), Prince George, Salmon Valley, alpine north of Limestone Lakes, nr Valemount (Yellowjacket Ck), Gosling Is (Goose Is group), Calvert Is area, Triangle Is, Brooks Peninsula, Kyuquot, Strathcona Prov Pk (Crown Mtn), Carmanah Valley, Walbran Valley, Sansum Narrows Reg Pk, Victoria area (William Head, Albert Head, Munn's Rd), Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Cabbage Is),

Vancouver Convention Centre, Whistler area (Beverly Lk, Blackcomb, Whistler Peak, Madeley Lk), Pemberton, Manning Prov Pk, Spuzzum, Finney Lk, Nicola Lk, Kamloops, Vernon, Mosquito Ck (nr Nakusp), Edgewood, Creston, Glacier Nat Pk (Balu Pass), Yoho Nat Pk (Emerald Lk, Takakkaw falls, nr Canal Flats (Whitetail Lk), Windermere, Cranbrook, Bull R valley, Lk Kooocanusa, Jaffray, Corbin, Flathead R drainage (Flathead townsite nr Mt Corrigan, Ram CkFSR)

***Tetragnatha montana* Simon, 1874**

Global Distribution: Palearctic; introduced in Nearctic - southwestern BC

BC Records: Langley

***Tetragnatha shoshone* Levi, 1981**

Global Distribution: Holarctic; in Nearctic - NT to ON south to northern CA & IL

BC Records: Victoria

***Tetragnatha versicolor* Walckenaer, 1842**

Global Distribution: AK to NF south to Nicaragua & Cuba

BC Records: along Alaska Hwy (Summit Lk, Lower Post, Liard R Hotsprings, Ft Nelson), Pink Mtn, Hudsons Hope, Hwy 29 @ Bear Flat, Chetwynd, Metlakatla, Lakelse Lk, Terrace, Babine Lk (Donald Landing, Johnson Bay), Itcha Lk, Canim Lk, Puntzi Lk, nr Valemount (peatland, Yellowjacket Ck), Kyuquot, Tsusiat Falls, Comox, Errington, Carmanah Valley, Walbran Valley, Cowichan Lk, Victoria area (Munn's Rd, Parklands Pond, Ft Rodd Hill, Island View Beach), Whistler area (Alpha Lk Reg Pk, Cheakamus Lk Rd, Madeley Lk, Rainbow Lk Tr), Manning Prov Pk, Spuzzum, Pritchard, Salmon Arm, Cougar Canyon Eco Res, Hwy 6 @ McIntyre Lk, Kelowna, Summerland, Penticton, Osoyoos, Anarchist Mtn, Revelstoke Nat Pk, Glacier Nat Pk (Balu Pass), Nakusp, Nelson, Creston, Cranbrook

THERIDIIDAE

***Asagena americana* Emerton, 1882**

Global Distribution: Southern BC to ME south to Panama & West Indies; China

BC Records: Riske Ck, Victoria, Gulf Islands Nat Pk (Acland Is), Pemberton, Vernon, Skaha Lk

***Canalidion montanum* (Emerton, 1882)**

Global Distribution: Southeastern AK to NF south to NM & VA

BC Records: Atlin, Cottonwood R @ old Hwy 37, Kinaskan Lk, Tanglechain Lk, Copper R valley (nr Terrace), Terrace, Nitinat, Goldstream Prov Pk, Whistler area (Madeley Lk), Manning Prov Pk, Cathedral Lks Prov Pk (talus along Scout Lk Tr), Lily Pad Lk Eco Res, Kettle R, Monashee Mtns, Yoho Nat Pk (Paget Peak)

***Chryso nordica* (Chamberlin & Ivie, 1947)**

Global Distribution: Holarctic; in Nearctic - AK to NT & SK south to CA & CO

BC Records: Hwy 29 NW of Ft St John

***Crustulina sticta* (O. P.-Cambridge, 1861)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to CA & south TX (probably introduced in Palearctic)

BC Records: Pink Mtn, Hwy 29 @ Halfway R, Babine Lk (Johnson Bay), Vanderhoof, 35 km E of Prince George, Wilson Lk (~7 km W Tsitsutl Peak), Wellington, Strathcona Prov Pk (Crown Mtn), Nanaimo, Gordon R nr Port Renfrew, Koksilah, Hornby Is, Tent Is (nr Chemainus), Victoria area (Mary Hill, William Head, Goldstream Prov Pk, Munns Rd, Millstream Lk Rd), Gulf Islands Nat Pk (Brackman Is, D'Arcy Is, Hawkins Is, Sallas Is), Vancouver area (Burnaby), Whistler area (Brandywine Prov Pk), Highline Rd (nr D'Arcy), Ashcroft, S of Spence's Bridge, Pend d'Oreille Rd, Idaho Pk (nr New Denver), Grohmann Narrows (nr Nelson), "Darkwoods" NE of Salmo (Tye Camp), Kootenay Pass (W slope Cornice Ridge, Stagleap Prov Pk), Mt Thompson lookout, nr Canal Flats (Graves Lookout Tr), St Mary Lk (W of Kimberley), Cranbrook area (Eager Hills, Lakit Peak), Grasmere-Dorr FSR (Kooocanusa Lk), Flathead R drainage (Flathead-Sage FSR)

***Cryptachaea blattea* (Urquhart, 1886)**

Global Distribution: Cosmopolitan

BC Records: Victoria area (Albert Head, Saxe Point, 10 Mile Point, Glanford Ave)

***Cryptachaea canionis* (Chamberlin & Gertsch, 1929)**

Global Distribution: Southeastern BC south to CA & UT

BC Records: Highline Rd (nr D'Arcy), Bridge R below Trehorne Dam, Max/Madeline Lk (Penticton), Kilpoola Lk, Grohman Narrows (nr Nelson)

***Dipoena malkini* Levi, 1953**

Global Distribution: Southwestern BC south to CA & NM

BC Records: Mt Cain (N Vancouver Is), Sansum Narrows Reg Pk (nr Genoa Bay), Hope, Beaton

***Dipoena nigra* (Emerton, 1882)**

Global Distribution: BC to QC south to CA & FL

BC Records: Mt Whitford, Victoria, Vancouver, Pemberton, Manning Prov Pk, Lillooet, Summerland, Mount Kobau, Osoyoos (West Bench), Rock Ck, nr Valemount (peatland), Revelstoke, Kaslo

***Dipoena provalis* Levi, 1953**

Global Distribution: Southeastern BC to northeastern OR and northern UT

BC Records: Hwy 29 NE of Hudson's Hope, Marion Ck benchlands (W of Canal Flats), Sunken Ck Tr (nr Cranbrook), Alexander Ck FSR (nr Sparwood)

***Dipoena washougalia* Levi, 1953**

Global Distribution: Southwestern BC & adjacent WA

BC Records: Yellow Point, Tree Is (nr Chemainus), Sansum Narrows Reg Pk, Victoria area (Pearson College, Mary Hill, Albert Head, Munn's Rd, Francis King Reg Pk, Beaver Lk Reg Pk, Goldstream Prov Pk), Gulf Islands Nat Pk (Acland Is, Channel Is, Red Is, Brackman Is, Bright Is, Cabbage Is, Glenthorne Is, Hawkins Is, Sidney Is, Tumbo Is), Burns Bog (Ladner/Delta)

***Enoplognatha intrepida* (Soerensen, 1898)**

Global Distribution: Southern AK to Greenland south to AZ & CT

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9 km E of Simpson Peak, Mt Irish (nr Ft Ware), Gataga Range (~75 km N of Ft Ware), Gathto Ck drainage (~11.5 km SW of Mt Gary Powell), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Sikanni Chief R Eco Res, alpine pass 4.5 km NW of Mt Laurier, Pink Mtn, N of Motase Peak, The Thumb (Sustut Prov Pk), peak 7.5 km SW of Bone Mtn, W Hudson Bay Mtn, Eagle Peak (SW of Telkwa), nr Vanderhoof, Valemount (Yellowjacket Ck), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, Mt Cain, Mt Arrowsmith, Greig Ridge (Strathcona Prov Pk), Whistler area (Whistler Peak, Black Tusk microwave), Blowdown Pass (nr Duffey Lk), km 15 Highline Rd (N of D'Arcy), Mission Ridge (nr Seton Portage), Cathedral Lks Prov Pk (talus Ladyslipper Lk to Stone City, Apex Mtn, Beaconsfield Mtn, Mt Kobau, Whitetooth Ridge (nr Golden), Yoho Nat Pk (Odaray/Grandview Tr, Lk McArthur Tr), Kootenay Nat Pk (Stanley Glacier Tr), Cranbrook area (Bummers Flats WA, Ramparts grassland, Sunken Ck Tr), Marion Ck benchlands (W of Canal Flats), Phillips Pass, Mt Hefty

***Enoplognatha joshua* Chamberlin & Ivie, 1942**

Global Distribution: Southern BC and SK south to CA & AZ; also VA & GA

BC Records: Savary Is, old Pokhaist Village dump (S of Ashcroft), nr Chopaka border crossing

***Enoplognatha latimana* Hippa & Oksala, 1982**

Global Distribution: Holarctic; introduced in Nearctic - southern BC to QC south to LA & FL

BC Records: Terrace, Victoria area (Rocky Point, Glanford Ave, Island View Beach), Peachland, 10 km S of Donald, "Darkwoods" NE of Salmo

***Enoplognatha marmorata* (Hentz, 1850)**

Global Distribution: Southern BC to NS south to CA & FL

BC Records: Canim Lk, nr Valemount (peatland), Kinbasket Reservoir (nr Bush Arm causeway), Burton, Nanaimo, Salmon Arm, Summerland, Apex Mtn, White Lk, Mt Kobau, Osoyoos

***Enoplognatha ovata* (Clerck, 1757)**

Global Distribution: Holarctic; introduced in Nearctic - southern BC to northern CA, QC to ME south to NY

BC Records: Kyuquot, Carmanah Valley, Wellington, Parksville, Victoria area (Camas Hill, Goldstream Prov Pk, Langford, Munn's Rd, Elk & Beaver Lks Reg Pk, 10 Mile Point, Saanich, Island View Beach), South Pender Is, Vancouver, Salmon Arm, Vernon, Mt Kobau, Creston

***Enoplognatha thoracica* (Hahn, 1833)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC to OR, also QC

BC Records: Victoria area (Mary Hill, William Head, Albert Head, Langford, Munn's Rd, Beacon Hill, Ft Rodd Hill, Saxe Pt, Napier Lane, Christmas Hill, Goward Rd, Haliburton Farm, Island View Beach), Saturna Is (Lyll Ck), Gulf Islands Nat Pk (D'Arcy Is, Bright Is, Cabbage Is, Sallas Is, Tumbo Is), Richmond (Iona Beach), Roberts Ck

***Enoplognatha wyuta* Chamberlin & Ivie, 1942**

Global Distribution: Southern interior BC to SD south to UT

BC Records: Highline Rd (nr D'Arcy), Princeton, Old Hedley Rd, Kilpoola Lk, Peachland, Lk Kooconusa, Cranbrook area (Eager Hills, Sunken Ck Tr), Findlay Ck (W of Canal Flats), Columbia Lk Prov Pk

***Euryopsis argentea* Emerton, 1882**

Global Distribution: Holarctic (Kamchatka); in Nearctic - southern BC, ON, & QC south to OR & VA

BC Records: Edgewood, Mosquito Ck (nr Nakusp), Burton, nr Valemount (peatland, Packsaddle Ck, Dave Henry Ck, Yellowjacket Ck), Kinbasket Reservoir (Goodfellow Ck, Hope Ck, nr Bush Arm Causeway)

***Euryopsis formosa* Banks, 1908**

Global Distribution: Southern BC to western WY south to CA

BC Records: Langford, Whistler area (Brandywine Prov Pk, Whistler), Bridge/Yalakom R area, Lillooet, Hat Ck, Vernon, Penticton (West Bench), Mt Kobau, Apex Mtn (nr Keremeos), Old Hedley Rd, Oliver, Osoyoos (West Bench), Kaslo, "Darkwoods" NE of Salmo, Kootenay Lk

***Euryopsis funebris* (Hentz, 1850)**

Global Distribution: Southern BC to QC south to LA & FL

BC Records: Peachland, Mt Kobau, Kinbasket Reservoir (Hope Ck)

***Euryopsis scriptipes* Banks, 1908**

Global Distribution: Southern BC to AB south to north central Mexico

BC Records: Cougar Canyon Eco Res, Edgewood, Castle Mtn (Christina Lk)

***Lasaeola prona* (Menge, 1868)**

Global Distribution: Holarctic; in Nearctic - BC, SK, QC, & NS to CA & NC (widespread but rare)

BC Records: Evening Ridge (SE of Nelson), Cabin Ck FSR (Flathead R drainage)

***Latrodectus hesperus* Chamberlin & Ivie, 1935**

Global Distribution: Southern BC to SK south to northern Mexico

BC Records: Powell R, Savary Is, Nanaimo, Crofton, Duncan, Cobble Hill, Malahat, Sooke area (Monument Ridge, Mt Manuel Quimper), Victoria area (Mary Hill, Mt Braden, Metchosin, Mt MacDonald, Langford, Goldstream Prov Pk, View Royal, James Bay, Uplands Regional Pk, Mt Tolmie, Royal Oak, Sparton Rd, Mt Newton, Island View Beach, Swartz Bay), Saltspring Is (Mt Maxwell), North Pender Is, Galiano Is, Mayne Is, Saturna Is (Warburton Pike),

Vancouver area (Centennial Beach), Chilliwack, Lillooet, Nicola Lk, Douglas Lk, Williams Lk, Kamloops, Salmon Arm, Oliver, Vernon, Kelowna, Summerland, Penticton, Vaseux Lk, Oliver, Osoyoos, Haynes Lease Eco Res, Mt Kobau, Nighthawk, Christina Lk, Granite Mtn, Trail, Cranbrook

***Neottiura bimaculata* (Linnaeus, 1767)**

Global Distribution: Holarctic; introduced in Nearctic - BC to QC south to ?

BC Records: Terrace, nr Valemount (peatland), Brooks Peninsula, Pacific Rim Nat Pk, Carmanah Valley, Little Qualicum R, Kin Beach (Comox), Victoria area (Goldstream Prov Pk, Langford, Ft Rodd Hill, Goward Rd, Island View Beach), Saltspring Is (Mt Maxwell), Saturna Is (Warburton Pike), Gulf Islands Nat Pk (Tumbo Is), Vancouver area (Burns Bog, Delta, Vancouver Convention Centre, Burnaby, Sardis), Kamloops, Vernon, N of Enderby, East Arrow, Burton, Creston, Yoho Nat Pk (Field)

***Ohlertidion ohlerti* (Thorell, 1870)**

Global Distribution: Holarctic; in Nearctic - AK to QC south to central CA & NM

BC Records: along Alaska Hwy (Summit Lk, Hyland R), Vancouver, Manning Prov Pk, Coquihalla Lks, Lillooet, Field, Graves Lookout Tr (E of Whiteswan Lk), Lakit Peak (nr Ft Steele)

***Parasteatoda tepidariorum* (C. L. Koch, 1841)**

Global Distribution: Cosmopolitan

BC Records: Brentwood Bay, Methcosin, Victoria, Vancouver, Stanley Pk, Aldergrove, Kelowna, Osoyoos, "Darkwoods" NE of Salmo (Tye Camp)

***Phylloneta impressa* (L. Koch, 1881)**

Global Distribution: Holarctic; in Nearctic - AK to NU south to northern BC & AB

BC Records: Atlin, Mt St Paul, Summit Lk (Alaska Hwy), Ft Nelson, Williston Reservoir S of Ingenika R, Hwy 29 @ Halfway R, Lemoray, Babine Lk (Johnson Bay, Pinkut Ck), Sparwood, Field (shoreline)

***Platnickina tincta* (Walckenaer, 1802)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC, adjacent WA & northern OR

BC Records: Mitlenatch Is, Nanaimo, Sooke R, Sansum Narrows Reg Pk, Victoria area (Sooke R valley, Albert Head, Durrance Lk, Ft Rodd Hill, Victoria), Saturna Is (Campbell Farm, Winter Cove), Gulf Islands Nat Pk (Cabbage Is, D'Arcy Is), Vancouver area (Stanley Pk, Vancouver, Ft Langley), Pemberton, Agassiz, Beaton

***Rhomphaea fictilium* (Hentz, 1850)**

Global Distribution: BC, MB to NS, south to Argentina

BC Records: Qualicum Beach, Nanaimo, Wellington, Cowichan Valley, Victoria area (Island View Beach, Mt Tolmie), Pender Harbour

***Robertus borealis* (Kaston, 1946)**

Global Distribution: BC to ME south to MI & NY

BC Records: Falkland

***Robertus fuscus* (Emerton, 1894)**

Global Distribution: Northern BC to LB south to WY & CT

BC Records: junction Tatshenshini R & O'Connor R), along Alaska Hwy (Mi 419, Swan Lk, Racing R), Babine Lk (Johnson Bay, Pinkut Ck), Poutang Ck headwaters, Peace R nr Halfway Ck, S bank Peace R @ Bear Flat, Hwy 29 NW of Ft St John, 35 km E of Prince George, Valemount (Packsaddle Ck, Yellowjacket Ck), Bull R valley (NW of Elkford), Graves FSR pass S of Sheep Mtn, Yoho Nat Pk (jct Yoho & Kicking Horse Rivers)

***Robertus lividus* (Blackwall, 1836)**

Global Distribution: Holarctic; in Nearctic - introduced? AK & BC

BC Records: Coquitlam (Colony Farm)

***Robertus vigerens* (Chamberlin & Ivie, 1933)**

Global Distribution: AK to MT south to CA & UT

BC Records: Haida Gwaii (Bonanza Ck), Lakelse Lk, Terrace, Copper R valley (nr Terrace), W Hudson Bay Mtn, Smithers, Babine Lk (Johnson Bay), Burns Lk, Prince George, 35 km E of Prince George, Belle Mtn (nr McBride), Valemount (peatland, Yellowjacket Ck), Kinbasket Reservoir (Big Bend, nr Bush Arm causeway), Bute Inlet, Brooks Peninsula, Courtenay, Carmanah Valley, Mt Arrowsmith, Tent Is (nr Chemainus), Cowichan R, Koksilah R, Victoria area (Rocky Point, Ayum Ck, Veitch Ck, Barrow Rd, Camas Hill, Sugarloaf Mtn, Langford, Munn's Rd, Observatory Hill, Island View Beach), Saturna Is (Lyall Ck), Gulf Islands Nat Pk (Acland Is, Cabbage Is, Channel Is, Forrest Is, Hawkins Is, Portland Is, Red Is, Tumbo Is), Vancouver area (Burnaby, Burns Bog, Ft Langley, Mission), Whistler area (Beverly Lk, Blackcomb, Madely Lk, Rainbow Lk Tr, Whistler village), Blowdown Pass (nr Duffey Lk), Mt Cheam, Echo Lk (Harrison Mills), Shuswap Falls, Revelstoke, Glacier Nat Pk (Mt Fidelity, Beaver Valley, Balu Pass, Rogers Pass), Edgewood, Beaton, Mosquito Ck (nr Nakusp), Kootenay Pass (Stagleap Prov Pk), Yoho Nat Pk (Yoho Valley Rd), Fernie, Flathead R drainage (Flathead townsite nr Mt Corrigan, Mt Hefty)

***Rugathodes aurantius* (Emerton, 1915)**

Global Distribution: AK to NF south to WY & NH

BC Records: Liard R Hotsprings, nr Hudson's Hope, Hwy 29 @ Szoo Rd, Hwy 29 @ Halfway Ck, NW of Ft St John, Hwy 97 S of Taylor, Terrace, Babine Lk (Johnson Bay), Walbran Valley, Victoria, Yoho Nat Pk (nr Wapta Falls, Boulder Ck)

***Rugathodes sexpunctatus* (Emerton, 1882)**

Global Distribution: Southern AK to NF south to CA & NC

BC Records: Mt McCallum, Idaho Peak (Atlin), ridge ~9km E of Simpson Peak, Kinaskan Lk, Gataga Range (~75 km N of Ft Ware), Mt Irish (nr Ft Ware), Hwy 29 @ Halfway R, S bank Peace R @ Bear Flat, Peace R @ Cache Ck, Pink Mtn, Ft St John, Tumbler Ridge, Mt Whitford, Taylor, Chetwynd, Pine R, 5 km SE Mt Reynolds, Prince Rupert, Terrace, Copper R valley (nr Terrace), Hudson Bay Mtn, W Hudson Bay Mtn, Sustut Prov Pk (The Thumb & vicinity), Tanglechain Lk, Babine Lk (Johnson Bay, Donald Landing, Smithers Landing), Prince George, Valemount (Yellowjacket Ck), Wilson Lk (~7 km W Tsitsutl Peak), nr Itcha Lk, Secret Peak (~10 km W Perkins Peak), Taseko Mtn, McMullin Is group, Gosling Is (Goose Is group), Calvert Is area, Alert Bay, Wakeman Sound, Brooks Peninsula, Kyuquot, Mt Cain, Carrington Lagoon (Cortes Is), Wellington, Strathcona Prov Pk (Cream Lk, Price Ck, Crown Mtn), Forbidden Plateau, Hornby Is, Nanoose, Parksville, Nanaimo, Yellow Point, Cameron Lk, Tofino, Maquinna Prov Pk, Carmanah Valley, Walbran Valley, Cowichan Lk, Koksilah R, Sansum Narrows Reg Pk, Port Renfrew (Gordon R, Avatar Grove), Victoria area (E Sooke Point, Roche Cove, Rocky Point, Pearson College, Matheson Lk, Camas Hill, Veitch Ck, Devonian Reg Pk, Albert Head, Goldstream Prov Pk, Francis-King Reg Pk, Ft Rodd Hill, Tod Inlet, Munn's Rd, Durrance Lk, Tod Inlet, Island View Beach, Sidney), Carrington Lagoon (Cortes Is), Saltspring Is (Long Harbour), Saturna Is (Lyall Ck), Gulf Islands Nat Pk (Brackman Is, Cabbage Is, D'Arcy Is, Forrest Is, Portland Is), Vancouver area (Stanley Pk, Ft Langley, Vancouver), Roberts Ck, Whistler area (Rainbow Lk Tr, Whistler Peak), Blowdown Pass (nr Duffey Lk), Echo Lk (Harrison Mills), Manning Prov Pk, Spuzzum, Vance Ck Eco Res, Mt Revelstoke, Glacier Nat Pk (Beaver Valley), Idaho Peak (nr New Denver), "Darkwoods" NE of Salmo (nr Porcupine Lk, Tye railway tunnel), St Mary Lk W of Kimberley), Yoho Nat Pk (nr Wapta Falls, Emerald Lk, Field, Paget Peak, Yoho Valley Rd, Odaray/Grandview Tr, McArthur Lk Tr), Bull R valley, Sparwood area (Alexander Ck FSR, Graves FSR), Flathead R drainage (Cabin Ck FSR, Flathead townsite nr Mt Corrigan)

***Simitidion simile* (C. L. Koch, 1836)**

Global Distribution: Holarctic; introduced in Nearctic - southwestern BC & adjacent WA

BC Records: Comox, Jordan R, Victoria area (Pearson College, Goldstream Prov Pk, Goward Rd), Vancouver

***Steatoda albomaculata* (De Geer, 1778)**

Global Distribution: Holarctic; in Nearctic - NT to NH south to central Mexico & IL

BC Records: Hwy 29 @ Halfway R, Ft St John, Canim Lk, Puntzi Lk, Mt Arrowsmith, Nanaimo, Mt Finlayson, Lillooet, Kamloops, N of Princeton, Summerland, Apex Mtn, Mt Kobau, Osoyoos, Christina Lk, nr Canal Flats (Findlay Ck, Columbia Lk Prov Pk), Cranbrook area (Bummers Flats, Rampart grassland, Bull R valley), Flathead R drainage (Flathead-Sage FSR)

***Steatoda bipunctata* (Linnaeus, 1758)**

Global Distribution: Holarctic; introduced in Nearctic - northeastern North America and southwestern BC to northwestern WA

BC Records: Beaver Lk Rd (Victoria), Surrey

***Steatoda borealis* (Hentz, 1850)**

Global Distribution: AK to NS south to TX & GA

BC Records: Meziadin Lk, Babine Lk (Johnson Bay, Hudson's Hope, Lynx Ck, Hwy 29 @ Lynx Ck, Hwy 29 @ Watson Slough, Ft St John, Prince George, nr Valemount (peatland, Packsaddle Ck), Victoria area (Munn's Rd), Kamloops, Salmon Arm, Vernon

***Steatoda grossa* (C. L. Koch, 1838)**

Global Distribution: Cosmopolitan

BC Records: Terrace, Comox, Nanoose Bay, Victoria area (William Head, Langford, Goldstream Prov Pk, Thetis Lk, Brentwood Bay, Oak Bay, Cadboro Bay, Saanich, 10 Mile Point, Saanichton, Deep Cove), Galiano Is, Vancouver area (Shaughnessy, Vancouver, North Vancouver), Summerland, Vaseux Lk, Nakusp

***Steatoda hespera* Chamberlin & Ivie, 1933**

Global Distribution: BC to MT south to CA & CO

BC Records: Prince George, Puntzi Lk, km 15 Highline Rd (n of D'Arcy), Marble Canyon, Manning Prov Pk, Nicola, Pavilion Lk, Kamloops, Salmon Arm, Vernon, Summerland, Penticton, Mt Kobau, Granite Mtn (Rossland), Kootenay Pass (Bridle Lk, Ripple Ridge), Creston, Kootenay Lk, Glacier Nat Pk (Beaver Valley), Cranbrook area (Bummers Flats, Sunken Ck Tr, Bull R valley), Fernie, Alexander Ck FSR (SE of Sparwood), Flathead R drainage (Kishinena Ck, Flathead Sage FSR, Beryl Ck)

***Steatoda washona* Gertsch, 1960**

Global Distribution: Southern BC to northwestern Mexico & AZ

BC Records: Thompson R ravine below Logan Lk, "The Throne" Haynes Lease Eco Res (Osoyoos)

***Theonoe stridula* Crosby, 1906**

Global Distribution: AK to NL south to WA & VA

BC Records: Echo Lk (Harrison Mills)

***Theridion agrifoliae* Levi, 1957**

Global Distribution: West coastal NA from Vancouver Is to central CA

BC Records: Brooks Peninsula, Tofino, Wellington, Victoria area (Barrow Rd, Impala Rd)

***Theridion californicum* Banks, 1904**

Global Distribution: West coastal NA from southwestern BC to southern CA

BC Records: Gosling Is (Goose Is group), Penrose Is group, Carrington Lagoon (Cortes Is), Tofino, Wellington, Parksville, Victoria area (Rocky Point, Barrow Rd, Impala Rd, Devonian Reg Pk, Albert Head, Victoria, Sidney), Savary Is, Vancouver

***Theridion differens* Emerton, 1882**

Global Distribution: BC to NS south to central CA & FL

BC Records: Poutang Ck headwaters, Hwy 29 @ Halfway R, Hwy 29 @ Watson Slough, Hwy 29 NW of Ft St John, Ft St John, Haida Gwaii (Masset), Terrace, Prince George, Hixon, Quesnel, Wellington, Nanaimo, Whistler area (Brandywine Prov Pk), Hope, Lillooet, Salmon Arm, Cougar Canyon Eco Res, Rock Ck, Kaslo, Creston, Yoho Nat Pk (Creston), Elko

***Theridion frondeum* Hentz, 1850**

Global Distribution: Southern BC to NS south to CA & LA

BC Records: Salmon Arm, Valemount (Dave Henry Ck)

***Theridion hemerobium* Simon, 1914**

Global Distribution: Holarctic; in Nearctic - southern interior BC to MA south to CA & NJ

BC Records: Goldstream Prov Pk, Creston

***Theridion lawrencei* Gertsch & Archer, 1942**

Global Distribution: Southwestern BC to ID south to southern CA

BC Records: The Thumb (Sustut Prov Pk), Victoria area (Rocky Point, Sidney Is), Yellow Point

***Theridion leechi* Gertsch & Archer, 1942**

Global Distribution: Southern BC south to CA & CO

BC Records: Salmon Arm, Vernon, Trinity Valley (nr Lumby), Kaslo, Ainsworth Hotsprings

***Theridion melanurum* Hahn, 1831**

Global Distribution: Holarctic; in Nearctic - southwestern BC south to CA & UT

BC Records: Kyuquot, Wellington, Sooke R, William Head, Victoria

***Theridion michelbacheri* Levi, 1957**

Global Distribution: Southwestern BC & northwestern MT south to southern CA

BC Records: Mt Norman (Pender Is)

***Theridion murarium* Emerton, 1882**

Global Distribution: Southern BC to NS south to southern Mexico & FL

BC Records: Masset, Terrace, Wellington, Upper Shuswap R Eco Res, Kamloops, Kaslo, Revelstoke

***Theridion mystaceum* L. Koch, 1870**

Global Distribution: Palaearctic; introduced in Nearctic(?) - BC

BC Records: Victoria

***Theridion neomexicanum* Banks, 1901**

Global Distribution: Southern BC to MT south to CA & NM

BC Records: Calvert Is area, Wellington, Nanaimo, Caycuse, Cowichan Lk, Victoria area (E Sooke Point, William Head, Victoria, Millstream Lk Rd), Vancouver, Cache Ck, Apex Mtn, E side Skaha Lk, Kaslo, Powder Ck (nr Riondel), Christina Lk

***Theridion petraeum* L. Koch, 1872**

Global Distribution: Holarctic; in Nearctic - YT to ME south to central CA & CO

BC Records: Mt McCallum, Hudson's Hope, Hwy 29 NW of Ft St John, nr Tumbler Ridge, Hwy 52 SW of Dawson Ck, Wilson Lk (~7 km W Tsitsutl Peak), Coquihalla Lks, Cache Ck, Kamloops, Summerland, Osoyoos area (Haynes Pt, nr Desert Society), Evening Ridge Mtn (nr Nelson), Eager Hills (Cranbrook)

***Theridion pictum* (Walckenaer, 1802)**

Global Distribution: Holarctic; in Nearctic - NU to NS south to UT & CT

BC Records: Ft Fraser, Jackfish Ck

***Theridion rabuni* Chamberlin & Ivie, 1944**

Global Distribution: Southern BC to NJ south to CA & Bahamas

BC Records: Taseko Mtn, Koksilah R, Kilpoola Lk, Mt Kobau, Osoyoos (Desert Centre, Black Sage Rd, nr Mud Lk, others), Oliver (Manuel Flats), Flathead R drainage (Cabin Ck FSR)

***Theridion saanichum* Chamberlin & Ivie, 1947**

Global Distribution: West coastal NA from southeastern AK to CA

BC Records: Alert Bay, Wellington, Carmanah Valley, Victoria area (Rocky Point, Witty's Lagoon, Sidney, Saanich Inlet), Vancouver

***Theridion varians* Hahn, 1833**

Global Distribution: Holarctic; introduced in Nearctic - western BC & adjacent WA

BC Records: Lakelse Lk, 10 Mile Lk (nr Quesnel), Mesachie Lk, Victoria area (Victoria, Saanichton), Vancouver area (Stanley Pk, Vancouver, Pitt Meadows, Haney), Pemberton

***Theridula emertoni* Levi, 1954**

Global Distribution: BC to NF south to WI & TN

BC Records: Mt Whitford, Prince George, Lumby, Upper Shuswap R Eco Res, Kaslo, Burton, Mosquito Ck (nr Nakusp)

***Thymoites camano* (Levi, 1957)**

Global Distribution: Southern BC south to CA & UT

BC Records: Carrington Lagoon (Cortes Is), Nanaimo, Koksilah R, Jordan R, Victoria area (Roche Cove, Mary Hill, Francis King Reg Pk, Durrance Lk, Monument Ridge, Sugarloaf Mtn, Mt Wells, Barrow Rd, Impala Rd, Veitch Ck, E Sooke, Albert Head, Ft Rodd Hill), Gulf Islands Nat Pk (Cabbage Is, Glenthorne Is), Saturna Is (Lyall Ck, Campbell Farm), Whistler area (Brandywine Prov Pk), Pemberton, Echo Lk (Harrison Mills), Campbell-Brown Eco Res, Kootenay Pass (Waldie Lk), St. Mary Lk (W of Kimberley), Flathead R drainage (Cabin Ck FSR)

***Thymoites minnesota* Levi, 1964**

Global Distribution: BC to QC south to MN & MI

BC Records: Yoho Nat Pk

***Thymoites oleatus* (L. Koch, 1879)**

Global Distribution: Holarctic; in Nearctic - YT & BC to NL

BC Records: Mt McCallum, Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Redfern Mtn), alpine pass 4.5 km NW of Mt Laurier, N of Motase Peak, Yoho Nat Pk (above Ross Lk, Lk McArthur Tr)

***Thymoites pallidus* (Emerton, 1913)**

Global Distribution: BC, CA to MA S to Venezuela & Caribbean

BC Records: Pemberton, Grohman Narrows (W of Nelson)

THOMISIDAE

***Bassaniana utahensis* (Gertsch, 1932)**

Global Distribution: AK to NS south to Mexico & FL

BC Records: Hwy 97 @ Cottonwood R, Ft Nelson, Hwy 29 @ Halfway R, Terrace, Lakelse Lk, Secret Peak (~10 km W Perkins Peak), Kyuquot, Wellington, Victoria area (Rocky Point, Langford, Munn's Rd, Goward Rd, Quadra), Whistler, Pemberton, Cultus Lk, Bridge R below Trehorne Dam, Pavilion Lk, Deadman Valley FSR (nr Cache Ck), Kamloops, Salmon Arm, Vernon, Ashnola R valley, Cawston, Osoyoos, Kaslo, Creston, Findlay Ck (nr Canal Flats), Columbia Lk Prov Pk, Graves FSR (nr Sparwood)

***Coriarachne brunneipes* Banks, 1893**

Global Distribution: Southeastern AK to northern ON south to CA & AZ

BC Records: Haida Gwaii, Terrace, Nanoose Bay, Errington, Wellington, Carmanah Valley, Cowichan Lk, Sooke, Victoria area (William Head, Langford, Munn's Rd, Thetis Lk, Victoria, Oak Bay, 10 Mile Point, Mt Douglas), Galiano Is, Hat Ck

***Mecaphesa asperata* (Hentz, 1847)**

Global Distribution: Southern BC to MA south to NM & FL

BC Records: Hudson's Hope, Lillooet, Vernon, Kelowna, Summerland, Vaseux Lk, Oliver

***Mecaphesa celer* (Hentz, 1847)**

Global Distribution: Southern BC to MA south to Central America & FL

BC Records: Cowichan Lk, Victoria, Pemberton, Kamloops, Fairview, Vernon, Vaseux Lk, Oliver, Haynes Lease Eco Res, Mt Kobau, Osoyoos

***Mecaphesa sierrensis* (Schick, 1965)**

Global Distribution: Southern BC to CA

BC Records: Errington, Pemberton, Hope, Osoyoos, Creston

***Misumena vatia* (Clerck, 1757)**

Global Distribution: Holarctic; in Nearctic - AK to NF south to Mexico & FL

BC Records: along Alaska Hwy (Jackfish Ck, Pink Mtn, Kiskatinaw R), Ft St John, Tumbler Ridge, Chetwynd, Hudson's Hope, Hwy 29 @ Halfway R, Hwy 29 @ Watson Slough, Metlakatla, Terrace, Amesbury Ck (nr Terrace), Johnson Bay (Babine Lk), Tomslake, Prince George, Stoner, Hixon, Lac la Hache, Kinbasket Reservoir (nr Bush Arm causeway), Kyuquot, Errington, Mitlenatch Is, Nanoose Bay, Carmanah Valley, Kludahk Trail (~12km NW Jordan R), Yellow Point, Valdes Is, Cowichan Lk, Victoria area (Rocky Point, Mary Hill, Pearson College, Metchosin, Langford, Munn's Rd, Prospect Lk, Mt Douglas, 10 Mile Point, Sidney Is), Vancouver area (Ft Langley, Vancouver), Whistler area (Brandywine Prov Pk, Miller Ck, Whistler Peak), Pemberton, Coquihalla Lks, Manning Prov Pk, Kamloops, Salmon Arm, Princeton, Trinity Valley, Penticton, Okanagan Falls, Haynes Lease Eco Res, Osoyoos, Kaslo, Evening Ridge (nr Nelson), "Darkwoods" NE of Salmo, Creston, Gray Ck Pass, Windermere, Fairmont Hotsprings, Corbin, Jaffray

***Ozyptila arctica* Kulczynski, 1908**

Global Distribution: Holarctic; in Nearctic, AK to NU south to northern BC & MB

BC Records: Mt McCallum, Idaho Peak (Atlin), Summit Lk (Alaska Hwy), Pink Mtn, Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), Gathto Ck drainage (~11.5 km SW Mt Gary Powell)

***Ozyptila conspurcata* Thorell, 1877**

Global Distribution: Southwestern BC to QC south to CA & NM

BC Records: Mt Maxwell (Saltspring Is), Sansum Narrows Reg Pk (nr Genoa Bay), nr Prospect Lk (Victoria), Pemberton, Bromley Rock (nr Princeton), Old Hedley Rd, nr St Mary Lk (W of Kimberley), Alexander Ck FSR (east of Sparwood), Phillips Pass, Flathead R drainage (Flathead-Sage FSR)

****Ozyptila gertschi* Kurata, 1944**

Global Distribution: Holarctic; in Nearctic - YT to LB south to southern BC, ND, and NS

BC Records: Edgewood

***Ozyptila pacifica* (Banks, 1895)**

Global Distribution: Coastal BC to OR

BC Records: Masset, Metlakatla, Terrace, McMullin Is group, Gosling Is (Goose Is group), Calvert Is area, Brooks Peninsula, Carrington Lagoon (Cortes Is), Yellow Point, Errington, Saltspring Is, Long Harbour, Gulf Islands Nat Pk (Cabbage Is, Tumbo Is), Vancouver area (Belcarra Rag Pk, Burnaby, Delta, Ft Langley), Whistler (N of Daisy Lk), Roberts Ck, Mission, Echo Lk (Harrison Mills)

***Ozyptila praticola* (C. L. Koch, 1837)**

Global Distribution: Holarctic; introduced in Nearctic - southern ON & QC, southwestern BC

BC Records: Vancouver area (Coquitlam, Iona Beach, Reiffel Bird Sanctuary, Surrey Bend Reg Pk, Derby Reach, Richmond Nature Centre, Surrey)

***Ozyptila sincera* Kulczynski, 1926**

Global Distribution: Holarctic; in Nearctic - AK to ON, south to CO and VA

BC Records: nr Valemount (peatland), Edgewood, Burton, Mosquito Ck (Nakusp), Bull R valley (NW of Elkford)

***Psammitis rugosus* (Buckle & Redner, 1964)**

Global Distribution: YT, Southeastern BC to southwestern AB

BC Records: "Rocky Mountains"

***Spiracme durus* (Sorensen, 1898)**

Global Distribution: NT to Greenland south to northern BC & northern QC

BC Records: Summit Lk (Alaska Hwy), nr Itcha Lk, Taseko Mtn, Finney Ck (nr Ashcroft), Yoho Nat Pk (Odaray-Grandview Tr)

***Spiracme keyserlingi* (Bryant, 1930)**

Global Distribution: YT to MB south to NM & NH

BC Records: Mt St Paul

***Spiracme nigromaculatus* (Keyserling, 1884)**

Global Distribution: Southern BC to MB south to NM

BC Records: Cathedral Lks Prov Pk (Rim Tr)

***Spiracme triangulosus* Emerton, 1894**

Global Distribution: AK to LB south to CO & eastern ON

BC Records: Atlin, Summit Lk (Alaska Hwy), Mt Irish (nr Ft Ware), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk), alpine pass 4.5 km NW of Mt Laurier, Poutang Ck headwaters, Hope, Manning Prov Pk (Goodfellow Ck), Fountain Valley, Yoho Nat Pk (Odaray-Grandview Tr, Emerald Lk)

***Tmarus angulatus* (Walckenaer, 1837)**

Global Distribution: Southern BC to NS south to CA & FL

BC Records: Pemberton, Quesnel

***Xysticus benefactor* Keyserling, 1880**

Global Distribution: BC & AB south to CA & NM

BC Records: Babine Lk (Johnson Bay), Lemoray, Prince George, Taseko Mtn, nr Valemount (peatland, Packsaddle Ck), Quesnel, Hope, Manning Prov Pk, Nicola, Apex Mtn, Cawston, Mt Kobau, Anarchist Mtn, Vernon, Oliver, Osoyoos, Sparwood area (Graves Prairie, Big Ranch Wildlife Area)

***Xysticus britcheri* Gertsch, 1934**

Global Distribution: Holarctic; in Nearctic - AK to NF south to ND & NY

BC Records: Mt McCallum, Valemount area (Packsaddle Ck)

***Xysticus californicus* Keyserling, 1880**

Global Distribution: Southwestern BC to northwestern Mexico

BC Records: uncertain record

***Xysticus canadensis* Gertsch, 1934**

Global Distribution: YT to NB south to BC & NH

BC Records: Tkope R, Tanglechain Lk, Babine Lk (Takla Landing, Johnson Bay), NW of Ft St John, Kinbasket Reservoir (nr Bush Arm causeway), nr Chopaka border crossing, Flathead R drainage (Flathead-Sage FSR)

***Xysticus cristatus* (Clerck, 1757)**

Global Distribution: Holarctic; introduced in western Nearctic - mid-coast BC to northwest WA

BC Records: Qualicum Beach, Victoria area (Sooke, Rocky Point, Goldstream Prov Pk, Fort Rodd Hill, Gorge/Tillicum, Saxe Point, Government House, Island View Beach, Beacon Hill, Christmas Hill), Saturna Is (Campbell Farm, Warburton Pike), Gulf Islands Nat Pk (Portland Is, Tumbo Is), Vancouver area (Iona Beach, Vancouver Convention Centre, Delta, Boundary Bay, Burnaby, Coquitlam, Maple Ridge)

***Xysticus cunctator* Thorell, 1877**

Global Distribution: Southern BC to SK south to AZ

BC Records: nr Dog Ck airfield, Wellington, Oyster R, Nanaimo, Victoria area (Quadra, Island View Beach), Gulf Islands Nat Pk (Acland Is, D'Arcy Is, Sallas Is), Fountain Valley, Lytton, Kamloops, Pritchard, Apex Mtn, Hedley, Mt Kobau, Oliver, Vernon, Mara Meadows Eco Res, Cherryville, Rock Ck, Lk Kooacanusa (Grasmere-Dorr FSR)

***Xysticus discursans* Keyserling, 1880**

Global Distribution: Southern BC to NF south to northwestern Mexico & FL

BC Records: Kinbasket Reservoir (nr Bush Arm causeway), Kamloops, Hedley, Cawston, Okanagan Falls, Edgewood, Yoho Nat Pk

***Xysticus elegans* Keyserling, 1880**

Global Distribution: BC to NF south to NM & GA

BC Records: Kispiox Valley, Valemount area (Packsaddle Ck), Seton Ck, Fountain Valley, Adams R, Salmon Arm, Burton, Edgewood, Mosquito Ck (SW of Nakusp)

***Xysticus ellipticus* Turnbull, Dondale, & Redner, 1965**

Global Distribution: NT to NB south to CO & TX

BC Records: 35 km E of Prince George, nr Valemount (peatland, Packsaddle Ck), Kinbasket Reservoir (Hope Ck), Enderby, Edgewood, Burton

***Xysticus emertoni* Keyserling, 1880**

Global Distribution: AK to NF south to NM & TX

BC Records: Atlin, along Alaska Hwy (Summit Lk, Liard R Hotsprings, Pink Mtn), peak 7.5 km SW of Bone Mtn, Hudsons Hope, Hwy 29 @ Halfway R, Hwy 29 @ Cache Ck, Hwy 29 NW of Ft St John, Tumbler Ridge, Pouce Coupe, 35 km E of Prince George, Valemount area (Packsaddle Ck), Okanagan Falls, Sparwood

***Xysticus ferox* (Hentz, 1847)**

Global Distribution: AK to NS south to TX & GA

BC Records: along Alaska Hwy (Summit Lk, Pink Mtn), Hwy 29 NW of Ft St John, Wells Gray Prov Pk, Valemount area (Packsaddle Ck), Victoria area (Langford), Salmon Arm, East Arrow, Mosquito Ck (nr Nakusp), Edgewood, Burton, Sparwood

***Xysticus gertschi* Schick, 1965**

Global Distribution: Southern BC & AB south to CA & NM

BC Records: Nanaimo, Spences Bridge, Ashcroft, Finney Ck (nr Ashcroft), Cache Ck, Lytton, Kamloops, Keremeos, Cawston

***Xysticus gosiutus* Gertsch, 1932**

Global Distribution: BC south to CA & UT

BC Records: Mt Irish (nr Ft Ware), Wellington, Nanaimo, Langford, Saltspring Is (Mt Tuam)

***Xysticus gulosus* Keyserling, 1880**

Global Distribution: Southern BC to QC south to northern Mexico & GA

BC Records: Victoria, Saturna Is (Warburton Pike), Fountain Valley, Walhachin, Kamloops, Vernon, Keremeos, Cawston, White Lk, Chopaka, Oliver, Osoyoos

***Xysticus locuples* Keyserling, 1880**

Global Distribution: BC & CO south to northern Mexico

BC Records: Mt Irish (nr Ft Ware), Strathcona Prov Pk (Crown Mtn), Wellington, Nanaimo, Carmanah Valley, Kludahk Trail (~12km NW Jordan R), Victoria area (Mt Braden, Goldstream Prov Pk, Langford, Goward Rd), Saltspring Is (Mt Maxwell), Vancouver area (North Vancouver, Cultus Lk), Pemberton, Spences Bridge, Lillooet, Fountain Valley, Clinton, Kamloops, Okanagan Falls, Old Hedley Rd, Keremeos, Cawston, Chopaka, Oliver, Osoyoos, Haynes Lease Eco Res, nr Canal Flats (Findlay Ck FSR), Cranbrook (Eager Hills), Lk Kooacanusa (Grasmere-Dodd FSR)

***Xysticus luctuosus* (Blackwall, 1836)**

Global Distribution: Holarctic; in Nearctic - NT to NB south to UT & WI

BC Records: along Alaska Hwy (Summit Lk, Ft Nelson), Hwy 29 NW of Ft St John, Smithers, Babine Lk (Johnson Bay), 35 km E of Prince George, nr Valemount (peatland), Kinbasket Reservoir (nr Bush Arm causeway), Mill Bay, Blaney Lk, Sardis, Blowdown Pass (nr Duffey Lk), Agassiz, Hope, Fountain Valley, Chase, Apex Mtn, Mt Kobau, Evening Ridge (nr Nelson), Kootenay Pass (Cornice Ridge), Yoho Nat Pk (nr Wapta Falls)

***Xysticus montanensis* Keyserling, 1887**

Global Distribution: AK to northern ON south to CA & NM

BC Records: junction of Tatshenshini R & O'Connor R, Tlell, Copper R valley (nr Terrace), peak 7.5 km SW of Bone Mtn, Prince George, 35 km E of Prince George, Riske Ck, Comox, Courtenay, Wellington, Brooks Peninsula, Carmanah Valley, Parksville, Victoria area (Rocky Point, Munn's Rd, Prospect Lk, Goward Rd, Government House, Victoria, Island View Beach), Gulf Islands Nat Pk (Brackman Is, Cabbage Is, Portland Is, Tumbo Is), Vancouver area (Burns Bog), Roberts Ck, Manning Prov Pk (Paintbrush Tr), Summerland, White Lk, Chopaka, Kilpoola Lk, Mt Revelstoke, Mosquito Ck (nr Nakusp), Edgewood

***Xysticus obscurus* Collett, 1877**

Global Distribution: Holarctic; in Nearctic - NT to LB south to northern BC & NH

BC Records: Tkope R, ridge ~9km E of Simpson Peak, along Alaska Hwy (Summit Lk, Sikanni Chief R, Liard R Hot Springs), nr Valemount (peatland, Packsaddle Ck, Yellowjacket Ck)

***Xysticus pretiosus* Gertsch, 1934**

Global Distribution: Southern BC to CA

BC Records: Haida Gwaii (Bonanza Ck), Terrace, Smithers, Triangle Is, Bute Inlet, Kyuquot, Mt Cain, Brooks Peninsula, Carrington Lagoon (Cortes Is), Carmanah Valley, Walbran Valley, Nitinat R Prov Pk, Jordan R, Errington, Nanaimo, Sproat Lk, Tent Is (nr Chemainus), Sansum Narrows Reg Pk, Victoria area (Mt Manuel Quimper, Rocky Point, Mary Hill, Ayum Ck, Veitch Ck, Pearson College, Camas Hill, Barrow Rd, Devonian Reg Pk, Witty's Lagoon, Mt Wells, Langford, Ft Rodd Hill, Goldstream Prov Pk, Gowlland Tod Prov Pk, Durrance Lk, Elk-Beaver Lks Reg Pk, Goward Rd, Haliburton Farm, Oak Bay, Island View Beach), Long Harbour, Saturna Is (Lyal Ck, Money Lk, Narvaez Bay), Galiano Is (S of Retreat Cove), Gulf Islands Nat Pk (Acland Is, Cabbage Is, Hawkins Is, Tumbo Is), Vancouver area (Belcarra Reg Pk), Roberts Ck, Whistler area (Ranibow Lk Tr), Echo Lk (Harrison Mills), Lytton, Spuzzum, Burton, Beaton, Mosquito Ck

***Xysticus punctatus* Keyserling, 1880**

Global Distribution: BC to NS south to CA & NC

BC Records: Ft Nelson, Hwy 29 @ Halfway R, Prince George, Cheewhat Beach (Clo-oose), Fountain Valley, Salmon Arm, Mosquito Ck (nr Nakusp), Kaslo, Fairmont Hot Springs, Radium Hot Springs

***Xysticus triguttatus* Keyserling, 1880**

Global Distribution: Eastern BC to NF south to CO & FL

BC Records: Summit Lk (Alaska Hwy), Valemount area (peatland, Packsaddle Ck), Field

TITANOECIDAE

***Titanoeca nigrella* (Chamberlin, 1919)**

Global Distribution: Southern interior BC to AB south to northern Mexico & LA

BC Records: S of Dog Ck airfield, Victoria area (Thetis Lk), Pemberton, Bridge/Yalakom R area, Fraser R (across from Fountain Valley), Clinton, Thompson R ravine below Logan Lk, Princeton, Old Hedley Rd, lower Ashnola R, S of Kilpoola Lk, Mt Kobau, Summerland, McIntyre Rd bluffs (Vaseux Lk), Osoyoos, Vaseux Lk., Vernon, Rattlesnake Point (nr Vernon), Keremeos, Mahoney Lk. (nr Okanagan Falls), White Lk (nr Oliver), Kootenay Pass, "Darkwoods" NE of Salmo (Wurttemberg Mtn), Kootenay Pass (Cornice Ridge), Lk Koocanusa, Cranbrook area (Eager Hills, Rampart grasslands, Lakit Peak, nr St Mary Lk), nr Canal Flats (Findlay Ck, Graves Lookout Tr), Phillips Pass, Flathead R drainage (Kishinena FSR)

***Titanoeca nivalis* Simon, 1874**

Global Distribution: Holarctic; in Nearctic - AK to northern AB south to CA & NM

BC Records: along Alaska Hwy (Summit Lk, Mi 392, Pink Mtn), Redfern-Keily Prov Pk (karst plateau N of Redfern Lk, Hwy 29 NW of Ft St John, nr Tumbler Ridge, Peace R Bridge, Alcan Hwy, Masset, Hwy 52 SW of Dawson Ck, E of Riske Ck, Victoria (Observatory Hill), Summerland, Oliver, Graves Lookout Tr (E of Whiteswan Lk), Yoho Nat Pk (Paget Peak), Rampart Grassland (nr Cranbrook), nr Canal Flats (Marion Ck benchlands), Flathead R drainage (Flathead-Sage FSR)

TRACHELIDAE

***Meriola californica* (Banks, 1904)**

Global Distribution: Southwestern BC to northwestern Mexico

BC Records: Parksville, Mesachie Lk, Victoria area (E Sooke Point, Goward Rd), Gulf Islands Nat Pk (Cabbage Is, Hawkins Is)

***Meriola decepta* Banks, 1895**

Global Distribution: Southern BC south to Peru & Brazil

BC Records: White Lk (southern Okanagan Valley)

ULOBORIDAE

***Hyptiotes gertschi* Chamberlin & Ivie, 1935**

Global Distribution: Southeastern AK to NF south to CA & PA

BC Records: S bank Peace R nr Bear Flat, Broughton Archipelago, Kyuquot, Strathcona Prov Pk (Cream Lk), Nanaimo, Victoria, Saturna Is (Winter Cove), Ft Langley, Lillooet, Kamloops, Vance Ck Eco Res, Campbell-Brown Eco Res

***Uloborus glomosus* (Walckenaer, 1841)**

Global Distribution: BC; widespread in eastern Nearctic

BC Records: Fraser Valley greenhouses (Simon Fraser University, Abbotsford, Agassiz, Sumas) Allendale Rd (S of Okanagan Falls), McIntyre Rd bluffs (Vaseux Lk)

ZODARIIDAE

***Zodarion rubidum* Simon, 1914**

Global Distribution: Holarctic; introduced in Nearctic - QC, PA, CO, CA

BC Records: Coquitlam (Colony Farm)